

WHEN WASH DAY HURTS

The Physical, Sensory, and Emotional Experience of Pediatric Hair Care

Dr. Bre Hayward, EdD

Founder, Baby Hair®

Founder, Phase Theory Beauty Company

Published September 2026

www.PhaseTheoryBeauty.com | BabyHair.com

PUBLICATION INFORMATION

When Wash Day Hurts: The Physical, Sensory, and Emotional Experience of Pediatric Hair Care

Baby Hair® Research & Education Series · Publication No. 2 · Research Monograph

Author:

Dr. Bre Hayward, EdD, Founder, Baby Hair® | Founder, Phase Theory Beauty Company

Publisher:

Phase Theory Beauty Company

Publication Date:

September 2026

Suggested Citation

Hayward, B. (2026). When Wash Day Hurts: The Physical, Sensory, and Emotional Experience of Pediatric Hair Care. Baby Hair® Research & Education Series, Publication No. 2. Phase Theory Beauty Company.

Educational Disclaimer

This publication is provided for educational and informational purposes only. It is not intended to diagnose, treat, cure, or prevent any disease or medical condition and is not a substitute for individualized advice from an appropriately qualified professional.

Intellectual Property

Baby Hair® is a registered trademark of Baby Hair LLC. C.H.O.P.R.™, the C.H.O.P.R.™ Scalp-First Framework, and The Scalp-First Parent Checklist™ are trademarks of Baby Hair LLC.

C.A.R.E. is used in this publication as the descriptive name of an original educational framework. No trademark claim is made for C.A.R.E. in this edition pending separate name and trademark clearance.

© 2026 Phase Theory Beauty Company. All rights reserved.

A Letter from the Founder

Dear Parent, Caregiver, and Beauty Professional,

I grew up believing that getting your hair done was supposed to hurt.

You were tender-headed. You needed to sit still. Stop moving. Stop crying. Let me finish. And somewhere along the way, a lot of us learned that discomfort was simply part of getting our hair done.

I don't think the adults caring for us were trying to hurt us. In many cases, they were doing exactly what had been done to them, using the techniques they had been taught by the people who cared for them. Hair care is generational like that. We pass down the beautiful parts — the braiding, the rituals, the time together, the cultural knowledge — but sometimes we pass down practices without ever stopping to ask whether there might be a gentler way.

As a mother, that question feels different to me now.

What if the child isn't being difficult?

What if something we're doing actually hurts?

And how do we tell the difference between a child who simply doesn't want to sit through wash day, a child experiencing ordinary discomfort, a child who is overwhelmed by the sensory experience, and a child whose scalp or hair is telling us that something needs to change?

Those aren't the same thing.

This paper isn't an argument that children should never be uncomfortable. Parents and caregivers still have a responsibility to keep children's hair and scalps clean, detangled, protected, and healthy. A five-year-old isn't always going to choose wash day over playing. A teenager may not want to take down a style that needs to come out. Necessary care is still necessary care.

But caregiver responsibility and child-centered care don't have to compete.

A child can be expected to participate in hair care and be allowed to say, "That hurts."

A braid can be beautiful and be too tight.

A parent can be doing their absolute best and need a different technique.

This paper looks at hair care from the child's side of the comb. In Scalp-First Hair Care, the first publication in the Baby Hair® Research & Education Series, I focused on what happens beneath the hair — scalp biology, porosity, texture diversity, common pediatric scalp concerns, and the C.H.O.P.R.™ Scalp-First Framework. The central idea was simple: healthy hair begins with a healthy scalp.

But understanding what a child needs is only half of responsible hair care. We also have to think about how the child experiences receiving that care.

We'll examine what research tells us about mechanical tension and traction, friction and detangling, pediatric sensory differences, protective styling, hair-esteem, cultural identity, and child agency. Just as importantly, we'll be clear about what the research does not tell us.

Difficult wash days are sometimes casually described as "traumatic," but strong language isn't a substitute for evidence. Where research directly addresses hair care, I'll tell you. Where we're applying knowledge from adjacent fields, I'll tell you that too.

Because the evidence standard shouldn't change just because the story is compelling.

***Healthy hair care should not require a child to learn
that pain is the price of being cared for.***

With purpose,

Dr. Bre Hayward, EdD

Founder, Baby Hair®

Phase Theory Beauty Company

TABLE OF CONTENTS

A Letter from the Founder	3
Executive Summary	7
PART I · WHEN HAIR CARE BECOMES PAINFUL	9
<i>Pain Is Information · Traction Alopecia · Warning Signs · Pain Classification</i>	11
PART II · WHY SOME CHILDREN EXPERIENCE WASH DAY DIFFERENTLY	15
<i>Touch, Water, Sound, Smell, Movement · Predictability · Sensory Difference</i>	17
PART III · DETANGLING IS A MECHANICAL PROCESS	20
<i>Friction & Slip · Section Size & Direction · Stop · Slip · Separate · Continue</i>	24
PART IV · PROTECTIVE SHOULD NOT MEAN PAINFUL	26
<i>Traction Risk · Installation Pain · Styling Warning Guide · Cultural Respect</i>	29
PART V · THE EMOTIONAL WEIGHT OF HAIR CARE	32
<i>Hair-Esteem Research · Trauma Question · Caregiver Frustration · Language Shifts</i>	34
PART VI · WHEN YOU DON'T SHARE YOUR CHILD'S TEXTURE	37
<i>Knowledge Gap · Cultural Competency · Foster Care & Adoption · Caregiver Learning Plan</i>	41
PART VII · CHILD AGENCY WITHOUT GIVING UP CAREGIVER RESPONSIBILITY	43
<i>Agency vs. Authority · Pain Reporting · Developmental Arc · Child Hair-Care Check-In</i>	46
PART VIII · REBUILDING WASH DAY	48
<i>11-Step Routine · Six-Category Diagnostic · Minimum Viable Wash Day</i>	50
PART IX · THE C.A.R.E. FRAMEWORK	54
<i>C.A.R.E. Defined · C.A.R.E. + C.H.O.P.R.™ · Not a Clinical Intervention</i>	56
PART X · PUTTING C.A.R.E. INTO PRACTICE	60
<i>Wash Day Comfort Plan · Child Hair-Care Check-In · Styling Warning Guide · C.A.R.E. Across Childhood</i>	65
Limitations & Evidence Boundaries	67
A Movement, Not a Moment	69
References	71

About the Author..... 72

About Baby Hair®..... 73

EXECUTIVE SUMMARY

Hair care is one of the most repeated physical-care routines many children experience throughout childhood. For children with long, curly, coily, highly textured, or easily tangled hair, that routine may involve extended periods of washing, conditioning, detangling, sectioning, brushing, braiding, twisting, drying, and styling.

Yet conversations about pediatric hair care overwhelmingly focus on the finished result: whether the hair is clean, moisturized, detangled, protected, or styled. Far less attention is given to how the child experiences the process required to get there.

When Wash Day Hurts examines pediatric hair care through four intersecting lenses: physical mechanics, sensory experience, emotional experience, and cultural context.

The paper distinguishes between several experiences that are often treated as interchangeable: ordinary resistance to grooming, temporary discomfort, sensory distress, persistent pain, and physical warning signs associated with excessive styling tension or scalp concerns. These distinctions matter because they require different caregiver responses.

Where the Evidence Is Strongest

Mechanical tension is a recognized cause of traction alopecia, including in children. Hair friction and manipulation influence breakage and detangling difficulty. Pediatric occupational-therapy guidance recognizes that grooming activities such as hair washing, brushing, and cutting may be particularly difficult for children with sensory differences. Research on hair-esteem and identity demonstrates that children's experiences surrounding their hair extend beyond grooming and can intersect with self-perception, culture, belonging, and discrimination.

Where Caution Is Required

Current research does not establish that an unpleasant wash day, painful detangling session, or routine hair-care resistance necessarily constitutes psychological trauma. Nor does every complaint of discomfort indicate injury or sensory dysfunction. This publication therefore distinguishes direct hair-care evidence from adjacent research in pediatric sensory processing, developmental psychology, pain, and interpersonal touch.

Pain and distress contain information. The goal is informed care: protecting the scalp and hair while respecting the child attached to them.

Key Questions

- What actually causes pain and discomfort during pediatric hair care?
- When does styling tension move from uncomfortable to potentially harmful?
- Why can washing, brushing, detangling, drying, or cutting feel overwhelming for some children?
- How can caregivers distinguish ordinary resistance from persistent distress?
- What role should children have in communicating pain and participating in their own hair care?
- How can culturally significant styling practices be preserved while reducing unnecessary tension?

- What messages do children absorb when their hair is repeatedly described as "difficult," "bad," or "too much"?
- How should caregivers approach a texture or tradition they did not grow up with?
- What does a genuinely child-centered wash day look like in practice?

The Throughline

Publication No. 1 established the principle: Healthy hair begins with a healthy scalp.

This research monograph adds another: The health of the hair-care routine includes the experience of the child receiving it.

The objective is not to remove the caregiver's responsibility to care. It is to make how we care part of the standard.

PART I

When Hair Care Becomes Painful

The mechanics of pulling, friction, tension, and the difference between discomfort and a warning sign.

WHEN HAIR CARE BECOMES PAINFUL

The mechanics of pulling, friction, tension, and the difference between discomfort and a warning sign.

Pain Is Information

There is a phrase many children hear while getting their hair done: "You're just tender-headed." Sometimes that description may be accurate in the most ordinary sense: one child may simply experience scalp manipulation as more uncomfortable than another.

But the phrase can also end a conversation that should have started. A child says something hurts. An adult interprets the complaint as sensitivity. The styling continues.

That matters because pain during hair care does not have one single explanation. It can come from a comb pulling against a knot. It can come from tension transferred through the hair shaft to the scalp. It can come from a braid, ponytail, twist, extension, or other style applying sustained force to the follicle. It can occur because damaged or highly tangled fibers create greater resistance during combing. It can also reflect a scalp condition unrelated to styling itself. And sometimes a child simply does not want their hair done.

Those possibilities should not be treated as interchangeable. The goal of child-centered hair care is not to interpret every complaint as evidence of injury. It is to become better at asking a more useful question: What is this child experiencing, and is there something about the routine that should change?

What Actually Happens When Hair Is Pulled?

The hair shaft itself is non-living tissue. It does not contain nerves and cannot feel pain. The scalp can. Each hair shaft emerges from a follicle embedded within living skin. Pull on the shaft with enough force and that force is transmitted toward the follicle and surrounding scalp tissue.

Hair grooming also creates friction. When strands slide against one another, against a comb, or against a brush, their surfaces interact. Hair-science research describes this field as hair tribology — the study of friction, lubrication, and wear involving hair fibers. As hair weathers and accumulates chemical, thermal, environmental, and mechanical damage, surface friction can increase, requiring more force to move a comb through the hair.

Conditioner Isn't Just About Softness

Conditioning agents can lubricate the hair surface, decrease friction between fibers, reduce static charge, improve combability, and make detangling easier. That means "slip" is not merely a cosmetic preference.

Experimental combing research has found that conditioning can reduce hair breakage. This doesn't mean every conditioner performs identically, that more conditioner is always better, or that a conditioned strand cannot break. But the underlying principle is well supported: reducing friction reduces one of the mechanical contributors to difficult detangling.

The goal should never be to overpower a knot. It should be to reduce the conditions that made overpowering it necessary.

A Note About Wet Hair

"Never brush wet hair." "Only detangle wet hair." Both statements are too simple. Water changes the mechanical behavior of the hair fiber. Wet and dry conditions can produce different patterns of breakage. Conditioning and lubrication can improve combability, but simply soaking tangled hair in water does not make it mechanically invulnerable. For many curly and coily textures, conditioned and adequately lubricated hair may be easier to manage than dry, intertwined fibers. But technique still matters: wet hair plus aggressive combing is still aggressive combing.

When Pulling Becomes Traction

The clearest evidence that hair-care pain deserves attention comes from research on traction alopecia. Traction alopecia is hair loss caused by repeated or sustained tensile force on the hair follicle. The important word is not hairstyle — it is force.

Braids do not inherently cause traction alopecia. Neither do ponytails, buns, cornrows, locs, twists, extensions, or other culturally meaningful and protective styles. The risk comes from how much tension is placed on the follicle, how long that tension continues, how frequently the follicle is exposed to it, and other factors affecting the vulnerability of the hair and scalp.

Children Are Not Too Young for Traction Alopecia

Pediatric dermatology literature documents traction alopecia in children and emphasizes that many higher-risk styling practices begin at young ages. The condition typically develops in stages: early traction may produce inflammation around the follicle, redness, scaling, small bumps or pustules, broken hairs, and thinning in the areas experiencing the greatest force.

Early traction alopecia may be reversible. Chronic scarring traction alopecia may not be.

A styling practice that seems like a cosmetic issue today can therefore become a permanent hair-loss issue if excessive tension continues long enough. That is why prevention matters — and why a child saying "this is too tight" should never automatically be dismissed.

What Does "Too Tight" Look Like?

Clinical literature describes several signs and symptoms associated with excessive traction:

- Persistent pain or tenderness
- Itching
- Redness around follicles
- Bumps or pustules
- Crusting or scaling
- Broken hairs
- Thinning around areas under tension
- Visible lifting or "tenting" of scalp skin around tightly pulled follicles

"Tenting" is particularly useful for caregivers to understand. When hair is pulled extremely tightly, the skin surrounding the follicle can visibly rise with it. That is not evidence that the hairstyle is secure. It is evidence of substantial mechanical force.

DR. BRE'S PERSPECTIVE

There is a difference between saying: 'Hold still for a second while I work through this knot' and saying: 'It's supposed to hurt. Beauty is pain.' The first recognizes that sometimes hair care involves a moment of discomfort we need to work through carefully. The second teaches a child to ignore information their body is giving them. That's the distinction I want parents to understand. I'm not suggesting we stop every time a child says 'ouch' and abandon wash day. I am suggesting we stop long enough to ask why. Is there a knot? Am I pulling from the root instead of controlling the section? Does the hair need more slip? Is this braid too tight? Has this same spot been hurting for ten minutes? Do I see redness or bumps? Can I change something? Sometimes the answer will be simple. And sometimes that pause may prevent a small problem from becoming a bigger one.

Pain, Discomfort, and Injury Are Not the Same Thing

Child-centered hair care does not require turning every complaint into a medical event. But the opposite error is equally problematic: assuming pain never matters because hair care sometimes hurts. A better framework is to think about what accompanies the complaint.

Momentary discomfort

A brief "ouch" associated with an identifiable knot or movement that resolves when the technique changes.

Repeated discomfort

The same part of the routine repeatedly causes pain — may warrant a change in tool, technique, product, pace, or positioning.

Persistent pain

Pain continues after the immediate manipulation stops or remains throughout a hairstyle. This deserves more attention.

Pain plus physical signs

Pain accompanied by redness, bumps, pustules, crusting, visible tenting, broken hairs, or thinning. The scalp is providing additional information.

Protective Styling Should Protect

The term protective style describes a purpose, not an automatic property. A hairstyle may reduce daily manipulation, protect the ends, preserve moisture, or make a family's routine significantly more manageable. But a style cannot reasonably be called protective if maintaining it requires sustained force that injures the follicle.

The better question is not: "Is this hairstyle protective?" It is: "Is this hairstyle protective for this child's hair and scalp, at this tension, for this amount of time?"

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
- Repeated or sustained tension can cause traction alopecia - Traction alopecia occurs in pediatric populations - Early traction alopecia may be reversible; chronic traction can result in permanent scarring hair loss - Pain, tenderness, inflammation, follicular bumps, broken hairs, tenting, and thinning can accompany excessive traction - Hair friction influences combing behavior and mechanical damage - Conditioning can reduce interfiber friction and improve combability	- Reducing unnecessary pulling and friction during children's hair care is a sensible strategy for improving comfort while reducing mechanical stress on the hair - A child's repeated report of pain should prompt a caregiver to assess technique, tension, hair condition, and the scalp rather than automatically dismissing the complaint	- Every painful hair-care experience causes follicular damage - Ordinary wash-day resistance is evidence of trauma - One particular detangling technique or tool is universally best for every child or texture - Eliminating all discomfort is either possible or necessary for healthy pediatric hair care

The goal is not simply to finish the hair. The goal is to care for the child attached to it.

PART II

Why Some Children Experience Wash Day Differently

Touch, water, sound, smell, movement, predictability — and why the same routine can feel completely different to two children.

WHY SOME CHILDREN EXPERIENCE WASH DAY DIFFERENTLY

Touch, water, sound, smell, movement, predictability — and why the same routine can feel completely different to two children.

Wash Day Isn't One Sensation

Adults often describe hair washing as though it were one activity. "It's time to wash your hair." But from a child's nervous system, hair washing can involve many different experiences arriving at once: water changing temperature, hands touching the scalp, hair becoming heavier as it gets wet, shampoo introducing a smell, water moving toward the forehead, eyes, and ears, head tilting backward or forward, the bathroom echoing, a showerhead making noise, a towel touching the face.

For many children, none of this is particularly remarkable. For others, one or several parts of that sequence can feel intensely uncomfortable. Pediatric occupational-therapy guidance recognizes exactly this problem.

That means when a child says "I hate getting my hair washed," the useful question may not be "Why don't you like wash day?" It may be: "Which part don't you like?" Those are very different questions.

The Child Who Hates Wash Day May Not Hate Wash Day

A child may tolerate shampooing perfectly well but panic when water runs over their forehead. Another may tolerate water but hate having their scalp scrubbed. Another may dislike the smell of a particular conditioner. Another may become uncomfortable when asked to tilt their head backward. Another may become distressed during detangling. Another may be fine until the blow dryer turns on. And another child may dislike every minute simply because wash day interrupts something more enjoyable.

The behavior at the surface can look remarkably similar: crying, pulling away, covering the ears, refusing to sit, turning the head, clenching, asking repeatedly whether the caregiver is finished, trying to leave. But identical behavior does not necessarily mean identical experience.

DR. BRE'S PERSPECTIVE

If your child says, 'I hate getting my hair washed,' ask another question. 'What part?' That's such a small shift, but think about what it does. Maybe they don't hate getting their hair washed. Maybe they hate when water gets in their ears. Maybe they hate leaning backward because they feel like they're going to fall. Maybe they hate the smell of the shampoo. Maybe the comb is actually pulling. Or maybe they really do just hate wash day. That's possible too. But now you know what problem you're trying to solve. I think adults sometimes respond to the behavior before we've investigated the experience underneath it. Child-centered care asks us to do both.

Touch, Water, Sound, Smell, Movement

The scalp is densely innervated living tissue. Hair-care routines can involve sustained tactile input: fingers moving through hair, hands on the head, comb teeth near the scalp, brushes against the skin, clips, towels, running water, and repeated sectioning.

For water specifically — a child may tolerate being wet but react to water running across the forehead, near the eyes, or entering the ears. Changing the rinse method (a cup or jug rather than a showerhead, a washcloth visor, a forward rinse rather than a backward one) can transform wash-day experience without changing any other part of the routine.

Sound also matters. Bathrooms can be loud. Hard surfaces reflect sound. Blow dryers produce sustained noise close to the head. For a child sensitive to auditory input, this can substantially increase the sensory load of an already tactile activity. Fragrance is another easily overlooked variable — occupational-therapy guidance for difficult hair washing specifically includes fragrance as something worth assessing.

Movement and positioning matter too. Tipping the head backward can feel unsafe for some children; forward rinsing can remove that stressor entirely. The child may be resisting the position, not the hair care.

Predictability and Control

Pediatric occupational-therapy guidance commonly recommends preparing children beforehand, establishing a regular sequence, using visual supports or simple counting, and telling children what is going to happen next. For a young child, there is a meaningful difference between "Hold still" and "Three rinses. This is number one." The sensation may be the same. The uncertainty isn't.

Involving the child where possible — letting them hold the washcloth, apply some shampoo, choose between two appropriate tools, count the rinses, hold the cup — creates participation within the caregiver's authority. A child does not need unrestricted control over whether necessary hygiene happens. But children can have meaningful control over how they participate in necessary care.

Sensory Difference Is Not Misbehavior — But Not All Misbehavior Is Sensory

Once adults learn about sensory differences, it becomes tempting to explain every difficult behavior through that lens. We should not.

Sometimes a child doesn't want their hair washed because they're tired. Sometimes they're bored. Sometimes they don't want to stop playing. Sometimes they're testing a boundary. Sometimes the caregiver started wash day too close to bedtime. Responsible care requires avoiding both extremes: "They're just being bad" and "Every refusal must be sensory." Neither assumption is sufficiently curious. Instead, look for patterns.

Look for the Pattern

One difficult wash day tells us very little. Patterns tell us more. Consider: When does the distress begin — before entering the bathroom, when water starts, during rinsing, when detangling begins? Is the response consistent? Does the same trigger produce the same reaction repeatedly? Does the child struggle with similar sensations elsewhere — hair brushing and tooth brushing, water on the face during swimming, loud hand dryers, clothing textures, nail trimming, food textures? Does changing the suspected trigger change the response?

Observation turns "my child hates wash day" into information that can actually guide care.

When Sensory Distress Deserves Additional Support

Most children who dislike some aspect of hair care do not need professional evaluation. Routine adjustments may be enough. But additional support may be worth considering when difficulty is intense and persistent, interfering significantly with hygiene or daily functioning, occurring across multiple grooming or self-care activities, causing substantial distress for the child or family, or part of a broader pattern of developmental, behavioral, communication, or sensory concerns. Families can begin with the child's pediatric healthcare professional.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
• Children can differ meaningfully in their responses to sensory input • Sensory hyper- and hyporeactivity occur in recognized neurodevelopmental conditions, including autism spectrum disorder • Hair washing and grooming combine multiple sensory inputs simultaneously • Pediatric occupational-therapy services recognize hair washing, brushing, and cutting as daily activities that can be difficult for children with sensory differences • Environmental adaptation, predictability, and child participation are commonly recommended strategies for improving functional participation in grooming activities	• Identifying which specific component of hair care triggers distress, and modifying that component, may improve participation more efficiently than redesigning the entire routine • Simple environmental adjustments — changing the rinse method, reducing fragrance, reducing noise — are low-risk, low-cost starting points	• A child who dislikes hair washing has a sensory disorder • Hair-care resistance is diagnostic of autism, ADHD, anxiety, or another developmental condition • Every meltdown during grooming reflects sensory overload • Any single sensory strategy works for every child • A difficult wash day causes a sensory disorder

Notice what makes the routine harder and change what reasonably can be changed.

PART III

Detangling Is a Mechanical Process

What happens when strands meet resistance — and why technique matters before the comb ever reaches the knot.

DETANGLING IS A MECHANICAL PROCESS

What happens when strands meet resistance — and why technique matters before the comb ever reaches the knot.

Good detangling is not about becoming stronger than the knot. It is about requiring less force to resolve it.

The Knot Is Not the Problem. Force Is.

Detangling is often treated as a test of patience: find the knot, get the comb through it, move on. But mechanically, something more complicated is happening. Individual hair fibers are interacting with one another. Their cuticle surfaces create friction. Loose shed hairs can wrap around neighboring strands. Curved fibers can intersect repeatedly. Product residue, dryness, weathering, chemical processing, heat exposure, and mechanical damage can change how easily those fibers slide past one another.

Eventually, the tool encounters resistance. At that moment, the caregiver has choices: reduce the resistance, work around it, separate the fibers, or apply more force. That final option is where many difficult detangling experiences begin.

Why Textured Hair Can Tangle Differently

Hair texture changes the geometry of fiber-to-fiber contact. Straight fibers tend to align more consistently with neighboring strands. Curly and coily fibers change direction repeatedly along their length, creating more opportunities for strands to intersect, twist around one another, and form complex tangles.

Textured hair also tends to experience greater challenges with natural sebum distribution along the shaft. The curvature of the strand makes it more difficult for scalp oils to travel from root to end. A poorly lubricated collection of fibers generally does not slide past itself as easily as a well-conditioned one. This is one reason a technique that works adequately on one child's hair may be miserable on another child's hair — even within the same household.

Start With Slip

One of the simplest ways to change the mechanics of detangling is lubrication. Conditioning products can reduce friction between neighboring hair fibers and improve combability. That is the scientific basis behind what consumers call "slip" — the practical sensation of strands moving past one another with less resistance. A product does not need to "melt knots" in some mysterious way. If it reduces friction sufficiently for intertwined fibers to separate with less force, it has changed the mechanical problem.

This also explains why simply adding more water is not always enough. Water changes the properties of hair, but water and lubrication are not the same thing. The useful question is not "Is the hair wet?" It is: "Can these fibers move past one another without requiring excessive force?"

Why Section Size and Direction Matter

Working in smaller sections reduces the number of fibers being manipulated at once, making it easier to isolate resistance rather than pulling an entire mass of hair because one small portion has snagged. Beginning near the ends allows smaller tangles to be resolved before a tool is asked to travel through the entire length of the hair — progressing upward breaks the problem into smaller mechanical tasks rather than pushing multiple tangles together as a tool drags downward.

Holding a section securely between the knot and the scalp allows some of the pulling force generated below the hand to be absorbed by the caregiver's grip rather than transmitted directly toward the follicle. Pediatric occupational-therapy practice guidance recommends holding the top of the hair while brushing tangles — mechanically reasonable and practice-informed, not clinically validated.

DR. BRE'S PERSPECTIVE

I think this is where adults sometimes underestimate how different the same motion feels depending on where the force goes. You may be holding the ends of the hair thinking: 'I'm barely pulling.' But the child isn't feeling your hand. They're feeling whatever force reaches their scalp. That's why I like the idea of asking ourselves a different question during detangling: Where is the force going? If the answer is straight to the child's scalp, change something. Add slip. Hold the section. Make it smaller. Use your fingers. Change the angle. Slow down. The goal isn't to prove you can get through the knot. The goal is to get through it without making the child's scalp absorb more of the fight than necessary.

Fingers Are Information-Gathering Tools

Fingers have one significant practical advantage: they provide immediate tactile information. A hand can feel where strands cross, isolate a single loop, identify a trapped shed hair, reduce tension on one portion while separating another. That makes finger separation particularly useful when a caregiver reaches a resistant knot — rather than repeatedly pulling a comb against the same obstacle, stop, feel, separate what can be separated, then reintroduce the tool if needed.

Shed Hair Changes the Equation

Hair naturally sheds as follicles complete their growth cycles. In highly curly or coily hair, shed fibers may remain trapped within neighboring strands rather than dropping freely. By wash day, those loose fibers can become part of the tangle itself. During takedown of protective styles, caregivers should expect trapped shed hairs and work deliberately to separate them rather than pulling them through neighboring strands. Not every hair in the comb represents hair pulled from a living follicle during detangling.

Breakage and Shedding Are Not the Same

Shedding occurs when a complete hair exits the follicle as part of the growth cycle. Breakage occurs when the fiber fractures somewhere along its length. Detangling technique primarily affects the second. A child may appear to have slow-growing hair even when the follicles are producing normally if repeated breakage prevents the strands from retaining length. Reducing unnecessary breakage helps the hair retain more of the length it already grows.

The Stop · Slip · Separate · Continue Method

Based on the mechanical principles discussed in this section, this research monograph proposes a simple detangling response caregivers can remember. This is an educational synthesis developed for the Baby Hair® Research & Education Series — not a clinically validated intervention.

STOP · SLIP · SEPARATE · CONTINUE
The Baby Hair® Detangling Decision Method



STOP: When the tool meets meaningful resistance, stop pulling. Resistance is information.

SLIP: Confirm that the section has adequate lubrication and conditioning for the child's hair.

SEPARATE: Use fingers, smaller sections, or another appropriate technique to identify and loosen the source of resistance. Control the hair above the working area when helpful.

CONTINUE: Resume detangling gradually once resistance has been reduced.

The point is replacing the instinct to pull harder with a repeatable decision process.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
• Hair grooming involves friction and mechanical forces • Combing and brushing can contribute to hair-fiber damage and breakage • Hair condition and surface properties influence friction and combability • Conditioning agents can reduce friction and improve combability • Wet and dry hair differ mechanically, making absolute grooming rules overly simplistic • Breakage and shedding are biologically distinct processes	• Working in manageable sections can give caregivers greater control over the amount of hair subjected to force at one time • Progressive ends-to-roots detangling can prevent multiple tangles from being pushed together during a single full-length pass • Holding the hair above the working area may reduce the amount of pulling force transmitted toward the scalp • Finger separation can provide tactile information about the structure of a resistant knot before additional tool force is applied	• One specific brush is universally best for children's hair • 'Pain-free' tools guarantee pain-free detangling • Wet detangling is universally safer than dry detangling • Finger detangling always produces less breakage than tools • A particular section size or number of brush strokes is optimal for every texture

P A R T I V

Protective Should Not Mean Painful

How to preserve the beauty, practicality, and cultural significance of protective styling without normalizing excessive tension.

PROTECTIVE SHOULD NOT MEAN PAINFUL

How to preserve the beauty, practicality, and cultural significance of protective styling without normalizing excessive tension.

A protective style should protect the child's hair without requiring the child to tolerate preventable pain.

Protective Is a Purpose, Not a Guarantee

The phrase protective style carries an assumption in its name. And many styles do deliver on it — braids, twists, cornrows, locs, buns, ponytails, extensions, and other low-manipulation styles can reduce daily handling, help protect the ends of the hair, simplify family routines, and carry deep cultural meaning.

But a hairstyle does not become biologically protective simply because we call it one. A style that reduces manipulation while placing excessive tension on the follicle can solve one mechanical problem while creating another. The biology doesn't know what the style is called. A follicle cannot distinguish between a culturally meaningful braid and an ordinary ponytail. It responds to force.

What Increases Traction Risk

Traction alopecia occurs when hair follicles experience repeated or sustained pulling. Risk-increasing factors include:

- Excessive installation tension
- Repeated tension in the same areas
- Prolonged wear
- Added weight from extensions or accessories
- Tight styling at vulnerable margins — particularly the frontal and temporal hairline
- Combining traction with chemical or thermal damage
- Continuing a style despite persistent pain or inflammatory signs

Two children can wear visually similar hairstyles and experience very different mechanical loads. The hairstyle's name therefore tells us less than the scalp's response.

Pain During Installation Deserves a Response

Many adults grew up hearing some version of: "It'll loosen up in a few days." Sometimes a newly installed style does feel different simply because the hair has been manipulated and arranged in an unfamiliar direction. But persistent pain should not be treated as proof that the style was installed correctly.

A child saying "It's too tight" is giving the caregiver information. That does not automatically mean the entire hairstyle must be removed immediately. It does mean the complaint deserves investigation: Where does it hurt? Is the pain localized to one braid? Is the hairline pulling? Can the style be loosened? Does the scalp look raised around the follicles? Are bumps developing? Does the pain continue when nobody is touching the hair? Can the child comfortably sleep?

DR. BRE'S PERSPECTIVE

I think this is one of those places where generations can collide. A parent may remember getting braids and hearing: 'They're supposed to be tight so they last.' The stylist may have learned the same thing. The grandmother may have learned it before either of them. Nobody involved is trying to hurt the child. But tradition doesn't make biology disappear. If a child is crying because the braid is pulling, the question shouldn't be: 'Can you tolerate this long enough for it to loosen?' The better question is: 'Does it need to be this tight in the first place?' We can preserve the style. We can preserve the culture. We can preserve the tradition. And we can update the technique when the evidence tells us something better. Those things can coexist.

The Hairline Deserves Special Attention

Traction alopecia frequently affects areas where tension is repeatedly concentrated, particularly the frontal and temporal margins. Caregivers should periodically look rather than relying solely on how the finished style appears. Part the hair. Look at the scalp. Look around the edges. Compare density over time. Ask whether the area feels tender. Watch for broken hairs.

A beautifully smooth hairline is not necessarily evidence of healthy styling. Sometimes the very amount of force required to eliminate every loose hair is the problem. This creates an uncomfortable but necessary question: How much tension are we willing to place on a child's follicle for the sake of making the style look "neater"?

"It Loosens" Is Not a Safety Standard

A painful style may indeed feel less tight several days after installation. That observation alone does not tell us whether the initial level of force was appropriate. The relevant question is what the follicle experienced during those days. The safer principle is straightforward: a style should not need several days of significant pain before it becomes tolerable.

Cultural Respect and Tension Awareness

Hair-care guidance has not always treated textured-hair practices with appropriate cultural competence. That history matters. Clinical reviews increasingly emphasize culturally sensitive prevention and management. The goal is modification, not cultural erasure.

A braid can be loosened. Sections can be made larger. Added weight can be reduced. Tension at the hairline can be decreased. Styles can be rotated. Children can be taught to report pain. Caregivers can monitor the scalp. Stylists can preserve the aesthetic while changing the force. Evidence-informed hair care should expand families' options, not unnecessarily narrow them.

The Styling Warning Guide

The following guide is a Baby Hair® educational synthesis based on warning signs described in traction-alopecia literature and the child-centered principles developed throughout this research monograph. It is not a validated clinical scale and is not intended to diagnose traction alopecia or any other condition. Its purpose is to help caregivers decide when a style deserves another look.

THE BABY HAIR® STYLING WARNING GUIDE

Baby Hair® educational synthesis · Not a validated diagnostic scale

GREEN COMFORTABLE & MONITORED • No persistent pain • No significant pulling • Child moves head comfortably • No scalp tenting • No bumps, crusting, or inflammation • No visible new thinning • Child sleeps comfortably ACTION: Continue routine scalp observation. Green does not mean ignore the style until takedown, it means no obvious warning signs at present.	YELLOW PAUSE & ADJUST • Child repeatedly says the style is tight • Tenderness in a particular area • Discomfort when lying down • Pain when moving the hairstyle • New itching after installation • Mild redness under tension • One braid or section pulling more than others • Hairline appears unusually taut ACTION: Investigate. Loosen. Redo. Reduce tension. Reposition accessories. Reduce weight. Ask if the adjustment helps. Continue monitoring.	RED STOP & TAKE ACTION • Persistent or significant pain • Visible scalp tenting • Follicular bumps or pustules • Significant inflammation or crusting • Concentrated broken hairs • Visible thinning at hairline or temples • Scalp changes worsening despite adjustment ACTION: Remove or substantially modify the source of traction. Persistent hair loss, inflammation, lesions, or other concerning changes warrant evaluation by an appropriate healthcare professional.
---	--	--

An educational tool, not a validated clinical or diagnostic instrument. Seek professional evaluation for persistent scalp concerns.

Teach Children the Language of Tension

Children cannot report what they do not have words for. Instead of asking only "Does it hurt?" caregivers can help children develop more specific language: Does it feel tight? Is it pulling? Does one spot hurt more than the others? Does it hurt when you turn your head? Does your head hurt when you lie down? Show me where.

Takedown Is Part of Protective Styling

A style is not finished protecting the hair until it has been removed safely. Takedown can introduce its own mechanical stress — shed hairs may be trapped within the style, product buildup may increase friction, ends may be tangled. The principles from Part III still apply: Stop. Slip. Separate. Continue.

DR. BRE'S PERSPECTIVE

I don't want a parent reading this section and suddenly being afraid to braid their child's hair. That's not the point. I want them to feel more confident doing it. Put the braids in. Do the twists. Rock the ponytail. Celebrate the culture. Let the child pick the beads. Take the pictures. And while you're doing all of that, look at the scalp. Ask whether anything hurts. Loosen something when it needs loosening. Don't sacrifice the hairline because we want the style to last another week. That's not rejecting our hair traditions. That's taking better care of the children we're passing them to.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
- Repeated or sustained tensile force can cause traction alopecia - Traction alopecia occurs in children - Early traction alopecia can be reversible when the source of tension is removed; prolonged disease may progress to permanent scarring hair loss - Pain, tenderness, inflammatory changes, follicular bumps, broken hairs, tenting, and localized thinning can accompany excessive traction - Hair margins exposed repeatedly to tension are common sites of traction-related hair loss - Prevention and early modification of styling practices are central to management	- Caregivers should respond to persistent styling pain by assessing and reducing tension - Monitoring the hairline and other high-tension areas can help families recognize changes earlier - Reducing added weight, increasing section size, rotating tension-bearing styles, loosening margins, and avoiding repeated stress in identical locations are mechanically reasonable approaches - Teaching children to communicate tightness and pain supports earlier recognition of potentially excessive tension - The Styling Warning Guide in this publication is an educational synthesis designed to organize these principles for caregivers	- Every braid, cornrow, twist, ponytail, bun, loc, or extension style causes traction alopecia - One universal wear-time limit is appropriate for every protective style and every child - A hairstyle must be completely tension-free to be safe - Every episode of styling pain causes permanent follicular injury - The Styling Warning Guide is a validated medical screening tool - Protective styling itself is unhealthy

Protect the style. Protect the strand. Protect the scalp. Protect the child.

P A R T V

The Emotional Weight of Hair Care

What children may learn about their hair — and themselves — from the words, reactions, and experiences surrounding care.

THE EMOTIONAL WEIGHT OF HAIR CARE

What children may learn about their hair — and themselves — from the words, reactions, expectations, and experiences surrounding care.

Hair Care Doesn't Happen in an Emotional Vacuum

A child does not experience hair care as a series of mechanical actions alone. There is the comb, the water, the pulling, the hairstyle. But there is also the conversation happening around all of it.

"Your hair is so difficult." "Why can't your hair be easy like your sister's?" "You are so tender-headed." "This is going to take all day." "Your hair is too much."

Sometimes these statements are made jokingly. Sometimes they come from exhaustion. Sometimes they are expressions caregivers heard throughout their own childhood and repeat without considering what they communicate. And sometimes no words are necessary — a sigh can communicate frustration, avoiding a child's natural texture because it feels intimidating can communicate something too.

None of this means one impatient comment damages a child's self-esteem. Families are human. Parents get tired. Children complain. Wash days run late. The question is not whether every interaction is perfect. The more meaningful question is: What pattern is the child experiencing over time?

Hair Can Become Part of How a Child Understands Themselves

Research involving Black girls provides some of the clearest evidence that hair can function as part of identity and self-presentation rather than merely grooming. Children navigate messages about what kinds of hair are considered desirable, what looks "professional," what looks "pretty," what attracts teasing, what receives praise, what fits dominant beauty standards — and what does not.

Children do not construct their understanding of beauty independently. They absorb it — from family, friends, school, television, advertising, social media, stylists, teachers, and strangers. Hair care at home therefore occurs inside a much larger cultural conversation about what hair is supposed to look like.

"Good Hair" Is Not a Neutral Phrase

In many Black and multicultural communities, the phrase "good hair" has historically been used to describe hair perceived as softer, looser, longer, straighter, or easier to manage — characteristics that often align more closely with Eurocentric beauty standards. Children can learn a hierarchy of texture long before anyone explicitly teaches them one. A caregiver may never say "Straight hair is better than coily hair," but a child can still learn that message if straighter hair consistently receives praise while tighter textures consistently generate complaints.

"Difficult" Hair or an Unfamiliar Technique?

Consider two statements: "Your hair is difficult." And: "I'm still learning the best way to care for your hair." The practical situation may be identical. The emotional message is not. The first locates the problem in the child. The second locates the challenge in the caregiver's current knowledge. Children should not have to carry the emotional burden of an adult's learning curve.

DR. BRE'S PERSPECTIVE

There is a sentence I want parents to stop and think about: Your child can hear you learning them. They hear when you're frustrated. They hear when you compare. They hear when you say their sister's hair is easier. They hear when you tell somebody, 'Whew, this child's hair is a job.' And I'm not saying that because I expect parents to become robots who never get tired. I have stood over a sink tired too. I'm saying it because sometimes we think we're talking about hair, while the child hears us talking about them. That's the part worth remembering. You can say: 'This is a lot of hair.' You can say: 'We need a break.' You can say: 'This knot is giving us a hard time.' You can even say: 'Baby, Mama is tired.' None of that requires telling a child that the hair growing naturally from their head is the problem.

Hair-Esteem Is a Real Area of Study

The relationship between hair and psychological wellbeing is not merely a beauty-industry idea. Researchers have examined hair-esteem — how individuals evaluate and feel about their hair — as a distinct component of appearance-related self-perception.

A 2022 peer-reviewed study of 105 Black/African American and biracial girls ages 10–15 found that hair-related teasing and social comparison were associated with lower hair satisfaction, while having friends who affirmed the girl's natural hair was associated with higher satisfaction. A 2026 peer-reviewed Hair-Esteem Toolkit study further demonstrates that hair can be intentionally centered in empowerment work with Black adolescent girls. That does not mean hair determines a child's mental health. It means hair can be one meaningful part of a much larger identity system.

Does Painful Hair Care Cause Trauma?

This question deserves a direct answer. We do not currently have evidence sufficient to say that it does.

There is not a robust body of longitudinal research demonstrating that painful detangling, difficult wash days, tight hairstyles, or ordinary hair-care conflict independently causes psychological trauma in children. The word trauma has a specific meaning in clinical and research contexts and should not be used casually simply because an experience was unpleasant, painful, or memorable.

Some adults describe childhood hair-care experiences as traumatic. Those lived experiences deserve respect. But personal testimony and clinical causation are not the same kind of evidence.

The responsible conclusion is narrower: hair-care experiences can carry physical, sensory, relational, cultural, and emotional meaning. Those experiences deserve thoughtful care even when the long-term psychological effects have not been directly established. That is strong enough. We do not need to exaggerate it.

Caregiver Frustration Belongs in This Conversation

Child-centered care is often discussed as though caregivers have unlimited patience. They don't. Hair care can be exhausting. A parent may be working after a full day. There may be multiple children waiting. The child may not sit still. The hair may be heavily tangled. Money for professional styling may be limited. And everyone may already be tired.

When frustration rises, force often rises with it. People move faster. Sections get larger. Voices get louder. Patience gets shorter. That is exactly when a pause can become a hair-care intervention. Not because every parent needs to be perfectly calm. Because frustration changes technique.

Language Shifts That Preserve the Truth

- Instead of: "Your hair is impossible." Try: "This section needs more time."
- Instead of: "You're too tender-headed." Try: "Tell me where it's pulling."
- Instead of: "Your sister's hair is easier." Try: "Your hair needs a different routine."
- Instead of: "Stop crying. It doesn't hurt." Try: "Show me what hurts so I can check it."
- Instead of: "Beauty is pain." Try: "If the style hurts, we need to adjust it."

Describe the problem without making the child the problem.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
• Hair can hold substantial cultural and identity significance, particularly within Black communities • Hair-related teasing, discrimination, and social comparison have been associated with hair satisfaction and aspects of psychological wellbeing among Black girls and adolescents • Racialized beauty standards influence children's and adolescents' perceptions of desirable hair • Natural-hair affirmation and supportive social environments can contribute positively to hair satisfaction and identity	• Repeatedly describing a child's natural hair as difficult, bad, or burdensome may communicate negative value judgments about a feature that can be meaningful to identity • Caregivers can reduce unnecessary negative framing by separating the difficulty of a technique or routine from the worth of the child's hair • Affirming multiple forms of a child's hair can avoid creating a single narrow definition of 'good' hair	• One negative comment about hair causes low self-esteem • Difficult wash days independently cause anxiety, depression, or psychological trauma • A child who anticipates or avoids wash day necessarily has an anxiety disorder or trauma response • Hair-esteem determines overall self-esteem or mental health • Positive hair language alone can protect a child from all effects of discrimination or broader beauty standards

PART VI

When You Don't Share Your Child's Texture

Learning unfamiliar hair without teaching a child that their hair is the problem.

WHEN YOU DON'T SHARE YOUR CHILD'S TEXTURE

Learning unfamiliar hair without teaching a child that their hair is the problem.

Sometimes Love Comes Before Knowledge

A caregiver can love a child completely and still have no idea what to do with their hair. Those things can be true at the same time. A white parent may adopt or foster a Black child whose hair requires techniques they have never used. A parent in an interracial family may have children whose textures differ significantly from their own — and from one another. A stepparent may suddenly become responsible for wash day for a child whose established hair routine, products, and cultural traditions were formed in another household. A grandparent, relative, or other caregiver may step into hair-care responsibility unexpectedly. Even biological siblings can have dramatically different curl patterns, densities, porosity levels, and styling needs.

This research monograph adds another dimension to what Publication No. 1 described as "the household traditional hair-care education frequently overlooks." When the caregiver is learning, what does that learning process feel like to the child?

The Knowledge Gap Is Not a Character Flaw

There is no biological reason a person should automatically know how to care for every type of hair. Hair care is learned. Someone teaches us — or we teach ourselves. We learn how much product to use. How to part. How to braid. How to detangle. How often to cleanse. What wet hair should feel like. What a healthy scalp looks like. How tight is too tight. Much of that knowledge is passed informally from one generation to another. A caregiver should not be ashamed of not knowing. But not knowing cannot become the endpoint. Once you are responsible for the child, learning becomes part of the responsibility.

"I Don't Know How" Is Different from "Your Hair Is Difficult"

Imagine a caregiver looking at a child's tightly coiled hair after shampooing. It has shrunk. Sections are intertwined. The caregiver expected the comb to move through it the way it moves through their own hair. It doesn't. Frustration follows.

There are two possible conclusions: "Your hair is impossible." Or: "The way I know how to do hair doesn't work for your hair." Those statements describe the same moment. Only one turns the child's natural texture into the failure. The second creates room for learning.

***Difficulty may be evidence of a technique mismatch,
not a difficult child or defective texture.***

DR. BRE'S PERSPECTIVE

I think there's freedom in saying: 'I don't know how to do this yet.' The yet matters. Because you don't have to pretend. You don't have to be embarrassed. You don't have to know how to braid because you love a Black child. You don't automatically understand porosity because your daughter has curls. You don't magically inherit somebody else's cultural hair knowledge because you married into their family. But once that child is in your care, curiosity becomes part of caring for them. Ask. Learn. Watch. Practice. Pay somebody who knows what they're doing when you need to. And please don't make the child feel like the reason you're struggling is because something is wrong with their hair. Their hair existed before your skill did. The skill can catch up.

Cultural Competency Is More Than Product Knowledge

Knowing which conditioner works does not automatically mean understanding: why a satin bonnet may matter, why certain protective styles are culturally significant, why comments about "professional" or "neat" hair can carry racial meaning, why touching a child's hair without permission may feel different from ordinary curiosity, why natural-hair representation matters, or why a child may eventually want styles the caregiver has never worn themselves.

Technical competence asks: How do I care for this hair? Cultural competence asks: What does this hair mean within the child's identity and community? A caregiver may need both.

Foster Care, Adoption, and Blended Families

Hair care can become particularly complicated when a child enters foster care. Placement can happen quickly. The caregiver may receive little information about the child's existing hair routine. Hair may be one of the few familiar parts of the child's identity still physically present. Whenever circumstances allow, ask: "What has this child been used to? What can we preserve while I learn?"

In adoption contexts, love does not require pretending differences don't exist. A white parent raising a Black child does not need to say "I don't see race" to demonstrate unconditional love. Hair care is one of the places where seeing difference can actually improve care. The child may need different products, different techniques, different professional expertise, different cultural exposure, and different conversations about discrimination. Recognizing those needs does not make the family less unified. It makes the care more individualized.

When families merge, hair routines may merge with them. A familiar hair routine can carry comfort, identity, and connection. Change what needs changing. Preserve what still serves the child. The goal does not need to be "everybody in this house uses the same routine."

Professional Styling Is Not a Substitute for Caregiver Knowledge

Outsourcing the style is different from outsourcing responsibility. The caregiver still needs to know: how to monitor the scalp between appointments, how to recognize excessive tension, when a style needs to come out, how to maintain moisture appropriately, how to protect the hair during sleep, what to do if the child says something hurts, and when a scalp concern deserves professional healthcare evaluation rather than another hair appointment.

The Caregiver Learning Plan

For caregivers navigating a texture they did not grow up caring for, this research monograph proposes a simple learning sequence. This is an educational framework, not a validated clinical intervention.

1. Learn the child

Before buying products, observe. Texture, density, porosity, scalp condition, current routine, past routine, what hurts, what works, what the child likes.

2. Learn the basics

Understand cleansing, conditioning, detangling, nighttime protection, tension, and scalp observation. You do not need twenty techniques. You need reliable fundamentals.

3. Learn the context

Understand the cultural significance of the child's hair and common styles. Especially when race, adoption, fostering, or cultural difference is part of the family story.

4. Find people who know more than you

Stylist, barber, braider, family member, community mentor, educator, healthcare professional when appropriate. Competence grows faster when pride does not interfere with asking for help.

5. Keep learning as the child changes

Hair changes. Age changes. Hormones change. Preferences change. Identity develops. The routine should be allowed to change too.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
• Hair has meaningful cultural and identity significance in many Black communities • Hair texture, porosity, and grooming needs can vary substantially within the same family • Hair-related discrimination and Eurocentric beauty standards create a broader cultural context for how Black and textured hair is experienced	• Caregivers who do not share a child's texture can benefit from education, professional instruction, and culturally knowledgeable community resources • Framing unfamiliarity as a caregiver learning need rather than a defect in the child's hair may support more respectful communication • Preserving familiar, culturally meaningful routines where safe and practical can be particularly valuable during major family transitions • Children's existing knowledge about their own hair should be respected while adults retain responsibility for acquiring the skills needed to provide care	• Caregivers of a different race or texture are inherently less capable of caring for a child's hair • A caregiver must share a child's racial identity to provide healthy hair care • Hair-care competence alone creates cultural competence • A child in an interracial, adoptive, foster, or blended family will necessarily experience hair-related identity difficulties

Your child's hair is not difficult because it is different from yours. It is asking you to learn something new.

PART VII

Child Agency Without Giving Up Caregiver Responsibility

*Listening to children, teaching body awareness, and sharing
appropriate control without abandoning necessary care.*

CHILD AGENCY WITHOUT GIVING UP CAREGIVER RESPONSIBILITY

Listening to children, teaching body awareness, and sharing appropriate control without abandoning necessary care.

Child-Centered Does Not Mean Child-Directed

A child's experience matters. A child's report of pain matters. Their preferences matter. Their developing identity matters. Their growing ability to participate in caring for their own body matters. But none of that means children are solely responsible for deciding whether necessary hygiene and grooming occur.

The goal is: the caregiver remains responsible for necessary care while giving the child meaningful, developmentally appropriate participation in how that care happens. That is agency within care.

Listening Is Not the Same as Agreeing

A child says: "I don't want to wash my hair." The caregiver can listen without necessarily agreeing. Why not? Maybe: "Because I want to keep playing." The hair still gets washed. Maybe: "Because the water gets in my eyes." The hair still gets washed — but perhaps the rinse changes. Maybe: "Because you pull too hard." The hair still gets cared for — but the technique deserves examination. Maybe: "Because I hate this shampoo smell." There may be an easy alternative.

Listening does not obligate the caregiver to grant every request. It gives the caregiver information needed to make a better decision.

Pain Reporting Should Not Require Adult Permission

Children should be taught that they are allowed to tell an adult when hair care hurts. Not only after the style is finished. During it. At home. At the salon. At the barbershop. With a relative. With a braider. With anyone touching their hair.

A child should know that saying "That's too tight" is not disrespectful. "That hurts" is not misbehavior. "Can you stop for a second?" is not automatically defiance. The adult still determines what happens next. But the information should be welcomed rather than punished.

DR. BRE'S PERSPECTIVE

I don't want a child learning that the polite thing to do when somebody is hurting them during hair care is stay quiet. That's bigger than hair to me. I want them to know: You can tell me what your body feels like. That doesn't mean you're going to get your way every time. It doesn't mean we're skipping wash day because you said no. It means I want the information. If you tell me the braid is too tight, I'm going to check it. If you tell me the water is too hot, I'm going to check it. If you tell me the comb is pulling, I'm going to check what I'm doing. And sometimes I'm still going to say: 'I hear you. We still have to finish washing your hair.' Both things can be true. I can be responsible for you without teaching you that your voice doesn't matter.

Offer Choices Where the Answer Can Actually Be Yes

Not: "Do you want to wash your hair?" when the hair needs washing and "no" is not actually an acceptable outcome. Instead: "Do you want to wash your hair before dinner or after dinner?" "Do you want the cup or the shower sprayer?" "Should we start on the left side or the right?" "Braids or twists?" These are genuine choices. The caregiver has already established the necessary boundary. The child gets meaningful control inside it. That is different from offering false choice and then overriding the child's answer.

Agency Should Grow With the Child

A toddler and a teenager should not have the same role in hair care.

Toddlers and Preschoolers

The caregiver remains almost entirely responsible. Participation can be simple: holding a towel, choosing between two appropriate products, helping wet the hair, selecting beads, counting rinses, or saying when something hurts. The goal is familiarity and communication.

Early Elementary Years

Children can begin participating more actively — applying leave-in conditioner, holding sections, choosing between appropriate styles, helping remove accessories, brushing easy sections, identifying discomfort, or participating in simple scalp checks.

Later Elementary / Preteen Years

Children can begin learning complete components of their routine — cleansing the scalp, conditioning, basic detangling, nighttime protection, recognizing buildup, communicating styling tension, maintaining simple styles. The caregiver shifts from doing everything toward teaching and checking.

Adolescence

For many teens, the goal becomes increasing independence. The adolescent may make substantial decisions about style, products, maintenance, and identity. Caregivers can remain resources for safety, finances, transportation, professional care, and health concerns while respecting the teenager's growing ownership over their appearance.

The Child Hair-Care Check-In

As a practical application of this section, Baby Hair® proposes a simple set of questions caregivers can use throughout a routine. This is an educational tool, not a clinical assessment.

Before

How does your scalp feel today? Fine? Dry? Itchy? Sore? Tight? Is there anything from last wash day you want me to do differently?

During

Does anything hurt? Where? Does it feel like pulling, burning, itching, or something else? Do you need a short break?

After

Does anything still feel tight or sore? Can you move your head comfortably? How does the style feel?

For younger children, simplify: Good? Tight? Hurts? The purpose is normalization — a child should come to expect that their physical experience is part of hair care.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
- Children's participation in decisions can appropriately increase with developmental capacity - Pediatric care models recognize the value of involving children in decisions even when adults retain ultimate responsibility - Body awareness and self-advocacy are important developmental skills - Pediatric traction guidance supports teaching children to report pain or excessive tightness associated with hairstyles - Occupational-therapy guidance commonly recommends offering children appropriate choices and participation during difficult grooming activities	- Offering bounded choices can create meaningful participation without making necessary hygiene optional - Teaching children language for scalp sensations may help caregivers identify discomfort and potential concerns earlier - Hair-care responsibility can be transferred progressively as children develop the skills needed to manage their own routines - The Child Hair-Care Check-In is an educational synthesis designed to normalize communication about comfort, pain, and scalp condition	- Every hair-care decision requires a child's permission - A young child's refusal means necessary hygiene should not occur - A child's preference should override reasonable caregiver safety concerns - Offering choices guarantees cooperation

We are not only caring for children's hair. We are teaching children how to care for themselves.

PART VIII

Rebuilding Wash Day

Turning everything we know about mechanics, sensory experience, tension, identity, and child agency into a routine families can actually use.

REBUILDING WASH DAY

Turning everything we know about mechanics, sensory experience, tension, identity, and child agency into a routine families can actually use.

A Better Wash Day Starts Before the Water

A difficult wash day rarely has only one variable. The hair may be tangled. The child may be tired. The caregiver may be rushed. The bathroom may be loud. The shampoo may smell stronger than the child likes. The detangling section may be too large. A previous wash day may have hurt, so the child expects this one to hurt too. And everyone may be trying to finish before bedtime. No conditioner can solve all of that. Sometimes improving wash day means changing the hair. Sometimes it means changing the environment. Sometimes it means changing the technique. And sometimes the most important adjustment is the adult recognizing: we are trying to do too much, too quickly, under terrible conditions.

Step 1: Check the Conditions

Before starting, ask three questions: What does the hair need? What does the child need? What does the caregiver realistically have time and capacity to do?

Does the scalp actually need cleansing? Is there substantial buildup? Is the hair heavily tangled? Are adults combining tasks out of habit? Is the child hungry, tired, overstimulated, or already upset? Does the caregiver have enough time, the right products, tools nearby, a realistic hairstyle in mind?

DR. BRE'S PERSPECTIVE

Some wash days don't need a better product. They need a better time. I think parents — including me — sometimes create impossible conditions and then wonder why everybody is frustrated. It's late. We're tired. The hair needs everything. And somehow tonight is also the night we decided we're doing twelve perfect braids. No. Sometimes the child isn't the problem. Sometimes the routine we planned was unrealistic. There is nothing wrong with saying: 'Tonight we're washing and detangling. Tomorrow we'll style.' Healthy hair does not require finishing every task in one sitting.

Steps 2 Through 4: Prepare, Inform, Check In

Prepare the environment: comfortable water temperature, a rinse method the child tolerates, products with tolerable fragrance, adequate lighting, tools prepared before starting, a stable comfortable position, entertainment when appropriate. Reducing avoidable irritants is not creating a sensory laboratory — it is removing unnecessary sources of conflict.

Tell the child what is happening: "First shampoo. Then conditioner. Then we're going to comb four sections. Then we're done washing." For an older child: "We need to take these twists down, wash, detangle, and decide what we're doing for school. Do you want to finish the style tonight or tomorrow morning?" A child should not have to repeatedly ask "Are we almost done?" because nobody has given them any idea what "done" looks like.

Check in before you begin using the Child Hair-Care Check-In introduced in Part VII. If the child says a particular area hurts before hair care even begins, look. Do not wait until shampoo, combing, or styling adds more input.

Steps 5 Through 8: Hair, Cleanse, Condition, Detangle

If hair is heavily tangled, assess before fighting it. Is there trapped shed hair from a protective style? Are the ends intertwined? Does the hair need lubrication before manipulation? Coconut oil in particular has evidence supporting reduction of protein loss and grooming-related damage when used as a pre-wash treatment.

Cleansing should focus on the living tissue that needs cleansing: the scalp. Wet thoroughly using a method the child tolerates. Apply an appropriate cleanser. Use fingertips rather than nails. Work deliberately. Rinse completely.

Conditioning is not merely a cosmetic finishing step — it changes the mechanics of detangling. Apply enough product to provide appropriate coverage and lubrication. If the hair still doesn't feel manageable, adding more force is not the next step. Reassess. Condition should help create conditions for detangling — it does not grant permission to pull harder.

Detangling: work in manageable sections, generally progress from the ends upward, control the section above the working area when useful, and when meaningful resistance occurs — Stop. Slip. Separate. Continue. Ask what the child feels throughout. The goal is not zero sensation. It is avoiding unnecessary force.

Steps 9 Through 11: Breaks, Style, Learn

A break works best before the routine has completely deteriorated. For long sessions, build pauses intentionally. The child may need the break — the caregiver may need it more. Remember: frustration changes technique.

Style for the child, not only the photo. Before calling a style finished, ask: Does it hurt? Is anything pulling? Can the child move their head comfortably? Is the hairline under unnecessary tension? Can the child sleep comfortably? A finished style should pass the scalp test, not only the mirror test.

End with information: What worked? What didn't? Which section tangled most? Was the new tool better? Did the rinse change help? Hair care improves when families stop starting from zero every wash day.

When Wash Day Keeps Going Badly

One difficult wash day is ordinary. A persistent pattern deserves investigation. Ask which category the problem belongs to: mechanical (detangling hurts, styles too tight, technique creating unnecessary pulling), sensory (consistent reaction to water, touch, sound, fragrance, temperature, or positioning), routine (too long, too late, too many tasks combined), communication (child doesn't know what's coming, adults offering false choices), knowledge (caregiver needs instruction in the child's texture), or health (persistent scalp pain, inflammation, hair loss, or other concerns requiring professional evaluation).

Sometimes the problem lives in more than one category. That is precisely why "my child hates wash day" is not specific enough to solve.

The Minimum Viable Wash Day

There will be days when the ideal routine is unrealistic. Families need a fallback. The goal is not to abandon care. It is to identify what is necessary and postpone what is optional.

Necessary today: cleanse the scalp, condition, gently detangle enough to prevent worsening matting, protect overnight.

Can wait: elaborate styling.

A shorter, calmer routine is sometimes better care than forcing an elaborate plan because it was on the schedule. Consistency matters more than perfection. That is the Repeat in C.H.O.P.R.™.

DR. BRE'S PERSPECTIVE

I want to normalize something for parents: you can change the plan. You can decide halfway through that you're not doing the style tonight. You can realize the child needs a break. You can realize you need a break. You can admit that the YouTube hairstyle you saved was wildly ambitious. None of that means wash day failed. Did we care for the scalp? Did we protect the hair? Did we listen when something hurt? Did we avoid unnecessary damage? Did we get everybody through it reasonably intact? Sometimes that's the win. And honestly, that's a pretty good win.

What the Research Actually Supports

WELL SUPPORTED	EVIDENCE-INFORMED TRANSLATION	NOT ESTABLISHED
- Conditioning and lubrication can reduce hair friction and improve combability - Repeated excessive traction can injure hair follicles - Children may differ in their responses to sensory input during grooming - Pediatric occupational-therapy guidance commonly recommends predictability, environmental adaptation, participation, and appropriate choice for children who struggle with grooming tasks - Developmentally appropriate child participation is consistent with broader pediatric approaches to self-care and growing autonomy	- Preparing the environment and tools before wash day may reduce unnecessary disruption and sensory load - Breaking long routines into manageable stages may reduce caregiver and child fatigue - Using routine check-ins can help caregivers identify physical discomfort and recurring problems - Recording what worked can help families progressively individualize routines - A 'minimum viable wash day' can preserve necessary care without requiring every cosmetic styling task to occur in the same session	- One universal wash-day sequence is optimal for every child - Every child benefits from the same sensory accommodations - Wash day must be completed in a single session - A child-centered routine guarantees cooperation

***Success is not measured by perfect behavior. It is
measured by appropriate care.***

P A R T I X

The C.A.R.E. Child-Centered Framework

Care for the hair. Respond to the child.

THE C.A.R.E. CHILD-CENTERED HAIR CARE FRAMEWORK


Care for the hair. Respond to the child.

After Parts I–VIII, the repeated behaviors are clear enough to organize into a simple educational framework:

C — Check In · A — Adjust · R — Reduce the Load · E — Empower

THE C.A.R.E. FRAMEWORK

An original evidence-informed educational framework · Baby Hair® Research & Education Series



C.A.R.E. has not been clinically validated. It is an educational synthesis, not a medical treatment, assessment, or diagnostic instrument.

Why Another Framework?

Publication No. 1 introduced C.H.O.P.R.™: Cleanse, Hydrate, Observe, Protect, Repeat. Those five actions organize the care of the scalp and hair. But this research monograph has established another set of questions.

What happens when detangling hurts? What happens when the water itself is overwhelming? What should a caregiver do when a child says a braid is too tight? How much choice should children have? What happens when the caregiver doesn't understand the child's texture? How do we preserve cultural hair practices while responding to physical warning signs?

C.H.O.P.R.™ was not designed to answer all of those questions. It shouldn't have to. The child-centered framework sits around the scalp-first framework. Every time a caregiver Cleanses, Hydrates, Observes, Protects, and Repeats, they can also: Check In, Adjust, Reduce the Load, Empower.

C — Check In

Do not assume. Ask and observe. Before, during, and after hair care, gather information from both the child and the scalp. A check-in can be verbal: "How does your scalp feel?" "Is anything pulling?" "Does that hurt?" "Do you need a short break?" It can also be observational — look for redness, tenderness, flaking, bumps, crusting, tension, broken hairs, thinning, or changes from the child's usual scalp condition.

The research behind it: Parts I and IV established that pain can accompany excessive mechanical tension and that early recognition matters. Part II established that what appears to be general resistance may

sometimes be linked to a specific sensory component. Part VII established that children can gradually develop useful language for communicating what their bodies are experiencing.

A — Adjust

When the information changes, the care can change. The adjustment may involve the tool, technique, product, section size, water temperature, rinse method, body position, fragrance, noise, pace, hairstyle, tension, timing, or even the plan for the day. A child saying something hurts does not automatically mean hair care stops. It means the caregiver determines whether something should change before continuing.

Adjustment is therefore not indulgence. It is responsive caregiving.

R — Reduce the Load

Remove unnecessary physical, sensory, and emotional burden. This is perhaps the most distinctive principle in the framework because the word load has several meanings: mechanical load (pulling, friction, repeated brush passes, tight styling, added extension weight), sensory load (running water, noise, strong fragrance, uncomfortable positioning, unexpected touch), routine load (too many tasks, too little time), and emotional load (frustration, comparison, shame, conflict, language framing the child's hair as a burden).


Not every load can — or should — be eliminated. Hair still needs care. But unnecessary load can often be reduced. Sometimes better care is subtraction.

E — Empower

Build the child's ability to understand, communicate about, and eventually care for their own hair. Empowerment means increasing meaningful participation as capacity grows — not unrestricted choice, but growing independence. A toddler can point to where something hurts. A five-year-old can choose the rinse cup. An eight-year-old can learn to recognize an itchy scalp. A ten-year-old can help detangle manageable sections. A teenager can increasingly take ownership of cleansing, styling, product selection, and scalp observation.

C.A.R.E. + C.H.O.P.R.™

The two Baby Hair® frameworks answer different questions. C.H.O.P.R.™ asks: What does healthy scalp-first care require? C.A.R.E. asks: How should we deliver that care to the child? Put them together:



SCALP-FIRST + CHILD-CENTERED

One framework protects the routine. The other protects the experience. Together, they create what Baby Hair® means by scalp-first, child-centered hair care.

DR. BRE'S PERSPECTIVE

This is the framework I wish existed when somebody first handed me a comb. Not because C.A.R.E. makes wash day easy. It won't. There will still be knots. There will still be children who don't want to sit down. There will still be mornings when nobody can find the bonnet. The framework isn't designed to eliminate real life. It's designed to give us four questions inside it: Did I check in? Did I adjust when something wasn't working? Did I reduce what didn't need to be hard? Am I teaching this child how to eventually do this without me? If the answer is yes, I think we're moving in the right direction.

This Is a Caregiver Framework, Not a Clinical Intervention

C.A.R.E. is an original educational framework developed by Dr. Bre Hayward for the Baby Hair® Research & Education Series. It synthesizes principles drawn from hair-fiber mechanics, pediatric traction-alopecia literature, occupational-therapy grooming guidance, child participation and self-care concepts, hair-esteem research, and the cultural and family-care literature reviewed throughout this research monograph.

C.A.R.E. has not been clinically validated as an intervention. It is not a medical treatment, a psychological intervention, a sensory-processing assessment, a pain scale, a diagnostic instrument, or a substitute for pediatric, dermatologic, occupational-therapy, psychological, or other individualized professional care. Its purpose is narrower: to give caregivers a memorable structure for applying evidence-informed, child-centered principles during ordinary hair care.

Future research can evaluate whether teaching this framework improves caregiver knowledge, confidence, technique, child participation, or other measurable outcomes. For now, it should be described exactly as it is: an evidence-informed educational framework.

C.A.R.E. is presented throughout this publication without a trademark designation, pending separate name and trademark clearance.

P A R T X

Putting C.A.R.E. Into Practice

Practical tools for turning child-centered hair care from a philosophy into something families can actually use.

PUTTING C.A.R.E. INTO PRACTICE

Practical tools for turning child-centered hair care from a philosophy into something families can actually use.

A Framework Only Matters If It Works at the Sink

C.A.R.E. is intentionally simple: Check In. Adjust. Reduce the Load. Empower. But families do not live inside frameworks. They live inside Monday mornings, Saturday wash days, school-picture weeks, swimming lessons, braid appointments, sleepovers, sports practices, foster placements, vacations, and evenings when everyone is tired. The purpose of this final section is to translate the principles developed throughout this research monograph into tools families can use without rereading the research every time they reach for a comb.

These tools are not clinical assessments. They do not diagnose scalp conditions, sensory differences, developmental conditions, or psychological concerns. They are caregiver education tools designed to make observation, communication, adaptation, and child participation easier to remember.

The Wash Day Comfort Plan

Know the child before you start the routine. The Wash Day Comfort Plan is designed to be completed once and updated as the child's needs change. It is not a checklist requiring every accommodation listed — most children will not need most of them. The purpose is to identify what this child has already taught the caregiver about their hair-care experience.

MY CHILD'S HAIR-CARE PROFILE

Child's name: _____
Date updated: _____
Texture/curl pattern: _____
Known porosity: ☐ Low ☐ Medium ☐ High ☐ Unsure: _____
Typical cleansing rhythm: _____
Current protective style (if any): _____
Areas that tangle most: _____
Areas of the scalp we monitor closely: _____

C.A.R.E. Check-In Questions by Phase

C — Before hair care

- ☐ How does your scalp feel today? (Fine / Dry / Itchy / Sore / Tight / Something else)
- ☐ Is there anything from last wash day you want me to know?

What commonly makes hair care easier for this child: _____

A — During hair care

- ☐ Does anything hurt? Where? What does it feel like? (Pulling / Tight / Burning / Itching / Sore)
- ☐ Would more slip/conditioner help? ☐ Smaller section? ☐ Different tool? ☐ Short break?

R — What is the biggest load to reduce today?

- ☐ Pulling / tangling ☐ Length of routine ☐ Water / rinsing ☐ Noise ☐ Product smell
- ☐ Sitting / positioning ☐ Styling tension ☐ Fatigue ☐ Caregiver time pressure

One thing we can remove or simplify today: _____

E — After hair care

- ☐ Does anything still feel tight or sore? ☐ Can you move your head comfortably?
- ☐ How did wash day feel? (Good / Okay / Hard)

The next self-care skill we're working toward: _____

The Child Hair-Care Check-In

A printable quick-reference for caregivers. See the standalone resource for the full printable version.

BEFORE How does your scalp feel today? Fine? Dry? Itchy? Sore? Tight? Is there anything from last time you want me to know?	DURING Does anything hurt? Where? Does it feel like pulling, tightness, burning, itching, or soreness? Do you need a short break?	AFTER Does anything still hurt or feel tight? Can you move your head comfortably? How did wash day feel? Good · Okay · Hard
---	---	---

C.A.R.E. Across Childhood

The framework remains the same. What changes is how much responsibility belongs to the caregiver and how much increasingly belongs to the child.

AGE STAGE	CHECK IN	ADJUST	REDUCE LOAD	EMPOWER
Toddlers & Preschoolers	Simple language: 'Good? Itchy? Hurts?' Observe behavior as well as words.	Caregivers make nearly all technical decisions. Change rinse method, environment, or tools when needed.	Keep routines reasonably short. Avoid unnecessary steps. Choose practical styles.	Offer small choices: blue towel or yellow, cup or sprayer, left side or right, which beads.
Early Elementary	Teach: dry, itchy, sore, tight, pulling. Ask children to show where something feels different.	Begin involving them in identifying what helps: 'Was the cup rinse better than the sprayer?'	Introduce breaks before frustration peaks. Keep styles appropriate for the child's ability to maintain.	Children may apply leave-in, hold sections, choose accessories, help remove beads, brush manageable areas.
Later Elementary / Preteen	Children can increasingly perform their own scalp observations — buildup, itching, tenderness, unusual flaking.	Ask them what they think needs changing. They may recognize that one tool or technique works better.	Teach efficiency without teaching force. More skill should make hair care easier, not just faster.	Children may begin washing their own scalp, conditioning, detangling sections, maintaining simple styles.
Teens & Adolescents	The teen checks their own scalp. The caregiver becomes someone they can consult when something changes.	Adolescents begin adjusting their own routines based on activity, oil production, style, and preference.	Teach that more products, tighter styles, more heat, or more manipulation do not produce better results.	Adolescent increasingly owns style selection, routine, products, stylist communication, and appearance decisions.

The C.A.R.E. Reset

Some families reading this research monograph may already be in a difficult cycle. The child expects wash day to be miserable. The caregiver expects resistance. Everyone enters the bathroom prepared for conflict.

You do not have to fix that relationship in one wash day. Start smaller. Next wash day: Check In — ask what part is hardest. Do not argue with the answer. Adjust — change one thing. Not ten. One. Reduce the Load — make the routine slightly easier, shorter, or less ambitious. Empower — give one meaningful choice.

The goal is not: "We will never have another difficult wash day." The goal is: "We are going to stop repeating the same difficult wash day without learning anything from it." That is progress.

DR. BRE'S PERSPECTIVE

If you've read this entire research monograph and you're thinking about all the wash days you wish you had handled differently, I don't want that to be what you leave with. Parents learn too. I have. The point of research isn't to make us feel guilty about what we didn't know. It's to change what we do once we know better. Maybe your next wash day is only five percent better. You use a smaller section. You loosen one braid. You stop saying 'tender-headed.' You let your child hold the rinse cup. You realize everybody is tired and decide the style can wait until tomorrow. That's still change. And repeated change becomes a different routine. That's how habits are built.

And eventually, we hand them the comb.

LIMITATIONS & EVIDENCE BOUNDARIES

Evidence-informed education requires more than citing research that supports an idea. It requires being equally clear about where the evidence stops.

Hair-Care Pain and Psychological Trauma

This research monograph does not conclude that painful detangling, difficult wash days, tight hairstyles, or childhood resistance to grooming causes psychological trauma. Adults may understandably describe painful childhood hair-care experiences as traumatic when recounting their lived experiences. Those accounts deserve respect. But lived experience and evidence of clinical causation are different things. There is currently insufficient direct longitudinal research establishing that difficult pediatric hair-care experiences independently produce psychological trauma, anxiety disorders, depression, or other specific mental-health outcomes.

Sensory Processing and Hair Care

Pediatric occupational-therapy resources recognize that grooming activities can be difficult for children who respond strongly to particular sensory inputs. However, many practical strategies discussed in this research monograph come from professional practice guidance rather than randomized clinical trials specifically evaluating pediatric hair-care interventions. Their inclusion should be understood as practice-informed guidance, not proof that a particular strategy will produce a particular outcome. A child who dislikes water, brushing, fragrance, dryers, clippers, or scalp manipulation should not be diagnosed with a developmental or sensory condition on that basis alone.

Hair Mechanics

The scientific literature provides substantial information about hair-fiber structure, friction, conditioning, combability, breakage, and mechanical behavior. Much of that research is laboratory-based and not conducted specifically during children's wash-day routines. Techniques such as smaller sections, progressive ends-to-roots detangling, anchoring above the working area, and finger separation are presented as mechanically reasonable practical translations where direct pediatric trials are unavailable. They should not be interpreted as clinically validated protocols.

Traction Alopecia

The relationship between sustained or repeated tensile force and traction alopecia is comparatively well established, including in pediatric populations. Even here, individual risk varies. The Styling Warning Guide developed in this publication organizes recognized warning signs into a caregiver-friendly format. It is an educational synthesis, not a validated diagnostic scale. A caregiver should not use the guide to diagnose traction alopecia or rule out another scalp or hair condition.

Hair, Identity, and Emotional Wellbeing

Research supports the cultural and identity significance of hair and documents relationships among hair satisfaction, teasing, social comparison, discrimination, racial identity, and aspects of psychological wellbeing, particularly among Black girls and adolescents. These findings should not be interpreted to mean that hair determines mental health or that any single caregiver comment produces a particular psychological outcome. Identity develops within a much larger system of family, peers, culture, community, media, discrimination, personality, and individual experience.

Family Structure

This research monograph devotes particular attention to interracial, multicultural, blended, adoptive, foster, and texture-diverse households. It does not assume that caregivers who do not share a child's texture or racial identity are less capable of providing healthy hair care. Nor does it assume that children raised in these households necessarily experience identity or hair-care difficulties. The focus is the knowledge gap that can occur when lived experience and generational hair-care knowledge are not shared, and the resources caregivers can use when that gap exists.

The C.A.R.E. Framework

C.A.R.E. — Check In, Adjust, Reduce the Load, Empower — is an original educational synthesis developed by Dr. Bre Hayward for the Baby Hair® Research & Education Series. It has not been clinically validated. It is not a medical treatment, psychological intervention, sensory-processing assessment, pain scale, diagnostic instrument, or substitute for individualized professional care. Future research may evaluate whether teaching C.A.R.E. affects outcomes such as caregiver knowledge, confidence, hair-care technique, child participation, reported comfort, or recognition of scalp concerns. Until such research exists, those outcomes should not be claimed.

An Evidence Base That Still Needs to Grow

Perhaps the largest limitation identified by this research monograph is also one of its most important conclusions: we need more direct research on children's actual hair-care experiences. Future research could examine: How frequently do children report pain during routine detangling and styling? Which grooming techniques produce different levels of mechanical force at the scalp? How do children themselves describe difficult wash-day experiences? How does sensory sensitivity affect participation in hair care? Which interventions meaningfully improve caregiver technique or child comfort? How does hair-care education affect caregivers learning textures they did not grow up managing?

***Evidence-informed care means using what we know
without pretending we know what we don't.***

A Movement, Not a Moment

Publication No. 1 began with a biological premise: Healthy hair begins with a healthy scalp.

This research monograph adds a human one: Healthy hair care should consider the experience of the child receiving it.

Those principles belong together. A perfectly cleansed scalp does not require an unnecessarily painful detangling session. A culturally meaningful protective style does not require excessive tension. A parent can maintain necessary hygiene while listening to the child. A caregiver can admit they do not know how to manage a texture yet without making that texture the problem. A child can learn that their hair requires care without learning that their hair is a burden.

That is the change this research monograph is asking for. Not perfect parents. Not perfect wash days. Not the elimination of every complaint. Better questions. Better observation. Better technique. Better communication. And a willingness to change something when the child or the scalp tells us that something isn't working.

C.H.O.P.R.™ gave families a structure for scalp-first care: Cleanse. Hydrate. Observe. Protect. Repeat. This research monograph proposes a complementary structure for the experience surrounding that care: Check In. Adjust. Reduce the Load. Empower.

Together, they represent what Baby Hair® means by scalp-first, child-centered hair care.

There is still work to do. There are research questions we cannot yet answer. There are families whose experiences remain underrepresented in the literature. There are caregivers learning textures they were never taught to care for. There are children who still believe that getting their hair done is supposed to hurt.

The goal is not to judge the generations who came before us. Most people cared for children using the knowledge, products, traditions, and techniques available to them. We know more now. So we can do something with what we know.

Maybe it begins with loosening one braid. Changing one rinse. Working through one knot differently. Asking one more question. Taking one break. Learning one unfamiliar texture. Replacing "You're tender-headed" with "Show me where it hurts."

Small changes become routines. Routines become expectations. And expectations become what the next generation believes hair care is supposed to feel like.

That is how culture evolves without being erased. That is how knowledge moves from research into households. And that is how care gets better.

Healthy hair begins with a healthy scalp. Child-centered hair care begins by remembering there is a child attached to it. And eventually, we hand them the comb.

— Dr. Bre Hayward, EdD

Founder, Baby Hair®

Phase Theory Beauty Company

REFERENCES

The following sources informed the research and recommendations presented in this research monograph. Parents and professionals seeking further information are encouraged to consult these resources directly.

Evidence note: Direct pediatric hair-care research remains limited in several areas. Practice guidance and adjacent pediatric literature are identified as such throughout this publication rather than presented as hair-specific clinical proof.

- Afifi, L., Oparaugo, N. C., & Hogeling, M. (2021). Review of traction alopecia in the pediatric patient: Diagnosis, prevention, and management. *Pediatric Dermatology*, 38(Suppl. 2), 42–48. <https://doi.org/10.1111/pde.14773>
- American Academy of Pediatrics. (2012). Sensory integration therapies for children with developmental and behavioral disorders. *Pediatrics*, 129(6), 1186–1189. <https://doi.org/10.1542/peds.2012-0876>
- American Academy of Pediatrics Committee on Bioethics. (2016). Informed consent in decision-making in pediatric practice. *Pediatrics*, 138(2), e20161484. <https://doi.org/10.1542/peds.2016-1484>
- Katz, A. L., Webb, S. A., & Committee on Bioethics. (2016). Informed consent in decision-making in pediatric practice: Technical report. *Pediatrics*, 138(2), e20161485. <https://doi.org/10.1542/peds.2016-1485>
- Gavazzoni Dias, M. F. R. (2015). Hair cosmetics: An overview. *International Journal of Trichology*, 7(1), 2–15. <https://doi.org/10.4103/0974-7753.153450>
- Henning, T., Holman, M., Ismael, L., Yu, K. Y., Williams, L., Shelton, S. J., & Perez, M. (2022). Examination of hair experiences among girls with Black/African American identities. *Body Image*, 42, 75–83. <https://doi.org/10.1016/j.bodyim.2022.05.009>
- Hussett-Richardson, S., Sissoko, G. D., & Opara, I. (2026). Hair-esteem toolkit for Black girls: The development of a self-esteem toolkit for Black adolescent girls centering hair as a tool for empowerment. *Journal of Research on Adolescence*, 36(1), e70135. <https://doi.org/10.1111/jora.70135>
- Hyman, S. L., Levy, S. E., Myers, S. M., et al. (2020). Identification, evaluation, and management of children with autism spectrum disorder. *Pediatrics*, 145(1), e20193447. <https://doi.org/10.1542/peds.2019-3447>
- Rele, A. S., & Mohile, R. B. (2003). Effect of mineral oil, sunflower oil, and coconut oil on prevention of hair damage. *Journal of Cosmetic Science*, 54(2), 175–192.
- Robbins, C. (2006). Hair breakage during combing. I. Pathways of breakage. *Journal of Cosmetic Science*, 57(3), 233–243.
- Robbins, C. (2006). Hair breakage during combing. II. Impact loading and hair breakage. *Journal of Cosmetic Science*, 57(3), 245–257.
- Robbins, C., & Kamath, Y. (2007). Hair breakage during combing. III. The effects of bleaching and conditioning on short and long segment breakage by wet and dry combing of tresses. *Journal of Cosmetic Science*, 58(4), 477–484.
- Robbins, C. R. (2012). *Chemical and Physical Behavior of Human Hair* (5th ed.). Springer. <https://doi.org/10.1007/978-3-642-25611-0>
- Weiland, E., Rodriguez-Ropero, F., Roiter, Y., Angioletti-Uberti, S., Dini, D., & Ewen, J. P. (2025). Understanding and controlling the friction of human hair. *Advances in Colloid and Interface Science*, 345, 103580. <https://doi.org/10.1016/j.cis.2025.103580>
- Oxford Health NHS Foundation Trust, Children's Community Occupational Therapy. Sensory strategies for hair washing, cutting, and brushing. Professional practice guidance.

ABOUT THE AUTHOR

Dr. Bre Hayward, EdD

Founder, Baby Hair® | Founder, Phase Theory Beauty Company

Dr. Bre Hayward is an educator, researcher, healthcare executive, entrepreneur, and advocate for evidence-informed beauty education and consumer health literacy. Her work focuses on translating complex systems and evidence into practical resources families can use.

Dr. Hayward holds a Doctor of Education in Educational Leadership and a Master of Business Administration. Her professional background spans healthcare administration, education, research, and entrepreneurship — with a particular focus on making technical and clinical information accessible to the people who need it most.

Through Baby Hair® and Phase Theory Beauty Company, Dr. Hayward develops scalp-first hair-care education for multicultural, blended, interracial, adoptive, foster, and texture-diverse families navigating different hair needs under one roof. Her educational philosophy begins with a simple premise: healthy hair begins with a healthy scalp.

She is the author of the Baby Hair® Research & Education Series and developer of the C.H.O.P.R.™ Scalp-First Framework. Publication No. 2, *When Wash Day Hurts*, introduces C.A.R.E. as an original evidence-informed educational framework, with the name pending separate trademark clearance.

Connect with Dr. Hayward

Website: www.PhaseTheoryBeauty.com

Media Inquiries: press@phasetheorybeauty.com

Speaking Engagements: speaking@phasetheorybeauty.com

ABOUT BABY HAIR®

Baby Hair® is a scalp-first hair-care brand developed for children and families across texture types.

The brand's educational philosophy begins with a simple premise: healthy hair begins with a healthy scalp. Through products, research, practical tools, and the Baby Hair® Research & Education Series, Baby Hair® seeks to make evidence-informed hair and scalp education more accessible to real households — including multicultural, interracial, blended, adoptive, foster, and texture-diverse families navigating different hair needs under one roof.

The Baby Hair® Research & Education Series translates research across hair science, scalp health, child development, identity, culture, and family care into practical resources designed for real households.

Baby Hair® Research & Education Series

Publication No. 1 · White Paper

Scalp-First Hair Care: Understanding Pediatric Scalp Health Across Texture Types, Multicultural Families, and Texture-Diverse Households

Publication No. 2 · Research Monograph

When Wash Day Hurts: The Physical, Sensory, and Emotional Experience of Pediatric Hair Care

Baby Hair® is a registered trademark of Baby Hair LLC. C.H.O.P.R.™, the C.H.O.P.R.™ Scalp-First Framework, and The Scalp-First Parent Checklist™ are trademarks of Baby Hair LLC.

C.A.R.E. is used in this publication as the descriptive name of an original educational framework pending separate trademark clearance.
© 2026 Phase Theory Beauty Company. All rights reserved.