Model: YT215PC

Appearance








Applications:

· Automatic system:intelligent self-service terminal, intelligent retail terminal, O2O smart device, robot equipment, etc.
· Public Places: subway, airports, stations, gas stations, toll stations, bookstores, parks, exhibition halls, stadiums, museums,convention centers, ticket agencies, HR market, lottery centers;
· Business Organizations: supermarket, large-scale shopping malls, exclusive agency, chain shops, large-scale sales, star-rated hotels, restaurants, travel agencies, pharmacy.
· Financial Organizations: Banks, negotiable securities, funds, insurance companies, pawnshops;
· Non-profit Organizations: Telecommunications, post offices, hospital, schools;
· Real Estate Property: Apartments, villas, offices, commercial buildings, model rooms, property brokers;
· Entertainments: Movie theaters, fitness halls, country clubs, clubs, massage rooms, bars, cafes, Internet bars, beauty shops, golf course.

Specification

Bestview 21.5 inch touch screen panel pc	
PC	
CPU	Inter **Core i5-8th Generation (others optional)**
Memory	8GB DDR3, (4GB Optional;Max. 16G)
Hard Drive Capacity	128G SSD
Hard Drive Optional	SSD: 32GB,64GB,128GB,256GB
	HDD: 320GB,500GB,1TB
Network	1×Realtek RTL 8111E Gigabit Ethernet controller
Wireless Network	WIFI
I/O Interface	1xHDMI/VGA/LAN, 4x USB/Audio Out/Power DC
Opetation System	Preinstall test version Windows 7/8/10/11,Linux
Image Format	Support BMP、JPEG、PNG、GIF
LCD panel	
Panel size	21.5 Inch
Resolution	1920x1080
Brightness (cd/m²)	250-300 cd/m2
Response time	15ms
Contrast ratio	1000:1
View angle	89°/89°/85°/85° (R/L/U/D)
Touch panel	
Touch Type	10 points projective Capacitive touch optional
Touch Interface	USB
Response time	<8ms
Luminousness	75-85%
Power Supply	
External Power Supply	AC 100 - 240V
Working voltage	DC 12V
Power consumption	≤30W
Operating Environment	
Temperature range	operating: -10 to 60°C, storage :-20 to 70°C
Relative humidity	5%~95% @ 40° C, non-condensing
Vibration	5-500 Hz, 0.026 G²/Hz, 2.16 Grms, X, Y, Z, 1 hour per axis
Packing Details	
Accessories	Power adapter, Wifi antenna
Other	
Mounting (options)	1) provide wall brackets for wall-mounting, VESA 100×100mm
	2) provide Floor standing to support the PC
Certification	CE, FCC，ROHS
Warranty	1 year warranty

Drawing



Contact information:

Shenzhen Bestview Electronic Co., Limited
Sales: Helen He
Email:sales105@bestview.cc
Skype: bestviewcs
Phone/WhatsApp/Wechat:+86 18620869892
Website:http://www.bestview.cc
Factory Address: No.5F, Building 24, Longbi Industry Zone, BanTian Town, Long Gang District, Shenzhen, China