Title:

Certificate of Analysis (CoA)

Date: 4/30/2026
Date Tested: 4/28/2026
Customer: Peptide Basement
Testing material: GLOW
Lot Number: BBG412
BT Sample ID: 005000039846481
Labeled Peptide Content/Potency: 70 mg
Storage: R.T.
Visual Description: clear vial: purple sample, holographic label, silver crimp, green plastic cap.
Labeled as: GLOW
Manufacturer: BP
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	purple powder	purple powder
Mass	USP <41>	As recorded	141.5 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of GLOW with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.7 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 70 mg	GHK-Cu 41.8 mg (59.7 %) BPC-157 9.7 mg (13.9 %) TB-500 10.4 mg (14.9 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	62.0 : 79.5 mg (1:1.3)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 941-4835
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: GLOW Lot BBG412



HPLC Purity and Potency Assay @ 220 nm: GLOW Lot BBG412



BPC157 TB500 GHKCU Lot BBG412 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	1.582	14279.8
2	1.761	254.2
3	3.76	4031.7
4	4.144	2420.1