Title:

Certificate of Analysis (CoA)

Date: 4/24/2026
Date Tested: 4/23/2026
Customer: Peptide Basement
Testing material: Semax
Lot Number: SX416
BT Sample ID: 005000039742327
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: small clear vial: white sample, holographic label, silver crimp, black plastic cap.
Labeled as: Semax
Manufacturer: BP
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	50.3 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Semax with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.9 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	10.9 mg (108.8 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	10.9 : 39.4 mg (1:3.6)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS
Scientist-II
BTLabs

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Semax Lot SX416



HPLC Purity and Potency Assay @ 220 nm: Semax Lot SX416



Semax Lot SX416 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	4.204	258.9