




LED STRIP LIGHTS

- 12v LED STRIP LIGHTS IP20
- DC12v POWER SUPPLIES
- 24v LED STRIP LIGHTS IP20
- DC24v LED DRIVER
- 230v LED STRIP LIGHTS IP65



K. LIGHT®

DESIGN • SERVICE • QUALITY

12V LED STRIP LIGHT IP20



YM-3528-60/WW
12v 4.8W 60 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Open Flexi Strip Available in 50m roll
Kelvin / Lumen	Warm White: 3000K / 565lm per meter
Measurement in mm	Height: 1 Width: 8
LED SMD	60 x 0.08W per meter
Wattage	12v 4.8W per meter
IP Rating	IP20



YM-3528-60/CW
12v 4.8W 60 LED's SMD Open Flexi Strip per meter

Colour	Brown PC Board
Specifications	Open Flexi Strip Available in 50m roll
Kelvin / Lumen	Cool White: 6000K / 565lm per meter
Measurement in mm	Height: 1 Width: 8
LED SMD	60 x 0.08W per meter
Wattage	12v 4.8W per meter
IP Rating	IP20

12V LED STRIP LIGHT IP20

**YM-2835-120/WW**

12v 9W 120 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K
Measurement in mm	Height: 1 Width: 8
LED SMD	120 x 0.075W per meter
Wattage	12v 9W per meter
IP Rating	IP20

**YM-2835-120/CW**

12v 9W 120 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6500K
Measurement in mm	Height: 1 Width: 8
LED SMD	120 x 0.075W per meter
Wattage	12v 9W per meter
IP Rating	IP20

12V LED STRIP LIGHT IP20



YM-3528-240S/WW
12v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	12v 16W per meter
IP Rating	IP20



YM-3528-240S/CW
12v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	12v 16W per meter
IP Rating	IP20

DC12V POWER SUPPLIES FOR LED STRIP LIGHTS



K-25W-DC12V 12v 25W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 25W Power Supply for LED Strip Light
Measurement in cm	Height: 3.5 Width: 6 Length: 8.5
Wattage	12v 25W
IP Rating	IP20



K-35W-DC12V 12v 35W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 35W Power Supply for LED Strip Light
Measurement in cm	Height: 3 Width: 6 Length: 10
Wattage	12v 35W
IP Rating	IP20



K-50W-DC12V 12v 50W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 50W Power Supply for LED Strip Light
Measurement in cm	Height: 3.5 Width: 8 Length: 11
Wattage	12v 50W
IP Rating	IP20



K-80W-DC12V 12v 80W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 80W Power Supply for LED Strip Light
Measurement in cm	Height: 4 Width: 10 Length: 16
Wattage	12v 80W
IP Rating	IP20



K-120W-DC12V 12v 120W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 120W Power Supply for LED Strip Light
Measurement in cm	Height: 4 Width: 10 Length: 20
Wattage	12v 120W
IP Rating	IP20

24V LED STRIP LIGHT IP20



YM-100-24V/WW 24v 16W 240 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20



YM-100-24V/NW 24v 16W 240 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Natural White: 4000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20



YM-100-24V/CW 24v 16W 240 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20

DC24V LED DRIVER



EULP-SMT60W24V
24v 60W Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 2.5A
Measurement in cm	Height: 2 Width: 3 Length: 30
Wattage	220-240v 60W
IP Rating	IP20



EULP-SMT96W24V
24v 96W Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 96W Power Supply for LED Strip Light Amperage 4.0A
Measurement in cm	Height: 2.2 Width: 3 Length: 33
Wattage	220-240v 96W
IP Rating	IP20



EULP-60W24V
24v 60W Non Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 0.35A
Measurement in cm	Height: 1.8 Width: 2.9 Length: 29.8
Wattage	220-240v 60W
IP Rating	IP20



EULP-100W24V
24v 100W Non Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 0.6A
Measurement in cm	Height: 1.8 Width: 2.9 Length: 34.9
Wattage	220-240v 100W
IP Rating	IP20

230V LED STRIP LIGHT IP65



YMW-3528-60/WW

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 258lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



YMW-3528-60/CW

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 258lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



YMW-3528-60/B

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter


Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Blue: 450NM / 390lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



YMW-COMPONENTS

230v 60 LED's SMD Silicone Covered Flexi Strip, Components

Colour	White and Clear
Components	YMW-POWERCORD Power cord for YMW-3528-60 YMW-T-CONN PVC "T" Connector YMW-L-CONN PVC "L" Connector YMW-I-CONN PVC "I" Connector YMW-ENDCAP PVC End Cap YMW-CLIP PVC Mounting Clip Connecting Pin

A modern interior space featuring a dark leather sofa, a large abstract painting, and a minimalist design. The ceiling is illuminated with warm, recessed lighting, and the walls are made of dark, textured panels. The floor is a light, polished material. The overall aesthetic is contemporary and sophisticated.

ALUMINIUM PROFILES



K. LIGHT®


DESIGN • SERVICE • QUALITY

RECESSED



AP-2507-ALUMINI OR AP-2507-BLACK
Recessed Aluminium Profile with no Cover
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium or Black	
Specifications	Aluminium	
Measurement in cm	Outside: Height: 0.7 Width: 1.75	Inside: Height: 0.5 Width: 1.22



AP-100/BL OR AP-100/CL OR AP-100/WH
Covers only for AP-2507 Profiles.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Black, Clear or White	
Specifications	PC	
Measurement in cm for Cover only	Outside: Height: 0.8 Width: 1.7	Inside: Height: 0.7 Width: 1.2



AP-2507 Complete Fitting
Recessed Aluminium Profile with Black, Clear or Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-2507 COMPONENTS
Recessed Aluminium Profiles with Covers and Components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.


SURFACE MOUNTED



AP-100-ALUMINI OR AP-100-BLACK

Aluminium Profile with no Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium or Black	
Specifications	Aluminium	
Measurement in cm	Outside:	Inside:
	Height: 0.7	Height: 0.5
	Width: 1.75	Width: 1.22



AP-100/BL OR AP-100/CL OR AP-100/WH

Covers only for AP-100 Profiles.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Black, Clear or White	
Specifications	PC	
Measurement in cm for Cover only	Outside:	Inside:
	Height: 0.8	Height: 0.7
	Width: 1.7	Width: 1.2



AP-100 Complete Fitting


Aluminium Profile with Black, Clear or Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-100 COMPONENTS

Aluminium Profiles with Covers and Components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

PENDANT



AP-2119-ALUMINI OR AP-2119-BLACK
Wide Aluminium Profile with no Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium or Black	
Specifications	No Cover	
Measurement in cm	Outside: Height: 1.1 Width: 2	Inside: Height: 0.6 Width: 1.6



AP-2119 and AP-2119/B
Wide Aluminium Profile with Short PC Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium	
Specifications	Short Acrylic Opal White Cover	
Measurement in cm for Cover only	Outside: Height: 2.1 Width: 2	Inside: Height: 1.6 Width: 1.6



AP-2119 and AP-2119/C
Wide Aluminium Profile with High PC Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium	
Specifications	High Acrylic Opal White Cover	
Measurement in cm for Cover only	Outside: Height: 3.6 Width: 2	Inside: Height: 3 Width: 1.6



AP-2119 COMPONENTS
Wide LED Aluminium Profiles with hanging Components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



SURFACE MOUNTED



AP-500/BL+BL(SURFACE MOUNTED) Complete 1 meter Black Aluminium U-Channel Surface Mounted Fitting with Black Polycarbonate Cover, including 24v 32W LED Strip Light	
Colour	Black with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20



AP-500/BL+FR(SURFACE MOUNTED) Complete 1 meter Black Aluminium U-Channel Surface Mounted Fitting with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light	
Colour	Black with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20




AP-500/WH+BL(SURFACE MOUNTED) Complete 1 meter White Aluminium U-Channel Surface Mounted Fitting with Black Polycarbonate Cover, including 24v 32W LED Strip Light	
Colour	White with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20



AP-500/WH+FR(SURFACE MOUNTED) Complete 1 meter White Aluminium U-Channel Surface Mounted Fitting with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light	
Colour	White with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

PENDANT



AP-500/BL+BL

Complete 1 meter Black Aluminium U-Channel Pendant with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/BL+FR

Complete 1 meter Black Aluminium U-Channel Pendant with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/WH+BL

Complete 1 meter White Aluminium U-Channel Pendant with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/WH+FR

Complete 1 meter White Aluminium U-Channel Pendant with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm , Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

INNER LOOK



AP-500/BL+BL(Inner Look)
U Channel Black with Black Cover



AP-500/BL+WH(Inner Look)
U Channel Black with Frosted Cover



AP-500/WH+BL(Inner Look)
U Channel White with Black Cover



AP-500/WH+WH(Inner Look)
U Channel White with Frosted Cover

SKIRTING



AP-700 with Cool White LED Strip

Cool White LED strip in Aluminium Skirting Profile.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-700 with Warm White LED Strip

Warm White LED strip in Aluminium Skirting Profile.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-700 with Components

Aluminium Skirting Profile with components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



STEP LIGHTS

- 230v LED INDOOR RECESSED STEP LIGHTS
- 230v LED OUTDOOR RECESSED STEP LIGHTS
- 230v LED OUTDOOR SURFACE MOUNTED STEP LIGHTS
- 230v LED OUTDOOR RECESSED GROUND LIGHT



K. LIGHT®

DESIGN • SERVICE • QUALITY



ST-LED-106/BL
230v 1W LED SMD Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 9 Width: 8.5 Depth: 3
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-106/ST
230v 1.5W LED SMD Square Recessed Step Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 9 Width: 8.5 Depth: 3
LED SMD	1.5W
Wattage	230v 1.5W
IP Rating	IP20



ST-LED-107/WH
230v 1.5W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 3
LED SMD	1.5W
Wattage	230v 1.5W
IP Rating	IP20



ST-LED-108/BG
230v 1.5W LED SMD Rectangular Recessed Step Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 7.5 Width: 11.7 Depth: 3
LED SMD	1.5W
Wattage	230V 1.5W
IP Rating	IP20



ST-LED-105RD/BA
230v 1W LED SMD Round Recessed Step Light

Colour	Brushed Aluminium
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 110lm
Measurement in cm	Depth: 7.5 Diameter: 8
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-105RD/WH
230v 1W LED SMD Round Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Depth: 7.5 Diameter: 8
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-105SQ/BA
230v 1W LED SMD Square Recessed Step Light

Colour	Brushed Aluminium
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Height: 8 Width: 8 Depth: 7.5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-105SQ/WH
230v 1W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Height: 8 Width: 8 Depth: 7.5
LED SMD	1W
Wattage	230V 1W
IP Rating	IP20

**ST-LED-695S/BL**

230v 1W LED SMD Small Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 40lm
Measurement in cm	Height: 5.5 Width: 5.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65

**ST-LED-695S/WH**

230v 1W LED SMD Small Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 40lm
Measurement in cm	Height: 5.5 Width: 5.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65

**ST-LED-695M/BL**

230v 1W LED SMD Medium Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65

**ST-LED-695M/WH**

230v 1W LED SMD Medium Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 5
LED SMD	1W
Wattage	230V 1W
IP Rating	IP65

**ST-LED-102RD/WH**

230v 2W LED SMD Round Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 160lm
Measurement in cm	Depth: 8 Diameter: 4.5 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54

**ST-LED-102RD/BL**

230v 2W LED SMD Round Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Depth: 8 Diameter: 4.5 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54

**ST-LED-102SQ/WH**

230v 2W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Height: 4.5 Width: 4.5 Depth: 8 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54

**ST-LED-102SQ/BL**

230v 2W LED SMD Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Height: 4.5 Width: 4.5 Depth: 8 Cut out: Diameter: 4
LED SMD	2W
Wattage	230V 2W
IP Rating	IP54

**R-LED-601**

230v 1W LED SMD Square Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 25lm
Measurement in cm	Height: 9 Width: 9 Depth: 7.5
LED SMD	15 x 0.066W
Wattage	230v 1W
IP Rating	IP65

**R-LED-602**

230v 3W LED SMD Rectangular Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 400lm
Measurement in cm	Height: 7 Width: 14 Depth: 7.5
LED SMD	15 x 0.2W
Wattage	230v 9W
IP Rating	IP65

**R-LED-603**

230v 3W LED SMD Square Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 90lm
Measurement in cm	Height: 14 Width: 14 Depth: 7.5
LED SMD	15 x 0.2W
Wattage	230v 3W
IP Rating	IP65

**ST-LED-657/G**

230v 3W LED SMD Vertical Recessed Step Light

Colour	Grey
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 240lm
Measurement in cm	Height: 18.5 Width: 4 Depth: 5
LED SMD	3W
Wattage	230v 3W
IP Rating	IP65

**R-LED-2601**

230v 4W LED SMD Square Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 100lm
Measurement in cm	Height: 9 Width: 9 Depth: 5.3
LED SMD	15 x 0.266W
Wattage	230v 4W
IP Rating	IP54

**R-LED-2602**

230v 6W LED SMD Square Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 170lm
Measurement in cm	Height: 14 Width: 14.4 Depth: 5.7
LED SMD	20 x 0.3W
Wattage	230v 6W
IP Rating	IP54

**JB-KLG-316**

230v 35W GU10 Recessed Ground Light

Colour	316 Stainless Steel
Measurement in cm	Depth: 14.5 Diameter: 11
Lamps	1 x GU10
Wattage	230v 35W
IP Rating	IP67



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



GARDEN & OUTDOOR WALL LIGHTS

- 230v LED Surface Mounted
- 230v LED Wall Lights
- 230v E27 Wall Lights & Pendant
- 230v GU10 Wall Lights
- 230v LED Semi Recessed Wall Lights



K. LIGHT®

DESIGN • SERVICE • QUALITY

**R-LED-9001**

230v 3W LED SMD Curved Small Rectangular
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 150lm
Measurement in cm	Height: 5.5 Width: 13 Depth: 3
LED SMD	15 x 0.2W
Wattage	230v 3W
IP Rating	IP54

**R-LED-9002**

230v 6W LED SMD Curved Medium Rectangular
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 260lm
Measurement in cm	Height: 6 Width: 17 Depth: 3.1
LED SMD	23 x 0.2608W
Wattage	230v 6W
IP Rating	IP54

**R-LED-9003**

230v 8W LED SMD Curved Large Rectangular
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 350lm
Measurement in cm	Height: 8.2 Width: 24 Depth: 4.5
LED SMD	26 x 0.307W
Wattage	230v 8W
IP Rating	IP54

**L-LED 1483/SL**

230v 3.2W LED SMD Eyelid Rectangular
Surface Mounted Step Light

Colour	Matt Grey with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 130lm
Measurement in cm	Height: 7.7 Width: 23 Depth: 4.3
LED SMD	16 x 0.2W
Wattage	230v 3.2W
IP Rating	IP54



R-LED-9801/B
230v 16W LED SMD Up & Down Skyline Wall Light

Colour	Matt Black with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1100lm
Measurement in cm	Height: 6 Width: 22 Depth: 7
LED SMD	27 x 0.296W UP 27 x 0.296W DOWN
Wattage	230v 16W
IP Rating	IP54



R-LED-9802/B
230v 8W LED SMD Down Skyline Wall Light

Colour	Matt Black with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 550lm
Measurement in cm	Height: 4 Width: 22 Depth: 7.5
LED SMD	27 x 0.296W
Wattage	230v 8W
IP Rating	IP54



R-LED-1002
230v 9W LED SMD Up & Down Large Brick Wall Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 400lm
Measurement in cm	Height: 6.5 Width: 18 Depth: 7.5
LED SMD	24 x 0.1875W UP 24 x 0.1875W DOWN
Wattage	230v 9W
IP Rating	IP54

**I-LED-51/1**

230v 5W LED SMD Coastal Round Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 9 Width: 9.5 Depth: 10.5
LED SMD	5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-53/1**

230v 5W LED SMD Coastal Square Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8.5 Width: 9.5 Depth: 10.5
LED SMD	5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-51/2**

230v 2 x 5W LED SMD Coastal Up & Down Round Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 13 Width: 9.5 Depth: 11
LED SMD	2 x 5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-53/2**

230v 2 x 5W LED SMD Coastal Up & Down Square Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-56/1**

230v 6W LED SMD Coastal Oval Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8 Width: 18 Depth: 8.5
LED SMD	6W
Wattage	230v 6W
IP Rating	IP54

**I-LED-56/2**

230v 2 x 6W LED SMD Coastal Up & Down Oval Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 6W
Wattage	230v 6W
IP Rating	IP54

**LED-5008**

230v 1W LED SMD Outdoor Wall Light

Colour	Matt Silver with Frosted Line Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 35lm
Measurement in cm	Height: 13 Width: 9.5 Depth: 12.3
LED SMD	12 x 0.0833W
Wattage	230v 1W
IP Rating	IP54

**JB-LED-0075/BL**

230v 6W LED SMD Up & Down Square Beam
Adjustable Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-0075/DG**

230v 6W LED SMD Up & Down Square Beam
Adjustable Wall Light

Colour	Dark Grey
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-0075/WH**

230v 6W LED SMD Up & Down Square Beam
Adjustable Wall Light

Colour	White
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/BL**

230v 6W LED SMD Up & Down Round Beam
Adjustable Wall Light

Colour	Black
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/DG**


230v 6W LED SMD Up & Down Round Beam
Adjustable Wall Light

Colour	Dark Grey
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/WH**

230v 6W LED SMD Up & Down Round Beam
Adjustable Wall Light

Colour	White
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54




JB-LED-237S/WH
230v 6W LED SMD Small Slim Up & Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 330lm
Measurement in cm	Height: 10 Width: 11 Depth: 3
LED SMD	3W UP 3W DOWN
Wattage	230v 6W
IP Rating	IP54



JB-LED-237M/WH
230v 10W LED SMD Medium Slim Up & Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 546lm
Measurement in cm	Height: 10 Width: 17.5 Depth: 3
LED SMD	5W UP 5W DOWN
Wattage	230v 10W
IP Rating	IP54



JB-LED-237L/WH
230v 20W LED SMD Large Slim Up & Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1460lm
Measurement in cm	Height: 11.5 Width: 40 Depth: 4.5
LED SMD	10W UP 10W DOWN
Wattage	230v 20W
IP Rating	IP54

**JB-LED-237S/BL**

230v 6W LED SMD Small Slim Up & Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 330lm
Measurement in cm	Height: 10 Width: 11 Depth: 3
LED SMD	3W UP 3W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-237M/BL**

230v 10W LED SMD Medium Slim Up & Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 546lm
Measurement in cm	Height: 10 Width: 17.5 Depth: 3
LED SMD	5W UP 5W DOWN
Wattage	230v 10W
IP Rating	IP54

**JB-LED-237L/BL**

230v 20W LED SMD Large Slim Up & Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1460lm
Measurement in cm	Height: 11.5 Width: 40 Depth: 4.5
LED SMD	10W UP 10W DOWN
Wattage	230v 20W
IP Rating	IP54

**JB-LED-792/BL**

230v 6W LED COB Up & Down Oval Wall Light

Colour	Matt Black with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 11 Depth: 11
LED COB	6W
Wattage	230v 6W
IP Rating	IP54

**JB-LED-792/WH**

230v 6W LED COB Up & Down Oval Wall Light

Colour	Matt White with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 11 Depth: 11
LED COB	6W
Wattage	230v 6W
IP Rating	IP54

**JB-LED-793/BL**


230v 6W LED COB Up & Down Round Wall Light

Colour	Matt Black with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 9 Depth: 13.5
LED COB	6W
Wattage	230v 6W
IP Rating	IP54



JB-LED-787/BL
230v 9W LED COB Open Oval Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Warm White: 3000K / 620lm OSRAM COB
Measurement in cm	Height: 7.5 Width: 18 Depth: 11.7
LED COB	9W
Wattage	230v 9W
IP Rating	IP54



JB-LED-787/WH
230v 9W LED COB Open Oval Wall Light

Colour	Matt White
Specifications	Die Cast Aluminium Warm White: 3000K / 620lm OSRAM COB
Measurement in cm	Height: 7.5 Width: 18 Depth: 11.7
LED COB	9W
Wattage	230v 9W
IP Rating	IP54



JB-LED-789/BL
230v 4W LED COB Hook Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 6 Width: 11 Depth: 9.5
Lamps	4W COB LED
Wattage	230v 4W
IP Rating	IP54



JB-LED-789/WH
230v 4W LED COB Hook Wall Light

Colour	Matt White
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 6 Width: 11 Depth: 9.5
Lamps	4W COB LED
Wattage	230v 4W
IP Rating	IP54



KLK-1135
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 24 Width: 11.5 Depth: 11.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1138
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 26 Width: 13 Depth: 8
Lamps	1 x E27 (Recommended only G45 Golfball)
Wattage	230v 60W
IP Rating	IP44



KLK-1123
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 30 Width: 18 Depth: 17.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1160
230v 40W E27 XLarge Flush Wall Light

Colour	Black
Specifications	-
Measurement in cm	Height: 56 Width: 37 Depth: 20
Lamps	2 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44



KLG-1128
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 29.5 Width: 14 Depth: 19.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLG-1130
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 22 Width: 13 Depth: 17.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLG-1133
230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 35 Width: 17 Depth: 17
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLG-1134
230v 60W E27 Chic Pendant Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Fitting Height: 126.5 Shade Height: 30 Shade Width: 17-14
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**KLK-1132**

230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 36 Width: 15.5 Depth: 23.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**KLK-1131**

230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Seedy Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 35 Diameter: 29 Depth: 37.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**KLK-1148**

230v 40W E27 Outdoor Chic Lantern Wall Light

Colour	Black
Specifications	-I
Measurement in cm	Height: 33 Width: 12.5 Depth: 18.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**JB-KLG-2613**

230v 40W E27 Lighthouse Outdoor Wall Light

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 31.5 Width: 11 Depth: 15
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54

**JB-KLG-2763**

230v 40W E27 Candle Outdoor Wall Light

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 25.5 Width: 6 Depth: 13
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54

**KLG-1150**

230v 40W E27 Opal Ball Wall Light

Colour	Black
Specifications	-
Measurement in cm	Height: 26 Width: 28 Diameter: 20
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP44



L-KLG-1801/1S-B
230v 35W GU10 Square Down Only Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44



L-KLG-1801/2S-B
230v 70W GU10 Square Up & Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44



L-KLG-1801/1R-B
230v 35W GU10 Round Down Only Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44



L-KLG-1801/2R-B
230v 70W GU10 Round Up & Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/15-G**

230v 35W GU10 Square Down Only Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/25-G**

230v 70W GU10 Square Up & Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/1R-G**

230v 35W GU10 Round Down Only Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2R-G**

230v 70W GU10 Round Up & Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44



Y-KLG-1801/2C-SG
230v 70W GU10 Curved Square Wall Light

Colour	Matt Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/2C-SB
230v 70W GU10 Curved Square Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/2C-RG
230v 70W GU10 Curved Round Wall Light

Colour	Matt Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 10.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/2C-RB
230v 70W GU10 Curved Round Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 10.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54

**L-KLG-1805/25-B**

230v 3W GU10 Square Up and Down with Bracket Wall Light

Colour	Black
Specifications	-
Kelvin / Lumen	-
Measurement in cm	Height: 16 Depth: 11.5 Diameter: 6.5
Lamps	2 x GU10
Wattage	230v 3W
IP Rating	IP54

**JB-KLG-800/1**

230v 35W GU10 Single Adjustable Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 9 Width: 13.5 Depth: 9.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54

**JB-KLG-800/2**

230v 70W GU10 Double Adjustable Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 9 Width: 20.5 Depth: 9.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/1LSG
230v 35W GU10 Square 180° Tilt with Lens Wall Light

Colour	Matt Grey
Specifications	Die Cast Aluminium
Measurement in cm	Height: 16 Width: 6 Depth: 10
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



Y-KLG-1801/1LSB
230v 35W GU10 Square 180° Tilt with Lens Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium
Measurement in cm	Height: 16 Width: 6 Depth: 10
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



Y-KLG-1801/1LRG
230v 35W GU10 Round 180° Tilt with Lens Wall Light

Colour	Matt Grey
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15.4 Diameter: 6.5 Depth: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



Y-KLG-1801/1LRB
230v 35W GU10 Round 180° Tilt with Lens Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15.4 Diameter: 6.5 Depth: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-G or KLG-1801/1E27-G
230v 35W GU10 Up or Down Wall Light

Colour	Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-BL or KLG-1801/1E27-BL
230v 35W GU10 Up or Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-SS
230v 35W GU10 Up or Down Wall Light

Colour	Shiny Silver with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-DG or KLG-1801/1E27-DG
230v 35W GU10 Up or Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54

**LED-K03/B**

230v 1W LED SMD Small Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Blue LEDs Non Dimmable
Measurement in cm	Height: 11 Diameter: 10.5 Cut Out: 10
LED SMD	14 x 0.071W
Wattage	230v 1W
IP Rating	IP54

**LED-K04/B**


230v 1.6W LED SMD Medium Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Blue LEDs Non Dimmable
Measurement in cm	Height: 11 Diameter: 12.5 Cut Out: 12
LED SMD	25 x 0.056W
Wattage	230v 1.6W
IP Rating	IP54

**LED-K04**

230v 1.6W LED SMD Medium Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 45lm
Measurement in cm	Height: 11 Diameter: 12.5 Cut Out: 12
LED SMD	25 x 0.056W
Wattage	230v 1.6W
IP Rating	IP54



GARDEN & OUTDOOR COASTAL WALL LIGHTS

(PC + ABS Body)

- 230v LED Polycarbonate + ABS Wall Lights
- 230v GU10 LED Polycarbonate + ABS Wall Lights
- 230v E27 LED Polycarbonate + ABS Wall Lights
- + GU10 Garden Spike Light



K. LIGHT®

DESIGN • SERVICE • QUALITY

**P-KLB-LED-402**

230v 20W LED SMD Coastal Vertical Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 24.5 Depth: 10 Width: 11
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**P-KLB-LED-403**


230v 20W LED SMD Coastal Framed Vertical Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 24.5 Depth: 10 Width: 11
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**P-KLB-LED-613**

230v 20W LED SMD Coastal Square Grid Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 20 Depth: 5 Width: 16
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**P-KLB-LED-612**


230v 20W LED SMD Coastal Square Plain Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 20 Depth: 5 Width: 16
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**KLB-LED-161**

230v 25W LED SMD Coastal Horizontal Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Length: 32 Height: 13 Depth: 10
LED SMD	25W
Wattage	230v 25W
IP Rating	IP65

**KLB-LED-290**

230v 20W LED SMD Coastal Curved Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Length: 25 Height: 13 Depth: 12.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65

**KLG-LED-291**

230v 20W LED SMD Coastal Vertical Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 27 Width: 14 Depth: 10
LED SMD	20W
Wattage	230v 40W
IP Rating	IP44

**KLB-LED-292**

230v 15W LED SMD Coastal Eyelid Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 23 Width: 12 Depth: 7
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**I-LED-51/1-ABS**

230v 4W LED SMD Coastal Round ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 9 Width: 9.5 Depth: 10.5
LED SMD	4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-53/1-ABS**

230v 4W LED SMD Coastal Square ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8.5 Width: 9.5 Depth: 10.5
LED SMD	4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-51/2-ABS**

230v 2 x 4W LED SMD Coastal Up & Down Round ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 13 Width: 9.5 Depth: 11
LED SMD	2 x 4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-53/2-ABS**

230v 2 x 4W LED SMD Coastal Up & Down Square ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 4W
Wattage	230v 4W
IP Rating	IP44

**P-KLG-8110**

230v 7W GU10 LED Coastal Polycarbonate + ABS Square Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 8.1 Width: 5.8 Depth: 9.2
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 7W LED
IP Rating	IP54

**P-KLG-9210**

230v 7W GU10 LED Coastal Polycarbonate + ABS Round Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 8.1 Width: 5.8 Depth: 9.2
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 7W LED
IP Rating	IP54

**P-KLG-8111**

230v 7W GU10 LED Coastal Polycarbonate + ABS Square Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 15 Width: 5.8 Depth: 9.2
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 14W LED
IP Rating	IP54

**P-KLG-9211**

230v 7W GU10 LED Coastal Polycarbonate + ABS Round Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 15 Width: 5.8 Depth: 9.2
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 14W LED
IP Rating	IP54

**SLM111DL15W**

230v 15W LED SMD Coastal Eyelid Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**SLM105DL15W**

230v 15W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**SLM109DL20W**

230v 20W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1700lm
Measurement in cm	Diameter: 27 Depth: 6.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



MB-001/10
230v 10W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 550lm
Measurement in cm	Height: 9.8 Width: 19.8 Depth: 4.3
LED SMD	48 x 0.208W
Wattage	230v 10W
IP Rating	IP44



MB-001/15
230v 15W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 850lm
Measurement in cm	Height: 10.4 Width: 23 Depth: 4.3
LED SMD	72 x 0.208W
Wattage	230v 15W
IP Rating	IP44

**P-KLG-6410/BL**

230v 40W E27 Coastal Polypropylene Half Lantern Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Measurement in cm	Height: 36 Width: 18 Depth: 9
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**P-KLG-6410/WH**

230v 40W E27 Coastal Polypropylene Half Lantern Wall Light

Colour	White
Specifications	Polypropylene Body PC Diffuser
Measurement in cm	Height: 36 Width: 18 Depth: 9
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**P-LED-8217**

230v 9W LED SMD Coastal Polycarbonate + ABS Medium Vogue Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body PC Diffuser Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 600lm
Measurement in cm	Height: 4.6 Width: 17 Depth: 8
LED SMD	2 x 4.5W
Wattage	230v 9W
IP Rating	IP65

**P-KLG-4901**

230v 5W GU10 LED Coastal Polycarbonate + ABS Single Adjustable Spike

Colour	Black
Specifications	Polycarbonate + ABS Body PC Diffuser
Measurement in cm	Height: 11 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 5W LED
IP Rating	IP65




GARDEN & OUTDOOR BULKHEADS

- 230v LED Bulkheads
- 230v E27 Bulkheads



K. LIGHT®

DESIGN • SERVICE • QUALITY



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-305

230v 20W LED SMD Polar Large Square Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 25.5 Width: 25.5 Depth: 8
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65




In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-302

230v 20W LED SMD Arctic Large Square Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 25 Width: 25 Depth: 7.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-304

230v 15W LED SMD Polar Rectangular Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 30.5 Width: 10.5 Depth: 8
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65




In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-301

230v 15W LED SMD Rectangular Arctic Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 30 Width: 10 Depth: 7.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65




In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-300 or KLB-LED-303

230v 5W LED SMD Polar Small Square Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 10.5 Width: 10.5 Depth: 7.5 or 8
LED SMD	5W
Wattage	230v 5W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-300 or KLB-LED-303

230v 5W LED SMD Arctic Small Square Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 10.5 Width: 10.5 Depth: 7.5 or 8
LED SMD	5W
Wattage	230v 5W
IP Rating	IP65



MB-001/10

230v 10W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 550lm
Measurement in cm	Height: 9.8 Width: 19.8 Depth: 4.3
LED SMD	48 x 0.208W
Wattage	230v 10W
IP Rating	IP44



MB-001/15

230v 15W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 850lm
Measurement in cm	Height: 10.4 Width: 23 Depth: 4.3
LED SMD	72 x 0.208W
Wattage	230v 15W
IP Rating	IP44



SLM111DL15W
230v 15W LED SMD Coastal Eyelid Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



SLM105DL15W
230v 15W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



SLM109DL20W
230v 20W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1700lm
Measurement in cm	Diameter: 27 Depth: 6.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



JB-LED-701/BL
230v 12W LED SMD Vertical Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 1080lm
Measurement in cm	Height: 18 Width: 9 Depth: 7
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



JB-LED-702/BL
230v 12W LED SMD Horizontal Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 1130lm
Measurement in cm	Height: 9 Width: 18 Depth: 9
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



KLB-LED-401
230v 12W LED SMD Horizontal Bulkhead

Colour	Black
Specifications	Die Cast Aluminium with PC
Kelvin / Lumen	Warm White: 3000K / 840lm
Measurement in cm	Height: 12.5 Width: 26 Depth: 12.5
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



KLB-5522-G/SL
230v 18W E27 Round Grid Bulkhead

Colour	Matt Grey with Opal White PC Cover
Specifications	Die Cast Aluminium Aluminium Reflector Included
Measurement in cm	Diameter: 30 Depth: 7
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5522-P/BL
230v 18W E27 Round Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Diameter: 30 Depth: 7
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5533/BL
230v 18W E27 Round Patterned Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Diameter: 30 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5521-P/BL
230v 18W E27 Square Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 30 Width: 30 Depth: 7.5
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5521-G/BL
230v 18W E27 Square Grid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 30 Width: 30 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5523-P/BL
230v 18W E27 Rectangular Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5523-G/BL
230v 18W E27 Rectangular Grid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5523-E/BL
230v 18W E27 Rectangular Eyelid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



GARDEN & OUTDOOR BOLLARDS

- 230v LED Bollards
- 230v GU10 Bollards & Spikes
- 230v E27 Bollards



K. LIGHT®

DESIGN • SERVICE • QUALITY



L-LED-024/BL
230v 7W LED COB Bollard

Colour	Matt Black	
Specifications	Die Cast Aluminium	
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB	
Measurement in cm	Height: 60 Diameter: 11 Base Diameter: 15.5	
LED COB	7W	
Wattage	230v 7W	
IP Rating	IP54	



LED-051/BL
230v 7W LED COB Bollard

Colour	Matt Black	
Specifications	Die Cast Aluminium	
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB	
Measurement in cm	Height: 40 Width: 15 Depth: 4	
LED COB	7W	
Wattage	230v 7W	
IP Rating	IP54	



L-LED-054/BL
230v 7W LED COB Bollard

Colour	Matt Black	
Specifications	Die Cast Aluminium	
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB	
Measurement in cm	Height: 90 Width: 12 Depth: 14	
LED COB	7W	
Wattage	230v 7W	
IP Rating	IP54	



L-LED-058/BL
230v 5W LED COB Bollard

Colour	Matt Black	
Specifications	Die Cast Aluminium	
Kelvin / Lumen	Warm White: 3000K / 450lm CREE COB	
Measurement in cm	Height: 70 Width: 10 Depth: 14.8	Base Depth: 10 Base Width: 10
LED COB	5W	
Wattage	230v 5W	
IP Rating	IP54	

**L-LED-767/30**

230v 30W LED Light Saber Bollard

Colour	Black
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 100 Diameter: 10 Base Diameter: 18
LED	30W
Wattage	230v 30W
IP Rating	IP54

**L-LED-005**

230v 7W LED Bollard

Colour	Black
Specifications	Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm
Measurement in cm	Height: 60 Diameter: 8.6
LED COB	7W
Wattage	230v 7W
IP Rating	IP65

**L-LED-009**

230v 8W LED Bollard

Colour	Black
Specifications	Aluminium + PC
Kelvin / Lumen	Warm White: 3000K / 600lm
Measurement in cm	Height: 70 Diameter: 9
LED COB	8W
Wattage	230v 8W
IP Rating	IP65



JB-KLG-905/1
230v 35W GU10 Single Adjustable Bollard

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 55.5 Diameter: 7 Width including the 1 Spot: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



JB-KLG-905/2
230v 70W GU10 Double Adjustable Bollard

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 55.5 Diameter: 7 Width including the 2 Spots: 20.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54




JB-KLG-900/1
230v 35W GU10 Single Adjustable Spike

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Diameter: 7 Width including the 1 Spot: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



JB-KLG-900/2
230v 70W GU10 Double Adjustable Spike

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Diameter: 7 Width including the 2 Spots: 20.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54

**KLG-1151**

230v 40W E27 Opal Ball Bollard

Colour	Black
Specifications	-
Measurement in cm	Height: 105 Width: 20 Depth: 35
Lamps	1x E27
Wattage	230v 40W
IP Rating	IP44

**JB-KLG-2764**

230v 40W E27 Candle Bollard

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 65 Diameter: 6 Base Diameter: 12
Lamps	1 x E27 Recommended 14W Energy Saver Bulb
Wattage	230v 40W
IP Rating	IP54

**JB-KLG-2614**

230v 40W E27 Lighthouse Bollard

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 71 Diameter: 11
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54

**KLG-1136**

230v 60W E27 Chic Bollard

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 34.5 Width: 17.5 Depth: 17.5
Lamps	1x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



SOLAR



K. LIGHT®

DESIGN • SERVICE • QUALITY

**SOLAR-10W**


230v 10W LED COB Security Day Night and Sensor Wall Lamp

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 1800lm
Measurement in cm	Height: 24 Width: 29 Depth: 23
LED COB	10W
Wattage	230v 10W
IP Rating	IP65

**SOLAR-20W**

230v 20W LED COB Security Day Night and Sensor Wall Lamp

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 3600lm
Measurement in cm	Height: 37 Width: 29 Depth: 23
LED COB	20W
Wattage	230v 20W
IP Rating	IP65



INDUSTRIAL



K. LIGHT®

DESIGN • SERVICE • QUALITY

**K-LED-UFO**

230v -240v 200W LED High Bay Industrial Light

Colour	Black
Specifications	Non Dimmable Beam Angle 80° The Surge Protection is 6KV
Kelvin / Lumen	Cool White: 6500K / 28000lm
Measurement in cm	Height: 20 Diameter: 28
LED COB	Max 200W LED
Wattage	230v-240v 50Hz 200W
IP Rating	IP65



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



DECORATIVE BULBS

- 240v E14 LED Dimmable Filament Bulbs
- 240v E27 LED Dimmable Filament Bulbs
- 240v LED Crystal Bulbs
- 240v LED SMD Bulbs
- 240v GU10 LED SMD Bulbs



K. LIGHT®

DESIGN • SERVICE • QUALITY



HX-CN35-4W/WW
240v 4W E14 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-CN35-4W/CW
240v 4W E14 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.3
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-CN35-4W/WW
240v 4W E27 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-CN35-4W/CW
240v 4W E27 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.3
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-GL45-4W/WW
240v 4W E14 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 8 Diameter: 4.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-GL45-4W/CW
240v 4W E14 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 8 Diameter: 4.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-GB45-4W/WW
240v 4W E27 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 7.5 Diameter: 4.2
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-GB45-4W/CW
240v 4W E27 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 7.5 Diameter: 4.2
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-CW35-4W/WW**

240v 4W E14 LED SMD Filament Flame Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 11.6 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20

**HX-LST64-4W/WW**

240v 4W E27 LED Filament Balloon T64 Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 14.6 Diameter: 6.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LST64-4W/CW**

240v 4W E27 LED Filament Balloon T64 Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 14.2 Diameter: 6.4
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LSAST64-4W/W**

240v 4W E27 LED Filament Balloon Spiral T64 Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 14.6 Diameter: 6.4
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LA60-8W**

240v 8W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Warm White: 2200K / 1200-1240lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 8W
IP Rating	IP20

**HX-LA60-4W/WW**

240v 4W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Warm White: 2200K / 600-620lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LA60-4W/CW**

240v 4W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Cool White: 6500K / 600-620lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LA60-4W/OPAL**

240v 4W E27 LED Filament A60 Opal Bulb

Colour	Opal White
Specifications	Warm White: 2200K / 260-280lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LSG80-4W/WW**

240v 4W E27 LED G80 Ball Spiral Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 12 Diameter: 8
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LSG95-4W/WW**

240v 4W E27 LED G95 Ball Spiral Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 12 Diameter: 9.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LG125-8W/NW**

240v 8W E27 LED G125 Ball Filament Bulb

Colour	Clear
Specifications	Natural White: 4000K / 350lm Dimmable
Measurement in cm	Height: 18 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W
IP Rating	IP20

**HX-LG125-4W**

240v 4W E27 LED G125 Ball Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 18 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-OPALINA8W/NW**

240v 8W E27 LED SMD G125 Opalina Ball Bulb

Colour	Opal White
Specifications	Natural White: 4000K Dimmable
Measurement in cm	Height: 17 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W SMD LED
IP Rating	IP20

**HX-OPALINA8W/WW**

240v 8W E27 LED SMD G125 Opalina Ball Bulb

Colour	Opal White
Specifications	Warm White: 2200K Dimmable
Measurement in cm	Height: 17 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W SMD LED
IP Rating	IP20

**HX-LST30-185/WW**

240v 4W E27 LED Filament Long T18 Spiral Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 18 Diameter: 3
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LST30-300/WW**

240v 4W E27 LED Filament Long T30 Spiral Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 29.6 Diameter: 3
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



CA-CRYS-4W-D/CW
240v 4W E14 LED SMD Crystal Bulb

Colour	K9 Crystal
Specifications	Cool White: 6000K / 400lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 4
Lifespan	10,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



CA-CRYS-4W-D/WW
240v 4W E14 LED SMD Crystal Bulb

Colour	K9 Crystal
Specifications	Warm White: 2700K / 400lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 4
Lifespan	10,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20

**HX-G125-4W/AB**

240v 4W E27 LED G125 Wonky Amber Filament Bulb

Colour	Amber
Specifications	Warm White: 2000K / 140lm Dimmable Spiral Filament
Measurement in cm	Height: 17.6 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-G125-4W/SM**

240v 4W E27 LED G125 Wonky Smoke Filament Bulb

Colour	Smoke
Specifications	Warm White: 2000K / 140lm Dimmable Spiral Filament
Measurement in cm	Height: 17.6 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-PS165-4W/AB**

240v 4W E27 LED A165 Large Pear Amber Filament Bulb

Colour	Amber
Specifications	Warm White: 2000K / 140lm Dimmable
Measurement in cm	Height: 26.5 Diameter: 16.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-PS165-4W/SM**

240v 4W E27 LED A165 Large Pear Smoke Filament Bulb

Colour	Smoke
Specifications	Warm White: 2000K / 60-80lm Dimmable
Measurement in cm	Height: 26.5 Diameter: 16.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-G9D-3.5W/WW
240v 3.5W G9 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	240v 3.5W SMD LED
IP Rating	IP20



HX-G9-3.5W/FR
240v 3.5W G9 LED SMD Frosted Bulb

Colour	Frosted PVC
Specifications	Warm White: 3000K Non Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	240v 3.5W SMD LED
IP Rating	IP20



HX-G9-3.5W/WW
230v 3W G9 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K / 350lm Non-Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	230v 3W SMD LED
IP Rating	IP20



HX-G4D-2W/WW
12v 2W G4 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K Dimmable
Measurement in cm	Height: 3.7 Diameter: 1
Lifespan	15,000 hours
Wattage	12v 2W SMD LED
IP Rating	IP20



HX-7WD-GU10/WW
230v 7W GU10 LED SMD Bulb

Colour	White
Specifications	Warm White: 3000K / 550lm Dimmable
Measurement in cm	Height: 5.5 Diameter: 5
Lifespan	15,000 hours
Wattage	230v 7W SMD LED
IP Rating	IP20



HX-7W-GU10/WW
230v 7W GU10 LED SMD Bulb


Colour	White
Specifications	Warm White: 3000K / 550lm Non-Dimmable
Measurement in cm	Height: 5.5 Diameter: 5
Lifespan	15,000 hours
Wattage	230v 7W SMD LED
IP Rating	IP20



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



DURA
LAMP

DURALAMP COLLECTION

- 240v Duralamp Incandescent Bulbs
- 240v Duralamp Halogen QI Bulbs
- 240v Duralamp Metal Halide RX7s & G12 Bulbs
- 12v Duralamp UNDER-WATER PAR 56 Halogen Bulbs
- 12v Duralamp MR16 Halogen Dichroic Bulbs
- 12v Duralamp MR16 Halogen Dichroic Colour Bulbs



K. LIGHT®

DESIGN • SERVICE • QUALITY



D00017
230v 25W E14 Incandescent Clear Golf Ball bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Height: 7.5 Diameter: 4.5
Lifespan	1500 hours
Wattage	230v 25W
IP Rating	IP20



D0152BC
240v 60W B22 Incandescent Frosted Flame bulb

Colour	Frosted
Specifications	Warm White: 2700K
Measurement in cm	Height: 12 Diameter: 3.5
Lifespan	1500 hours
Wattage	240v 60W
IP Rating	IP20



D00155
240v 40W E14 Incandescent Clear Flame bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Height: 12.5 Diameter: 3.5
Lifespan	1500 hours
Wattage	240v 40W
IP Rating	IP20



D-01105
240v 150W RX7s WDL 830 Metal Halide bulb

Colour	Clear
Specifications	Warm White: 3000K / WDL 830
Measurement in cm	Length: 14 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



D-01107
240v 150W RX7s NDL 942 Metal Halide bulb

Colour	Clear
Specifications	Natural White: 4200K / NDL 942
Measurement in cm	Length: 14 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



D-01123
240v 70W G12 WDL 830 Metal Halide bulb

Colour	Clear
Specifications	Warm White: 3000K / WDL 830
Measurement in cm	Length: 10 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 70W
IP Rating	IP20



D-01123
240v 70W G12 NDL 942 Metal Halide bulb

Colour	Clear
Specifications	Natural White: 4200K / NDL 942
Measurement in cm	Length: 10 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 70W
IP Rating	IP20

**D-02976**

240v 200W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 200W
IP Rating	IP20

**D-02987**

240v 500W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 500W
IP Rating	IP20

12v Duralamp UNDER-WATER PAR 56 Halogen Bulbs

**D-30012**

12v 300W G53 Par 56 Halogen bulb

Colour	Patterned Glass Cover
Specifications	Par 56 Under Water
Measurement in cm	Height: 10 Diameter: 18
Lifespan	3000 hours
Wattage	12v 300W
IP Rating	IP67



D-01991
240v 250W 78mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 7.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 250W
IP Rating	IP20



D-01982
240v 100W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 100W
IP Rating	IP20



D-01983
240v 150W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20

**D-01269-FG**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Frosted Cover
Specifications	Beam angle: 38° Warm White
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01280**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Clear Cover
Specifications	Beam angle: 60° Warm White
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01569**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Clear Cover
Specifications	Beam angle: 38° Warm White: Alu-Lamp
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01269R**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	RED Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01269V**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	GREEN Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01269Y**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	YELLOW Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



Cape Town
7 Kunene Circle
Omuramba Business Park
Milnerton
Tel: 021 552 4370

Johannerburg
Units 8 & 9, The Arena
Capital Hill Business Park
Halfway House, Midrand
Tel: 011 312 1247