

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Product name** : VOC COMPLIANT DURA LIQUID RELEASE**Recommended use of the chemical and restrictions on use**

Recommended use : Release agent for stamping concrete

**Manufacturer or supplier's details****Company** : DURACO  
**Address** 4645 NORTH AVE.  
OCEANSIDE, CA 92056  
United States of America**Emergency telephone number:**  
CHEMTREC (1-800-424-9300)**Additional Information:** : SDS Requests: 1-800-795-4750  
SDS Requests Fax: 1-800-758-2561  
Website: [www.prolinestamps.com](http://www.prolinestamps.com)**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 4

Specific target organ toxicity : Category 3 (Central nervous system)  
- single exposure

Aspiration hazard : Category 1

**GHS Label element**

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H336 May cause drowsiness or dizziness.Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance / Mixture : Mixture

### Hazardous components

| CAS-No.    | Chemical Name                               | Weight % |
|------------|---------------------------------------------|----------|
| 64742-47-8 | Distillates (petroleum), hydrotreated light | 90 - 100 |

Any Concentration shown as a range is due to batch variation.

## SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)  
Foam  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
toxic fumes  
Unidentified organic and inorganic compounds.  
Hydrogen sulfide  
sulfur oxides  
Sulphuric acid

Carbon oxides  
A complex mixture of airborne solid and liquid particulates and gases (smoke).  
toxic fumes  
Unidentified organic and inorganic compounds.  
Hydrogen sulfide  
sulfur oxides  
Irritating fumes or substances may form.  
Sulphuric acid

Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.  
Keep in a well-ventilated place.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| CAS-No.    | Components                                  | Value type<br>(Form of exposure) | Control parameters / Permissible concentration     | Basis     |
|------------|---------------------------------------------|----------------------------------|----------------------------------------------------|-----------|
| 64742-47-8 | Distillates (petroleum), hydrotreated light | TWA                              | 200 mg/m <sup>3</sup><br>(total hydrocarbon vapor) | CA BC OEL |
|            |                                             | TWA                              | 200 mg/m <sup>3</sup><br>(total hydrocarbon vapor) | CA AB OEL |
|            |                                             | TWA (Mist)                       | 5 mg/m <sup>3</sup>                                | CA AB OEL |
|            |                                             | STEL (Mist)                      | 10 mg/m <sup>3</sup>                               | CA AB OEL |
|            |                                             | TWAEV (Mist)                     | 5 mg/m <sup>3</sup>                                | CA QC OEL |
|            |                                             | STEV (Mist)                      | 10 mg/m <sup>3</sup>                               | CA QC OEL |
|            |                                             | TWA                              | 525 mg/m <sup>3</sup>                              | CA ON OEL |

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

**Hand protection**

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : Clear, Colorless

Odour : mild, Hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Freezing Point (Melting point/range) : -49 °C (-56 °F)

Boiling Point (Boiling point/boiling range) : 200 - 300 °C (392 - 572 °F)

Flash point : 80 °C (176 °F)  
Method: Tag closed cup

Evaporation rate : 0.082  
(Butyl Acetate = 1)

Flammability (solid, gas) : No data available

Upper explosion limit : 4.9 - 5.5 %(V)

Lower explosion limit : 0.5 - 0.6 %(V)

Vapour pressure : 0.23 - 0.45 mmHg @ 20 - 25 °C (68 - 77 °F)

|                                        |                                                                        |
|----------------------------------------|------------------------------------------------------------------------|
| Relative vapour density                | : > 7 @ 20 - 25 °C (68 - 77 °F)<br>(Air = 1.0)                         |
| Relative density                       | : 0.80 - 0.825 @ 15.6 °C (60.1 °F)<br>Reference substance: (water = 1) |
| Density                                | : No data available                                                    |
| Solubility(ies)                        |                                                                        |
| Water solubility                       | : insoluble                                                            |
| Solubility in other solvents           | : No data available                                                    |
| Partition coefficient: n-octanol/water | : No data available                                                    |
| Auto-ignition temperature              | : > 220 °C                                                             |
| Thermal decomposition                  | : No data available                                                    |
| Viscosity                              |                                                                        |
| Viscosity, kinematic                   | : < 10 mm <sup>2</sup> /s @ 40 °C (104 °F)                             |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |                                                                  |
|------------------------------------|------------------------------------------------------------------|
| Reactivity                         | : No dangerous reaction known under conditions of normal use.    |
| Chemical stability                 | : Stable under normal conditions.                                |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.                   |
| Conditions to avoid                | : Keep away from heat, flame, sparks and other ignition sources. |
| Incompatible materials             | : Strong oxidizing agents                                        |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****STOT - single exposure****Components:****64742-47-8:**

Target Organs: Nervous system

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**Aspiration toxicity****Components:****64742-47-8:**

May be fatal if swallowed and enters airways.

**Further information****Product:**

Remarks: Solvents may degrease the skin.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

**SECTION 14. TRANSPORT INFORMATION**

**TDG (Transportation of Dangerous Goods):** Not regulated as a dangerous good

**IATA (International Air Transport Association):** Not regulated as a dangerous good

**IMDG-Code:** Not regulated as a dangerous good

**Special Notes:** : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

---

## SECTION 15. REGULATORY INFORMATION

**WHMIS Classification** : B3: Combustible Liquid

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

**The components of this product are reported in the following inventories:**

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

---

## SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

**Revision Date** : 04/18/2017

# Safety Data Sheet

## VOC COMPLIANT DURA LIQUID RELEASE

Version 1.1

Revision Date: 04/18/2017



| Key or legend to abbreviations and acronyms used in the safety data sheet |                                                          |       |                                                                                      |
|---------------------------------------------------------------------------|----------------------------------------------------------|-------|--------------------------------------------------------------------------------------|
| ACGIH                                                                     | American Conference of Government Industrial Hygienists  | LD50  | Lethal Dose 50%                                                                      |
| AICS                                                                      | Australia, Inventory of Chemical Substances              | LOAEL | Lowest Observed Adverse Effect Level                                                 |
| DSL                                                                       | Canada, Domestic Substances List                         | NFPA  | National Fire Protection Agency                                                      |
| NDSL                                                                      | Canada, Non-Domestic Substances List                     | NIOSH | National Institute for Occupational Safety & Health                                  |
| CNS                                                                       | Central Nervous System                                   | NTP   | National Toxicology Program                                                          |
| CAS                                                                       | Chemical Abstract Service                                | NZIoC | New Zealand Inventory of Chemicals                                                   |
| EC50                                                                      | Effective Concentration                                  | NOAEL | No Observable Adverse Effect Level                                                   |
| EC50                                                                      | Effective Concentration 50%                              | NOEC  | No Observed Effect Concentration                                                     |
| EGEST                                                                     | EOSCA Generic Exposure Scenario Tool                     | OSHA  | Occupational Safety & Health Administration                                          |
| EOSCA                                                                     | European Oilfield Specialty Chemicals Association        | PEL   | Permissible Exposure Limit                                                           |
| EINECS                                                                    | European Inventory of Existing Chemical Substances       | PICCS | Philippines Inventory of Commercial Chemical Substances                              |
| MAK                                                                       | Germany Maximum Concentration Values                     | PRNT  | Presumed Not Toxic                                                                   |
| GHS                                                                       | Globally Harmonized System                               | RCRA  | Resource Conservation Recovery Act                                                   |
| >=                                                                        | Greater Than or Equal To                                 | STEL  | Short-term Exposure Limit                                                            |
| IC50                                                                      | Inhibition Concentration 50%                             | SARA  | Superfund Amendments and Reauthorization Act.                                        |
| IARC                                                                      | International Agency for Research on Cancer              | TLV   | Threshold Limit Value                                                                |
| IECSC                                                                     | Inventory of Existing Chemical Substances in China       | TWA   | Time Weighted Average                                                                |
| ENCS                                                                      | Japan, Inventory of Existing and New Chemical Substances | TSCA  | Toxic Substance Control Act                                                          |
| KECI                                                                      | Korea, Existing Chemical Inventory                       | UVCB  | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <=                                                                        | Less Than or Equal To                                    | WHMIS | Workplace Hazardous Materials Information System                                     |
| LC50                                                                      |                                                          |       | Lethal Concentration 50%                                                             |