

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## AEO-TRZ - 20mg



Tested for: Aeon Amines  
www.aeonamines.com

COA #: COA-2026-956601  
Lot Number: AEON-TR20-C1826  
Labeled Content: 20mg  
Volume: 3mL

Analysis Date: 08/05/2026  
Appearance: Good  
Volume: 3mL  
Date Received: 07/17/2026

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: SNYMNVD

Method: Purity, Identity & Quantitation (HPLC)

Identity

AEO-TRZ

Peptide Purity

99.77%




## Purity, Identity & Quantitation (HPLC)

| Analyte               | Specification                | Result       | Unit | Status |
|-----------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC) | >= 95.0%                     | 99.77%       | %    | PASS   |
| Net Peptide Content   | Report Only                  | 20.99        | mg   | N/A    |
| Identity (HPLC-RTM)   | Tirzepatide                  | Confirmed    | -    | PASS   |
| Fentanyl Screen       | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



AEO-TRZ 20mg - AEON-TR20-C1826

## HPLC Chromatogram



AEO-TRZ 20mg - AEON-TR20-C1826: UV Chromatogram

## Notes & Methodology

- Date Tested: 09/03/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be AEO-TRZ by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories  
(619) 329-3999  
ils-lab.com



Dr. Greg Kalyuzhny  
Lab Director  
8/27/2026

COA #: COA-2026-956601  
Access Code: SNYMNVD  
Verify: portal.ils-lab.com/verify/ecHwANAxzDwu1y1-  
Issued: 8/27/2026