

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KLOW - 80



Tested for: Aeon Aminos
www.aeonaminos.com

COA #: COA-2026-SV7MDR
Lot Number: AEON-KLO80-C1726
Labeled Content: 80
Volume: 3mL

Analysis Date: 08/07/2026
Appearance: Good
Volume: 3mL
Date Received: 07/17/2026

Method: Full QC Panel

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: 6X9M3V9P

Identity	Peptide Purity	Fentanyl Free
KLOW	99.73%	


Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.73%	%	PASS
Net Blend Peptide Content	Report Only	85.11	mg	N/A
-- GHK-Cu		53.32	mg	
-- BPC-157		10.56	mg	
-- TB-500		10.77	mg	
-- KPV		10.45	mg	
Identity (HPLC-RTM)	GHK-CU + BPC-157 + TB-500 + KPV	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



KLOW 80 - AEON-KLO80-C1726

HPLC Chromatogram



KLOW 80 - AEON-KLO80-C1726: UV Chromatogram



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/7/2026

COA #: COA-2026-SV7MDR
Access Code: 6X9M3V9P
Verify: portal.ils-lab.com
Issued: 8/7/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	0.0092	PASS
Cadmium (Cd)	NMT 0.5 ppm	0.0288	PASS
Lead (Pb)	NMT 1.0 ppm	0.9828	PASS
Mercury (Hg)	NMT 1.5 ppm	0.0288	PASS
Chromium (Cr)	NMT 10.0 ppm	0.0277	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	NMT 0.05 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 08/07/2026. Methods: Full QC Panel.
2. The sample was confirmed to be KLOW by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-500, KPV). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.




Dr. Greg Kalyuzhny
Lab Director
8/7/2026

COA #: **COA-2026-SV7MDR**
Access Code: **6X9M3V9P**
Verify: portal.ils-lab.com
Issued: 8/7/2026