Canon

Color imageCLASS X LBP1333C

Color imageCLASS X LBP1333C

Color Compact Printer



- Print up to 35 ppm (Color)
- Print up to 8-1/2" x 14"
- 850-sheet maximum paper capacity
- Supports uniFLOW and uniFLOW Online

Designed for small workgroups within an office or home environments used as part of an organization's extended print fleet, the Canon Color imageCLASS X LBP1333C printer balances speedy performance, minimal maintenance, and the ability to add an extra paper tray for busy groups. A 5" color touchscreen delivers an intuitive user experience and can be customized by a device administrator to simplify many daily tasks.

WORKFLOW EFFICIENCY

- 5" intuitive color touchscreen with smartphone-like usability.
- UI customization allows users to drag and drop frequently used icons.
- New Application Library features create a unique, customized device experience and ease of use.
- Supports certain compatible mobile printing solutions.[1]
- Designed for small print jobs with first-print-out time as fast as 7 seconds.
- Provides consistency with the imageRUNNER ADVANCE DX Series.

SECURITY FEATURES

- Helps reduce the risk of confidential information loss, since documents are only stored in short-term memory.
- Supports Verify System at Startup, a process to help verify the validity of the device firmware and Application Library from unauthorized modifications.
- With imageWARE Enterprise Management Console Device Configuration Manager Plug-in, security settings can be captured and exported to other devices on the same network.[2]
- Remotely control device access and set rules via optional uniFLOW or uniFLOW Online.[3]

COST MANAGEMENT

- Leverage optional uniFLOW or uniFLOW Online for full accounting and reporting, pull printing, and job routing.[3]
- Service parts are designed for machine's life cycle to help minimize the need for proactive maintenance and potentially reduce service calls.
- High-capacity, all-in-one cartridge helps reduce overall supply costs.
- Out-of-the-box, standard, two-sided printing plus the ability to print multiple pages onto one sheet help to reduce paper consumption.

DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics for rapid service response.
- Easily monitor device status and consumable levels, observe meter readings, manage settings, and implement security settings.

QUALITY AND RELIABILITY


- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished.
- Intuitive maintenance videos for common tasks like consumables replacement.

SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve lower energy consumption.
- Encourages environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified, EPEAT® Silver.[4]

KEY FEATURES

COLOR imageCLASS X LBP1333C




MANAGE OUTPUT WITH uniFLOW Online

uniFLOW Online is a cloud-based printing, scanning, and accounting solution that's easy to configure and secure.[3] The solution extends the standard functionality of imageRUNNER ADVANCE DX, imagePRESS Lite, and compatible imageCLASS and imageCLASS X models by adding My Print and Scan Anywhere, mobile printing, and more, to support users whether they're in the office or at home.



FLEET MANAGEMENT TOOLS

imageWARE Enterprise Management Console can be used by a device administrator to centrally manage the Canon printer fleet, including consumables, status notifications, meters, and configuration settings. imageWARE Remote software allows for the service provider to manage devices proactively, including remote diagnosis and reporting. Local Content Delivery System facilitates remote firmware download at the device level.



EASY TO USE WITH APPLICATION LIBRARY

Unique to the Canon product line, the Application Library platform allows for one-touch button creation of key functions: Print Template, Standby Slide (screen saver), Consumables Information, Language, Print Client Faxes, Fax to Preset Destination, Template Email, Standby Slide from Server, and Print File from Server.

APPLICATION LIBRARY

Main Unit

Core Functions
Standard: Print

Processor
Cortex-A9MPCore 1200 MHz×2

Control Panel
5" Color Touch Panel

Memory
1 GB RAM

Standard Interface Connection
USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11b/g/n, Wi-Fi® Direct Connection

Paper Capacity (Letter, 20 lb. Bond)
Standard: 300 Sheets
Maximum: 850 Sheets

Paper Sources (Letter, 20 lb. Bond)
Standard: 250-sheet Paper Cassette
50-sheet Stack Bypass
Optional: 550-sheet Paper Cassette

Paper Output Capacity (Letter, 20 lb. Bond)
Standard: 75 Sheets

Supported Media Types
Cassettes: Thin, Plain, Thick, Color, Recycled, Coated, Label, Pre-Punched, Letterhead, Postcard, Envelope
Stack Bypass: Thin, Plain, Thick, Color, Recycled, Coated, Label, Pre-Punched, Letterhead, Postcard, Envelope

Supported Media Sizes
Cassettes: Letter, Legal, Statement, Executive, Index Card, Envelope: [No. 10 (COM10), Monarch, ISO-C5, DL], Custom (Min. 3" x 5" to Max. 8.5" x 14")
Stack Bypass: Letter, Legal, Statement, Executive, Index Card, Envelope: [No. 10 (COM10), Monarch, ISO-C5, DL], Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights
Cassettes: 16 lb. Bond to 74 lb. Bond (60 to 200 g/m^2)
16 lb. Bond to 74 lb. Bond
Stack Bypass: (60 to 200 g/m^2)

Warm-Up Time
From Power On: 16.6 Seconds or Less
From Sleep Mode: 1.7 Seconds or Less

Dimensions (W x D)
Standard (Desktop): 16.7" x 16.8" (425 mm x 427 mm)

Installation Space (W x D)
Fully Configured: 16.7" x 36.1" (425 mm x 917 mm)

Weight[5]
Main Unit: Approx. 35.5 lb. (16.1 kg)

Supported OS
Windows® 8.1/10/11, Server 2012/Server 2012 R2/Server 2016/Server 2019/Server 2022, MAC OS (10.12 or later)

Print Specifications

Printing Method
Laser Beam Printing

Print Speed (Color)[6]
Up to 35ppm (1-Sided Letter); Up to 31 ppm (2-Sided Letter)

First-Print-Out Time
Approx. 7 Seconds

Recommended Monthly Page Volume
750 - 4,000 Pages

Print Resolution (dpi)
1200 x 1200

Standard Page Description Languages
UFR II, PCL®6, PCL®5, Adobe PostScript 3®

Double-Sided Printing
Automatic (Standard)

Direct Print
Available from USB memory
Supported file types: TIFF, JPEG, PDF and XPS

Printing from Mobile and Cloud-based Services[1]
Apple®AirPrint®, Canon PRINT, Mopria™ Print Service, Canon Print Service, and uniFLOW Online[3]

Fonts
PCL: 93 Fonts
PS: 136 Fonts

Print Features
Secure Watermark, Header/Footer,Page Layout, Two-sided Printing, Mixed Paper Sizes/Orientations, Toner Reduction, Poster Printing, Print Date

Security Specifications

Authentication
Standard: Embedded Universal Login Manager, Department ID Authentication
Optional: uniFLOW, uniFLOW Online[3]

Data
Standard: Verify System at Startup

Network
Standard: TLS 1.3, IPSec, IEEE802.1X authentication, Firewall Functionality (IP/MAC Adress Filtering), Enabling/Disabling (Network Applications, Remote UI, USB Interface), USB Port separation from LAN

Document
Standard: Secure Print

Wi-Fi Authentication Methods
Wi-Fi Infrastructure Mode: 128(104)/64(40)bit WEP, WPA-PSK (TKIP/AES-CCMP), WPA2-PSK (TKIP/AES-CCMP), WPA-EAP (AES-CCMP), WPA2-EAP(AES-CCMP)
Wi-Fi Access Point: WPA2-PSK(AES-CCMP)

Environmental Specifications

Operating Environment
Temperature: 50 to 86 °F
Humidity: 20 to 80% RH (No Condensation)

Power Requirements
AC110-127V: 6.8A, 60Hz

Power Consumption
Maximum: Approx. 1610 W
Standby: Approx. 24.0 W
Sleep Mode: Approx. 1.0 W
Typical Electricity Consumption (TEC) Rating: 0.33 kWh

Standards
ENERGY STAR® Certified, EPEAT® Silver[4]





PAPER FEEDER PF-K1

- 550-Sheet Capacity
- 16 lb. Bond to 74 lb. Cover
- Supports Letter

Accessories

Card Readers[7]

MiCard Attachment Kit-B1[8]
Proximity card reader designed to be used with uniFLOW for card authentication.

Print Accessories

Barcode Print Kit-E1
Installs bar code fonts for bar code printing.

Extended Service Packs

Canon eCarePAK
Canon Extended Service Plans offer coverage beyond the standard one-year limited warranty[9] up to four years.

GENUINE CONSUMABLES

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.





Toner T12 Black	Yields 1,600 Impressions
Toner T12 Cyan	Yields 1,600 Impressions
Toner T12 Magenta	Yields 1,600 Impressions
Toner T12 Yellow	Yields 1,600 Impressions

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues. Black Toner (yielding 1,600 pages) and C/M/Y Toners (yielding 1,600 pages each) are included in the box.

[1] Canon PRINT is a free app available on the App Store® and Google Play™ Store. For more information, including compatibility, please visit **https://www.usa.canon.com/mobile-app**. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
[2] Please reference user manuals for details on settings available to export.
[3] Requires uniFLOW Online or uniFLOW. uniFLOW is available for education and government customers with prior approval.
[4] For the latest EPEAT Tier Levels, please visit: **http://www.epeat.net.**
[5] Includes consumables.
[6] Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
[7] Attachment kit required.
[8] Contact your Canon representative for information on reader compatibility.
[9] Limited warranty program is subject to certain conditions and restrictions. See warranty card for details.

AMERICAN BUSINESS COPIERS | 615-754-2233
americanbusinesscopiers.com

Canon
1-844-50-CANON | usa.canon.com/business

As an ENERGY STAR partner, Canon U.S.A., Inc. has certified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. uniFLOW is a registered trademark of NT-ware Systemprogrammierung GmbH. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android and Google Play are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac, and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2025 Canon U.S.A., Inc. All rights reserved.

02/25-1461-12097