GLASSJET
Filtration • Abrasif • Minéraux

À votre service depuis 1994

SANDBLASTING EQUIPMENT

Parts catalogue



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


TABLE OF CONTENT

Description	*Page*
COUPLING HIGH-PRESSURE	73
COUPLING MISCELLANEOUS	62
COUPLING NYLON AND ALUMINUM	61
CPF-20 AIR FILTER	41
CPF-80 AIR FILTER	42
DRAIN "Y"	115
DUST BAG CLEMCO	90
EASY LOAD SYSTEM FOR RECYCLABLE ABRASIVES	84
EASY LOAD VACUUM SYSTEM AND CLOSED CIRCUIT BLAST TOOL	85
EDUCT-O-MATIC	79
ELBOW- TEE- CROSS- HEXAGONALE CONNECTION	68
ELECTRIC DRAIN	115
FLAT SAND VALVE	26
GAUGE	109
GRIT VALVE	31
GRIT VALVE PNEUMATIC	33
GRIT VALVE SCHEMA	30
GUN BNP	89
HELMET APOLLO 20HP	35
HELMET APOLLO 60 HP	36
HELMET APOLLO 60 LP	38
HELMET APOLLO 600 HP	37
HELMET BULLARD SERIE 88VX	47
HOLLO BLAST	80A
HOLLO BLAST JR.	80
HOOD AND LENS MH	2
HOSE - SANDBLAST	63
HOSE - AIR CONTRACTOR (YELLOW)	64
HOSE - AIR MULTI-PURPOSE (RED)	64
HOSE - AIR STRENGTHENED PVC	63
HOSE - VACCUM	65 & 65A
INLET VALVE	21
KWIKFIRE CONTROL SWITCHES	20
LENS BULLARD	50
LENS CLEMCO	35 - 36 - 37 - 38
LENS NOVA	51B
LINE FILTER	110
LINE REGULATOR	111
METERING VALVE (GLADIATOR)	93
MICRO VALVE	98 -99
MILLENIUM INLET/OUTLET VALVE	24
MOD-U-BLAST 12 VOLTS LIGHT	3
MUFFLER	113
NOVA REPLACEMENT PARTS	52 - 52A


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BLAST MACHINE 100 LBS AND ACCESSORIES





U100-S Description
BLAST machine 100 Lbs complete with 12,5 ft. hose and MH-3 helmet (Filter - Regulator and Shut Off optionnal)
Complete Pop-Up Valve with handle
Gasket for Pop-Up



Stock#	Description
50200	M-5000 Shut Off Valve hose 1/2" I.D.
50202P	Block stopper gun

ECONOMY BLAST KIT






Stock#	Description
060431	Nut for conical nozzle
060432	Coupling SBH 1/2" Thread 1"
036911	Ceramic nozzle 3/32"
036912	Ceramic nozzle 1/8"
036913	Ceramic nozzle 3/16"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

MH HOOD





Description

HOOD MH-3 (COTON)


HOOD MH-5 (CANVAS)

MH REPLACEMENT LENS

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

MOD-U-BLAST 12 VOLTS LIGHT



ID.	Stock #	Description
(-)	290293	Complete light 35W
(-)	290285	Complete light 20W
1.	290288	Retaining ring
2.	290287	Lens with silicone joint
3.	290286	Bulb 20W
	290284	Bulb 35W
4.	290282	Socket
5.	290280	Light body
6.	290281	Electric connector
7.	290278	Hose braket assembly
8.	DPS-123	Transformer 120-12 Volt

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PRESSURE BLAST MACHINES - MODELS 1028 AND 1042

5.2 Blast Machine Assembly (Figure 2)

ID.	Description	Stock#
(-)	Model SCW-1025, 50lb. Capacity blast machine (includes hose and nozzle)	21051
(-)	Model SCW-1042, 100lb. Capacity blast machine (includes hose and nozzle)	21053
1.	Pop-Up Valve seat, rubber	01245
2.	Ball valve handle, 1/2"	01252
3.	Ball valve, 1/2"	01241
4.	Wheel, rubber, 6" diameter	02326
5.	Abrasive control valve, 1/2"	01247
6.	SFA-1/2 quick coupling threaded	00558
7.	CQA -1/2 hose coupling	00599
8.	CHE-1/2 nozzle holder	00577
9.	Blast hose, coupled, 1/2" x 16' (supplied with model 1028)	01251
10.	Blast hose, coupled, 1/2" x 25' (supplied with model 1042)	01268
11.	Nozzle, tungsten, 1/8 orificex1-3/4	01351
12.	Nozzle, tungsten, 3/16 orificex1-3/4	01352
13.	Nozzle, tungsten, 1/4 orificex1-3/4	01353
14.	Nozzle, tungsten, 5/16 orificex1-3/4	01354
15.	Inspection door gasket, 3" x 4"	01249
16.	Inspection door assembly, 3" x 4"	01267
17.	Pop-Up Valve guide, 1/2" x 6" (for model 1028 only)	01839
18.	Pop-Up Valve guide, 1/2" x 8" (for model 1042 only)	01743
19.	Pop-Up Valve and shaft	01242
(-)	Coupling gasket (not shown)	00851
(-)	Coupling lock pin, pkg of 25	11203




figure 3.




figure 2.


5.3 Abrasive Control Valve (figure 3)

ID.	Description	Stock#
	Mini FSV 1/2 complet	01247
1.	Top casting	01258
2.	Valve body gasket	01260
3.	Metering plate and stem	01261
4.	O-ring, neoprene	00794
5.	Spring pin	01263
6.	Washer, nylon	01266
7.	Bottom casting	01259
8.	Spring	02178

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

2 CU.FT.CONTRACTOR BLAST MACHINE WITH PNEUMATIC REMOTE CONTROLS



2 cu. ft. Contractor Blast Machine

(-) 2 cu.ft.Contractor Machine with 1½" Millennium pneumatic remote controls, manual Quantum-K valve and CPF-20 air filter w/regulator

Stock#	Weight
21544	358

(-) 2 cu.ft.Contractor machine with 1½" Mellennium pneumatique remote controls and manual Quantum-K valve.

Stock#	Weight
21490	343


ID.	Description	Stock#	Weight
1.	1¼" ball valve with handle	02397	3.0
2.	Replacement flexible pusher line	23674	
3.	Compression Coupling	01857	2
4.	Compression Coupling Gasket	01886	<.5
5.	Threaded quick Coupling w/nipple	21733	2
6.	Metering Valve Quantum-K w/wye	22845	9
7.	10" wheel	20349	6
9.	Inspection door	02377	7
10.	Inspection door gasket	02369	.5
11.	Pop-Up valve seal	02325	.5
12.	Pop-Up valve ext slv	03699	5
13.	* Air filter, manual drain	22424	
14.	Millennium valve	21336	20
15.	* Gasket , CQGP-3 Coupling	08853	
16.	Wye, std. 1½"	01818	
17.	Pop -up valve guide	01753	
18.	Rain cap	21517	1
19.	Axle	02402	10
20.	1" thrust washer	03825	.5
21.	Retaining ring 1"	03824	
22.	Abrasive trap	02011	4
23.	* Gasket , CQGP-2 Coupling	21584	
24.	* CPF-20 air filter	03578	21
25.	CPF Cartridge	03547	
26.	* Coupling CQPS-1	21088	.50
27.	* Nozzle, TMP-4	23106	.5
28.	* 50 ft.Supa hose	23104	26
29.	* Nozzle, TMP-4	23520	1
30.	* Washer, nozzle, NW-25 10 pk	91024	.5
31.	Adaptor, 1¼" NPT	22529	
(-)	* 16" dia.machine cover	02335	
(-)	* 16" dia.screen	03099	6
(-)	* Flexible pusher line conversion kit	23874	

* Items are optional accessories.

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CLASSIC BLAST MACHINE



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SINGLE CHAMBER BLAST MACHINES

Description	Stock	Description	Stock
24" Diameter blast machine ……..	02336	25. Popu-up valve umbrella, 4" (Bolt on)	02318
30" diameter blast machine …….	02337	26. Outlet valve muffler ……..	05068
8. Compression coupling, 1" ……	01856	27. 4" Pop-up valve with external sleeve	
9. Compression coupling gasket, 1" ……	01885	Internal guide (1-1/4" x 6-1/2"	
10. Compression coupling, 1-1/4" ……	01857	Toe nipple) ……	01754
11. Compression coupling gasket, 1-1/4"…	01886	30. Screen, (recessed) for :	
12. Threaded quick coupling, 1-1/4" ……	00551	14" diameter machine ……..	03098
13. Standard "Y" 1-1/4"x1-1/4"x1-1/4" ……..	01818	16" diameter machine ……	03099
14. Leg pads for 14", 16" and 24"		24" diameter machine ……..	03100
Diameter blast machine (set of 2) ……	02416	30" diameter machine ……	03101
15. Sand valve complete ……	02427	31. Coupling lock pin (package of 25) ……	11203
16. Manual metering valve, inch tube …….	04321	Safety cable, 1/2" to 1 1/4" OD ……	15012
17. Axle and 6" diameter wheel set ……	02347	32. Safety cable, fits 3/4" to	
18. 6" rubber tired wheel ……	02326	1-1/2" ID hose ……	15013
24" diameter machine ……..	02350	Axle and 16" wheel set for	
20. 400 x 16 tire and wheel ……	20427	16" dia. Machine ……	02822
21. Inspection door assembly , 6" x 8"……	02377	Gasket, coupling (pkg. Of 10) ……	00850




Figure 3.

REPLACEMENT PARTS

1. Ball valve, 1" with handle ……	02396	5. Formed pipe pusher line, 1" ……	01865
2. Handle, ball valve 1" ……..	01212	6. Formed pipe pusher line, 1-1/4" ……..	01866
4. Handle, ball valve 1-1/4" with handle ….	02397	7. Cover for:	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PARTS OF REPLACEMENT AND ACCESSORIES FOR CLASSIC BLAST MACHINE

ABRASIVE METERING VALVES

Description	Stock #	Weight
AutoQuantum grit valve	22760	22
AutoQuantum air valve	21350	13
FSV metering valve	02427	16
Lo-pot valve	05680	15
Manual pinch tube valve	04321	13
MSV 1/2" valve for 1028 & 1042 machines	01247	3
PVR air valve assembly	04320	20
PVR grit valve assembly	04319	25
Quantum-K valve	22845	9
Sentinel valve	20608	22
Sentinel valve w/ACS	20508	22
Sentinel valve for fine mesh abrasives	21439	22

COVERS

Description	Stock #	Weight
10" diameter cover	03107	3
14" diameter cover	02334	4
16" diameter cover	02335	6
20" diameter cover	20358	9
24" diameter cover	02336	12
30" diameter cover	02337	21

POLY COVERS

Description	Stock #	Weight
Medium(fits up to 3 cu. Ft. machines)	15097	2
Large(fits 4 and 6 cu.ft. machines)	15143	3

SAFETY CABLES

Description	Stock #	Weight
Blast hose safety cable for 1/2" to 1 1/4" OD hose …	15012	.50
Blast hose safety cable for 1 1/2" to 3" OD hose …..	15013	1,5

SCREENS

Description	Stock #	Weight
10" diametrer screen	03362	4
14" diameter screen	03098	5
16" diameter screen	03099	6
20" diameter screen	20357	8
24" diameter screen	03100	10
30" diameter screen	03101	17
36" diameter screen	12391	19

MISCELLANEOUS PARTS

Description	Stock #	Weight
Wye, 11/4"X 11/4"X 11/4"	01818	
wheel & axle set		
for 3 cu.ft.	02822	
for 6 cu.ft.	02350	
400 X 16 tire and wheel	20427	
Leg pads for 3 & 6 cu.ft. (left & right set)	02416	
Inspection door assembly		
6" X 8"	02377	
4" X 6"	02323	
Gasket inspection door,		
6" X 8"	02369	
4" X 6"	02329	
Umbrella, 4" bolt-on style	02318	
Flexible pusher line for standard machines		
For 2 cu.ft.(1" piping)		
1"ID conversion kit	23875	
1"ID replacement	22508	
For 3 & 6 cu.ft. (1"or 11/4" piping)		
1" ID conversion kit	23873	
1" ID replacement	23673	
11/4" conversion kit	23874	
11/4" replacement	23674	
Exhaust muffler	05068	


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PNEUMATIC PRESSURE RELEASE REMOTE CONTROL SYSTEMS


Pneumatic remote controls

	Stock #	Weight
TLR-050A		
1/2"remote control system. Includes 1/2"inlet valve, 1/2" diaphragm outlet valve, RLX control handle, 25ft. Coupled twinline hose and all required hoses and fittings	02518	20
TLR-100		
1"remote control system. Includes 1"inlet valve, 1"outlet valve, RLX control handle, 50 ft.coupled twinline hose, abrasive trap and all required hoses and fittings.	01935	30
TLR-300		
11/4" / 11/2"remote control system.Includes 11/4" /11/2" inlet valve, 1" outlet valve, RLX control handle, 50 ft. coupled twinline hose, abrasive trap and all required hoses and fitting	01936	35



Pneumatic remote controls with diaphragm outlet valve

	Stock #	Weight
TLR-100D		
1" remote control system. Includes 1"inlet valve, 1" diaphragm outlet valve, RLX control handle, 50 ft. coupled twinline hose, abrasive trap and all required hoses and fittings	03449	30
TLR-300D		
11/4" / 11/2"remote control system. Includes11/4" /11/2" inlet valve,1"diaphragm outlet valve,RLX control handle, 50ft coupled twinline hose,abrasive trap and all required hoes and fittings.	03448	30



Electrical Remote Control


Anti Freeze Injector	5537
Valve selenoid Philexpert	
12 Volts	24020
120 Volts	24014
Mini Filtreur 1/4"	
Twin Line Hose 50'	1951
Twin Line Hose 5'	1952

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

RLX PNEUMATIC AND ELECTRIC REMOTE CONTROL HANDLE

No.	Description	Stock #	Weight
(-)	RLX electric control handle w/twist-lock connector	05801	1.2
1.	Handle	10573	.22
2.	Body	10568	.3
3.	Lever lock	10564	
4.	Clamp, switch cord	05810	
5.	Spring, lever, 2 reqd	05823	
6.	Switch, electric with cord	05813	.1
7.	Screw, 8-32 X 3/8"ss 4 reqd	05814	
8.	Nut, 8-32 lock, ss, 2 reqd	05815	
9.	Spacer washer ss, 4 reqd	05434	
10.	Screw, 3/16" X 1 1/4" shoulder, 2 reqd	05817	.02
11.	Screw, 4-40 X 3/8" fillister head, 2 reqd	05818	
12.	Connector, lo-profile (for 10840 only)	10829	.08
13.	Tie, nylon	02195	.02
14.	Connector, twist-lock, (for 05801 only)	02899	.12
(-)	Connector,twist-lock (f)	02898	



RLX Electric Remote Control Handle



RLX Pneumatic Remote Control Handle

No.	Description	Stock #	Weight
(-)	RLX pneumatic control handle complete	10565	1.0
(-)	RLX pneumatic control handle with ACS switch	07625	
1.	Handle	10573	.22
2.	Body	10568	.3
3.	Lever lock	10564	
4.	Pneumatic adaptor	10562	.14
5.	Spring, lever, 2 reqd	05823	
6.	Nut, 8-32 lock ss, 2 reqd	05815	
7.	Spacer washer ss, 4 reqd	05434	
8.	Screw, 3/16" X 1 1/4" shoulder, 2 reqd	05817	.02
9.	Screw, 8-32 X 1" round hd, 2 reqd	05819	
10.	Screw, 4-40 X 3/8" fillister hd, 2 reqd	05819	
11.	Rubber button bumper	05821	
12.	Gasket, pneumatic adaptor	10563	.02
13.	Adaptor 1/8" NPT, 2 reqd	01940	4
14.	Screw 8-32 X 3/8" ss round hd, 2 reqd	05814	
15.	Tie, nylon	02195	.02
(-)	Service kit	22859	


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

INLET VALVE

Description	Stock #	Weight
(-) 1" Inlet valve, complete.	01980	5
1. Petcock 1/4" NPT	01993	
2. Elbow, 1/8" NPT adapt.	02827	
3. Elbow,1/8" brass street	03993	
4. Adaptor 1/8"NPT with 1/16" orifice	01945	
5. Bottom cap	01985	
6. *Spring, 5/8"X1 11/16" long, (1)	01982	
7. *Seal, bottom cap (1)	01989	
8. Valve plug	01984	
9. Valve body	01981	
10. *Washer, valve plug(2)	01969	
11. *Retainer, valve plug washer (1)	01986	
12. * O-ring 3/16"ID X 1/16"(1)	01992	
13. Piston & rod assembly	01987	
14. *O-ring 1 3/4" OD (1)	01990	
15. Valve cap	01983	1
(-) Service kit, includes items marked w/* and quantity noted	01929	

Description	Stock #	Weight
(-) 1 1/2" Inlet valve, complete	01995	12
1. Petcock 1/4" NPT	01993	
2. Elbow, 1/4" NPT adapt.	02513	
3. Elbow, 1/8" brass street	03993	
4. Adaptor 1/8" NPT W/ 1/16" orifice	01945	
5. Bottom cap	02001	1
6. * Spring, inner, 5/16" X 1 11/16"long.	01982	
7. *Gasket, bottom cap	02006	
8. *Spring, outer	02000	
9. Valve body	01996	
10. Valve plug	01999	
11. *Washer, valve plug (2)	01998	
12. Retainer valve plug washer (1)	02002	
13. * O-ring, 7/16" OD (1)	02008	
14. Piston & rod assembly	02003	
15. * O-ring, 2 1/4" OD (1)	02007	
16. Valve cap	01997	1
(-) Service kit, includes items marked w/* and quantity	01927	






132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

TLR REMOTE CONTROL OUTLET VALVE



1" Diaphragm Outlet Valve TLR-100D and TLR-300D

Description	Stock#	Weight
(-) 1" Diaphrag outlet valve, complete	03371	7
1. Nipple, 1"X close	01701	
2. Diaphragm	06149	
3. Lockwasher, 1/4"	03117	
4. Cap screw, 1/4"-NC X 1" hex head	03053	
5. Cap, diaphragm outlet valve	03393	1
6. Body, diaphragm outlet valve	06135	4
7. Bushing, 1 1/4" X 1"	01804	




1" Piston Outlet Valve TLR-100 and TLR-300

Description	Stock #	Weight
(-) 1" Piston outlet valve, complete	01967	5
1. Elbow 1/4" NPT adaptor	02613	
2. Plug, 1/4" pipe	01950	
3. Bonnet	01970	1
4. Piston & rod assembly	01976	
5. Plug and spindle guide	01971	
6. * Valve plug (1)	01972	
7. * Washer, valve plug(2)	01969	
8. * Retainer, valve plug washer (1)	01986	
9. Valve body	01968	2
10. * Spring, 7/16"X 1 5/8"(1)	01974	
11. Nylon washer	01979	
12. Cap screw 3/8-NC X3/4"	03331	
(-) Service kit, includes items marked w/* and quantity noted	01928	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


ABRASIVE TRAP /EXHAUST MUFFLER



Abrasive Trap

Description		Stock #	Weight
(-)	Abrasive trap	02011	4
1.	* Screen, (3)	02012	
2.	* O-ring, (2)	02013	
3.	Cap	02014	
4.	Body	02015	2
5.	Lock bar	02016	
6.	Screw, 3/8-NC X 1" thumb	03289	
7.	Shoulder screw 3/8" X 3/8"	03291	
8.	*Gasket, screen 1/8" thick (1)	02434	
9.	Decal, "clean screen"	02129	
(-)	Service kit, includes items marked w/* and quantity noted	01925	

Description		Stock #	Weight
(-)	Exhaust muffler	05068	2
1.	Scew, 8-32 X 4"	05061	
2.	Cap, coated	05067	
3.	Body, muffler	05065	
4.	Screen	05060	
5.	Guide w/lock nut	22344	1
6.	O-ring, 1 1/4" ID	05069	
7.	Seat	05062	
8.	Lock-nut, 8-32 ss	05815	




Exhaust Muffler

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

MILLENNIUM INLET/ OUTLET VALVE WITH MUFFLER



No.	Description	Stock #	Weight
(-)	Millennium inlet/outlet valve, complete	21336	20
1.	Plunger, urethane tip	22600	2
2.	Dual piston	22602	1
3.	Spring, compression	22604	
4.	Screw w/internal thread for puller	22650	
5.	Upper sleeve	22603	1
6.	5/16-NC X 1.25 socket head screw, 6 reqd	22611	
7.	Inlet valve body	21338	6
8.	Cylinder cap	21339	1
9.	1 1/2" plug	02477	
10.	1/4" hex nipple	02808	
11.	1/4" X 90 female pipe elbow	41235	
12.	1/4" petcock	01993	
13.	1/8" NPT adaptor with 1/16" orifice	01945	
14.	Brass bushing,1/4"X 1/8"	331826	
15.	1/4" NPS adaptor	02494	
16.	1 1/4" pipe plug	01762	
17.	Piston	22613	

No.	Description	Stock #	Weight
18.	Muffler housing, 2 reqd.	21346	
19.	Exhaust valve body	21345	2
20.	Inner sleeve	22612	
21.	Outlet/ muffler assembly	21731	

Service kits


(-)	Millennium Super service kit (includes Inlet, outlet, Plunger & Muffler kits	22899	1
(*)	Inlet segment seals	22856	
(**)	Outlet segment	22857	
(+)	Outlet muffler	22868	
(++)	Plunger Tip	22898	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

FSV FLAT SAND VALVE

	Description	Stock #	Weight
(-)	FSV metering valve, complete	02427	16
1.	Upper body	02422	2
2.	Valve	02423	1
3.	Gasket, rubber, 2 required	02424	
4.	Disc-stainless	02425	2
5.	Lower body	02426	1
6.	Metering handle, heavy duty	20498	1
7.	Cap screw, 1/4-NC X 1" hex head	03053	
8.	Wing nut, 1/4- NC	03113	
9.	Handle bolt spacer	02431	
10.	Valve handle pin	20246	
11.	Gauge unit	02433	
12.	Set screw, 1/4-NC X 1/2" square head	03080	
13.	Spring, compression	01982	
14.	Stud	02436	
15.	Packing gland	02437	
16.	O-ring	21165	
17.	Gasket, shaft	02439	
18.	Inspection plate	02440	
19.	Cap screw 5/16-NC X 1" hex head	03152	
20.	Wing nut, 5/16- NC	03213	
21.	O-ring	01990	
22.	Nipple, heavy wall 1 1/2" X close	01791	
23.	Wye, standard 1 1/4"	01818	2
24.	Nipple, heavy wall 1 1/4" X 5"	01860	1
25.	Nut, 1/2-NC hex	03511	
26.	Cap screw,1/2-NC X13/4" hex head	03455	
27.	Washer, 1/4" Flat	03116	
28.	Hitch pin	20245	




Flat Sand Valve

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

QUANTUM-K MANUAL METERING VALVE



No.	Description	Stock #	Weight
(-)	Manual Quantum-K metering valve complete	22845	9
(*)	Service kit Quantum-K metering segment	22854	
1.	Adaptor flange w/insert	21314	2
2.	Screw, 3/8-NC X 1" socket head	22655	
3.	Lower body	22621	1
4.	Inspection plate	22620	
5.	Screw, 1/4-NC X 3/4" hex head cap	03052	
6.	Wing nut, 1/4-NC	03113	
7.	Housing, knob	22761	
8.	Nut, knob housing	22762	
9.	Metering plate and shaft	22763	
10.	Metering screw	22764	
11.	Knob, adjustment	22766	
12.	Screw, 5/16-Nc X 3/4" socket head	22767	

No.	Description	Stock #	Weight
(-)	Conversion kit: Quantum rack & pinion to Quantum-K	22841	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

QUANTUM AUTO AIR AND GRIT VALVE

No.	Description	Stock #	Weight
(-)	Auto Quantum air valve	21350	13
(-)	Auto Quantum grit valve (w/metering assy)	22760	22
1.	Cover, cylinder	21317	1
2.	Stop, piston	21323	
3.	Piston	21329	1
4.	Body	21349	4
5.	Plunger, for		
	air valve	21343	1
	grit valve	21326	1
6.	Wear sleeve	21342	
7.	Seat, urethane	21344	
8.	Gasket, flange	21322	
9.	Flange threaded outlet	22077	

No.	Description	Stock #	Weight
10.	Flange, inlet	22078	1
11.	Screw, 3/8-NC X 1" socket head	22655	
12.	Screw, 5/16-NC X 1 3/4" socket head	21321	
13.	Screw, 5/16NC X 1" socket head	21318	
14.	Spring	20600	2
15.	U-seal, 3 1/2" ID	22606	
16.	O-ring, 1 1/2" ID	20267	
17.	Wiper, plunger	20268	
18.	O-ring, 31/64" ID	22609	
19.	Roll pin, 1/8" X 1/2"	21164	
20.	Retaining ring, seat	22429	
21.	O-ring, 1 1/2" ID	22623	
22.	Felt disc	22820	
23.	Metering valve see page before		

NOTE: (A) Includes items 10 & 11 exclusively for the Quantum air valve. (B) is the Quantum metering valve. All other items are common to the actuator.



Quantum Air Valve / Grit Valve Actuator


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SENTINEL METERING VALVE

No.	Description	Stock #	Weight
For abrasives 50 mesh or coarser:			
(-)	Sentinel valve with ACS	20508	22
(-)	Sentinel valve without ACS	20608	22
For abrasives 50 mesh or finer			
(-)	Sentinel valve without ACS	21439	22
1.	Cylinder cap	20512	1
2.	Cap screw,3/8-NC X11/2"	03267	
3.	Adaptor, 1/8" NPS	01940	
4.	Piston cup	20515	1
5.	Piston, shut-off	20494	1
6.	Spring, 2" OD X 4 1/2"	20600	2
7.	Upper body	20514	6
8.	Cap screw,5/16-NC X3/4"	03151	
9.	Wear sleeve	20495	1
10.	Seat plate	20497	1
11.	Metering plate & stem		
	coarse abrasive	20499	1
	fine abrasive	21438	1
12.	Packing gland	21021	
13.	Spring, 5/8"ID X 1 11/16"	01982	
14.	Close nipple, 11/2"	01791	
15.	Inspection plate	02440	
16.	Cap screw, 5/16-NC	19509	

No.	Description	Stock #	Weight
17.	Cap screw 1/2-NC	03457	
18.	Nut, 1/2-NC hex head	03511	
19.	Handle, metering	20498	1
20.	Pin, valve handle	20246	
21.	Close nipple, 1 1/4"	01717	
22.	Wye, 1 1/4" standard	01818	2
23.	Washer 5/16" flat	03216	
24.	Lower body	20511	2
25.	Flanged adaptor w/ inspection opening	20513	1
26.	Nut,3/8-NC hex head	03311	
27.	Nut, 5/16-NCWing	03213	
28.	Flanged adaptor w/o inspection opening	20522	
29.	Hitch pin	20245	
30.	Petcock	01993	
31.	Gauge unit	02433	
32.	Stud, gauge unit	02436	
33.	Set Screw, 1/4-NC	03080	
34.	Spacer, handle bolt	02431	
35.	Cap screw,1/4-NC X 1"	03053	
36.	Nut,1/4-NC wing	03113	
37.	Washer, 1/4" flat	03116	
38.	Connector, 1/8 brass	01962	
39.	Valve, 3-way, ACS	07658	
40.	Breather muffler	07657	
(-)	Upper service kit	22388	
(+)	Lower servifce kit	22389	



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CLEMCO MANUAL PINCH TUBE




Figure. 1

Features :

- Knob is tumed to adjust abrasive flow

Application Notes:

- Can meter virtually all abrasives


No.	Description	Stock #
Fig.1	Manual pinch tube metering valve	04321
1.	Grit valve pinch tube, 1" i.d. vert	04635
2.	Cover plate	05674
3.	Metering knob Assembly	05072
4.	O-ring	01990
5.	Inspection plate	02440
6.	45 degree adaptor flange	05672
7.	Flange adaptor	05673
8.	Pinch valve body (2 required)	05677
9.	Pinch Tube	6108228

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

APOLLO 60 HP SUPPLIED AIR RESPIRATOR

No.	Description	Stock #	Weight
	(-) Apollo 60 HP with:		
	Constant-flow conn.	21300	7.5
	Air control valve	10505	7.5
	Cool-air tube	10508	8.4
	Climate control tube	10509	8.9
	(-) Apollo 60 HP with 50 ft. Respirator hose and:		
	Constant-flow conn.	20213	15.5
	Air control valve	10510	15.5
	Cool-air tube	10511	16.4
	Climate control tube	10512	16.9
	(-) Apollo 60 HP with 50 ft. Respirator hose, CPF 20 air filter and:		
	Constant-flow conn.	20214	35.5
	Air control valve	10513	35.5
	Cool-air tube	10514	36.4
	Climate control tube	10515	36.9
1.	Belt assy. 2"	04430	.2
2.	Respirator hose, 3/8 x 25 ft	04397	3.18
3.	Respirator hose, 3/8 x 50 ft	04415	6.12
4.	Respirator hose, 3/8" x 100 ft.	04398	11.8
5.	Adapt. 3/8" hose x 3/8" npt	00022	.08
6.	Union 3/8" hose	01020	.08
7.	Disconnect, 1/4" female	20444	.18
8.	Adapt., 3/8" hose x 1/4" npt	01019	.08
9.	Acoustical foam kit	04369	.06
10.	Gasket , window	04452	.34
11.	Inner lens, 5 7/16" x 14 5/8", .040", package of 5	04367	.5
12.	Outer lens, 5 3/4" x 16 7/8", .0075",perforated, pack. of	04361	1
13.	Window frame kit	08741	.26
14.	Chin strap	04460	.02



Apollo 60 HP Supplied-Air Respirator


No.	Description	Stock #	Weight
15.	Handle strap	03623	
16.	Suspension	10532	.16
17.	Cape attachement strap	10534	.52
18.	Cape with inner collar	04435	.96
19.	Breathing tube	22811	.82
20.	Washer, breathing tube pack of 6	04370	.02
21.	Inner collar kit	08740	.14
22.	Window latch kit	04368	.06
23.	O-ring	21561	.02

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

APOLLO 600 HP SUPPLIED AIR RESPIRATOR

Description	Stock #	Weight
(-) Apollo 600 HP less respirator hose with:		
Constant-flow connector	24001	8
Air-control valve	24002	8
Cool-air tube	24003	9
Climate control tube	24004	9.5
(-) Apollo 600 hp with 50ft. respirator hose and:		
Constant-flow connector	24771	14
Air-control valve	24210	14
Cool-air tube	24211	15
Climate-control tube	24212	16
(-) Apollo 600 HP with 50ft. respirator hose, CPF-20 air filter and:		
Constant-flow connector	24272	33
Air-control valve	24213	33
Cool-air tube	24214	34
Climate-control tube	24215	35
1. Air control valve	100024	.5
2. Belt assembly	04430	.5
3. Respirator hose 3/8" x 25'	04397	1.5
4. Respirator hose 3/8" x 50'	04415	
5. Respirator hose 3/8" x 100'	04398	
6. Adaptor, 3/8" hose x 3/8" npt	00022	
7. Union, 3/8" hose	01020	
8. Disconnect, 1/4" female	00025	
9. Adaptor, 3/8" to 1/4" npt	01019	
10. Acoustical foam kit, sides	04369	
11. Gasket, window	23819	
12. Inner lens, 5 7/16" x 14 5/8", .040", package of 5	04367	.5
13. Middle lens, 5 5/8" X 17", ,020", package of 5	24943	.5
13. Middle lens, 5 5/8" X 17", ,020", package of 25	04373	1
14. Outer lens, 5 3/4" x 16 7/8", .0075",perforated, pack. of 25	04361	1




Apollo 600 HP Supplied Air Respirator

Description	Stock #	Weight
16. Window frame assembly	24012	1
17. Chin strap	04460	.5
18. Handle strap	03623	.5
19. Suspension	23802	.5
(-) Metal clips, (pk of 4) not shown	24773	1
20. Cape attachment strap	23801	.5
21. Cape silver grey, with red inner collar	23818	1
22. Breathing tube w/swivel ends	22811	1
23. O-ring, 11/16" ID x 7/8" OD 2 required	22815	.5
24. Inner collar	08740	.5
25. Window latch kit, incl: base and screws	24006	1
26. Inlet fitting	23804	.5
27. Chin strap holder kit w/fasteners	24008	1
28. Partition, air baffle	23811	.5

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

APOLLO 60 LP SUPPLIED AIR RESPIRATOR




No.	Description	Stock #	Weight
(-)	Apollo 60 LP w/CFC, less respirator hose	22081	7.5
(-)	Apollo 60 LP w/CFC, and 50 ft. Respirator hose	22082	21.5
1.	Constant-flow connector low pressure	21429	.22
2.	Belt	04430	.20
3.	Respirator hose, 1/2" X 50 ft.	22510	5.75
4.	Respirator hose, 1/2" X 100 ft.	21413	11.5
5.	Acoustical foam kit	04369	.06
6.	Gasket, window	04452	.34
7.	Inner lens, 5 7/16" x 14 5/8", .040", package of 5	04367	0,5
8.	Middle lens, 5 5/8" X 17", ,020", package of 25	04373	1
9.	Outer lens, 5 3/4" x 16 7/8", .0075",perforated, pack. of 25	04361	1
10.	Window frame kit	08741	.26
11.	Chin strap	04460	.02
12.	Handle strap	03623	
13.	Suspension	10532	.16
14.	Cape attachment strap	10534	.52
15.	Cape with inner collar	04435	.96
16.	Breathing tube	22811	.82
17.	Washer, breathing tube, pack of 6	04370	
18.	Inner collar kit	08740	.02
19.	Window latch kit	04368	.06
20.	O-ring, 7/8" ID X 1 1/16" OD	22349	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

APOLLO COOL-AIR TUBE FOR HP MODEL RESPIRATORS




No.	Description	Stock #	Weight
(-)	**Cool-air tube w/belt**	04410	1.5
1.	Belt	04430	.20
2.	Quick disconnect	08449	.06
3.	Elbow, 1/4" male	08869	.1
4.	Seal kit (4 o-ring)	08870	
5.	Cool end venturi kit	08871	.02
6.	Valve stem	08962	
7.	Valve insert	08963	.02
8.	Vortex tube assembly	23030	
9.	Spacer, narrow	08966	
10.	Tube, venturi	08967	.02
	Repair Kit 8870-8871-8968	4410Kit	.02

No.	Description	Stock #	Weight
11.	Spacer, wide	08968	
12.	Helmet tube connection	08971	.12
13.	Screen	08973	
14.	Heat shield	08981	.18
15.	Knob with set screws	08985	.04
16.	Body	08961	.32
17.	Machine screw,rnd. Hd. 10-24 X 1/4"	08980	
18.	Belt clip	08974	.06

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

APOLLO CLIMATE CONTROL TUBE FOR HP MODEL RESPIRATORS



No.	Description	Stock #	Weight
(-)	**Climate control tube with belt**	04411	2.0
1.	Cool end venturi	08846	.02
2.	Seal kit (includes all 0-rings and seals)	08845	
3.	Screen	08973	
4.	Quick disconnect	08449	.06
5.	Body	08825	.32
6.	Orifice, hot end	08826	.04
7.	Plug	08827	.02
8.	Vortex tube assembly	23030	
9.	Spacer, narrow	08966	
10.	Venturi	08967	.02
11.	Spacer, wide	08968	
12.	Threaded retainer	08829	.06
13.	Elbow, 1/4" male	08869	.1
14.	Belt clip	08974	.06

No.	Description	Stock #	Weight
15.	Lower valve plate	08830	.02
16.	Upper valve plate	08831	.02
17.	Support washer	08832	
18.	Outlet fitting	08833	.06
19.	Body housing	08834	.22
20.	Control lever	08835	
21.	Spring	08844	
22.	Machine screw, 6-32 X 1/4"	03870	
23.	Set screw, 1/4"-NC X 1/2"	03072	
24.	Spacer	08836	
25.	Pin, valve plate	08838	.02
26.	Machine screw, 10-24 X 1/2"	03886	
27.	Belt	04430	.2
28.	Heat shield	08981	.18

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CPF-20 AIR FILTER FOR HP MODEL RESPIRATOR

WARNING !!!

The CFP will not remove carbon monoxide or other toxic gases.

No.	Description	Stock #	Weight
(-)	CPF-20 Air filter, with regulator	03578	21.0
(-)	CPF-20 Air filter, without regulator	03577	19.0
(-)	Filter cartridge adaptor kit	03569	1.36
1.	Handle (strap)	03623	
2.	Pressure gauge	00024	.14
3.	Pressure relief valve	01909	.1
4.	Tee, 3/8" NPT, male branch	41340	
5.	Filter cartridge	03547	3.54
6.	3/8" NC X 1" hex head cap screw	03252	.04
7.	Washer, 3/8"ID X 1 1/4" OD	03310	.04
8.	3/8" -NC hex nut	03311	
9.	1/4" petcock	01993	.1
10.	Base bracket	03557	.54
11.	Pipe plug, 1" NPT	03532	.26
12.	1/2" SAE flat washer	03515	
13.	1/2" -NC hex nut	03511	.04
14.	Gasket and o-ring kit	08942	.08
15.	3/8" dia. Lock waher	03318	
16.	Nipple, 3/8" NPT X 2", brass	03720	
17.	Air filter cap	03584	1.86
18.	Plug, 3/8" NPT, brass	03536	.06
19.	Stud, filter cap	03545	.08
20.	Pressure regulator	03582	.9



CPF-20 Air Filter

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CPF-80 AIR FILTER FOR HP MODEL RESPIRATORS

WARNING !!!

The CFP will not remove carbon monoxide or other toxic gases.

No.	Description	Stock #	Weight
(-)	CPF-80 air filter assembly	03527	22.0
(-)	Filter cartridge adaptor kit	03569	1.36
1.	Filter cartridge	03547	3.54
2.	Cap screw,3/8-NC X 1" hex head	03252	.04
3.	Washer,1 1/4" OD	03310	.04
4.	Nut, 3/8-NC	03311	
5.	Petcock 1/4"	01993	.1
6.	Base bracket	03557	.54
7.	Plug, 1" NPT	03532	.26
8.	Washer, 1/2" SAE flat	03515	
9.	Nut, 1/2-NC	03511	.04
10.	Gasket and o-ring kit	08942	.08
11.	Washer, 3/8" lock	03318	
12.	Stud, 1/2-NC X 2"	03545	.08
13.	Handle strap	03623	
14.	Pressure gauge	00024	
15.	Cross manifold, 3/8" NPT	22941	
16.	Nipple, 3/8"NPT hex	03596	
17.	Relief valve, 1/4" NPT	01909	.1
18.	Pressure regulator,3/8" NPT large body	22939	
19.	Cap, CPF filter	03584	1.86
20.	Plug, 3/8" NPT brass	03536	.06



CPF-80 Air Filter

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

APOLLO CAP-1 AMBIANT AIR PUMP FOR LP MODEL RESPIRATORS

No	Description	Stock #	Weight
(-)	**CAP-1 Ambiant air pump**	22383	65
1.	Filter media, inlet filter	21830	.02
2.	Filter cartridge, outlet filter	15030	.02
3.	Gasket, outlet filter bowl	21831	
4.	Gauge, 1/4" pressure, 0-30 PSI	21832	.16
5.	Relief valve	21833	.14
6.	Disconnect, 3/8"	21834	.42
7.	Vanes, set of 4	21835	.28
8.	Inlet filter assembly	21836	.43

Optional Accessories

No	Description	Stock #	Weight
(-)	Remote air inlet kit, 50 ft.	21837	16.0
(-)	Extension kit, remote air, 50 ft.	21838	75.0
(-)	Elevated inlet kit	21839	5.0
(-)	Outlet filter less element	22433	1.12



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


APOLLO CAP-4 AMBIENT AIR PUMP FOR LP MODEL RESPIRATORS

No	Description	Stock #	Weight
(-)	**CAP-4C with cart**	22384	205
(-)	**CAP-4 with frame**	22530	175
1.	Filter media, inlet filter	21830	.02
2.	Filter cartridge, outlet filter	15030	.02
3.	Gasket, outlet filter bowl	21831	
4.	Gauge, 1/4" pressure, 0 - 30 PSI	21832	.16
5.	Relief valve	22434	.36
6.	Disconnect, 3/8" open type	21834	.42
7.	Disconnect, 1/2" closed type	22438	.46
8.	Inlet filter assembly	22452	.26
9.	Filter / regulator, 1/2"	05530	2.68
10.	Lubrificator, 1/2"	05531	1.14
11.	Element, exhaust filter	05065	.1
12.	Petcock, drain	01993	.1
13.	Flow valve, 1/2" w / handle	01241	.36
14.	Outlet filter less element	22433	1.12

Optional Accessories

No	Description	Stock #	Weight
(-)	Remote air inlet kit, 50 ft.	21837	16.0
(-)	Extension kit, remote air, 50 ft.	21838	75.0

Note: La pompe CAP-4, fourni soit pour deux cagoules de sablage ou six demi-masques.




132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CARBON MONOXYDE MONITOR, CMS-2 PORTABLE

No.	Description	Stock #	Weight
(-)	**CMS-2 CO monitor** package, includes: monitor, calibration connector, and 10 PPM test gas	22894	9
1.	**CMS-2 CO monitor** (instrument only)	22892	7
2.	Calibration connector assembly	22893	
3.	Test gas 10 PPM Test gas, impurity free	22865 11132	
4.	Flowmeter	21376	
5.	Horn w/ wire, 12 volt DC	22922	
6.	Alarm light, exterior w/ wire	22923	
7.	Fitting, 1/4" OD quick fit	22924	
8.	Tubing, urethane, per foot	12475	
(-)	sensor (not shown)	22919	
(-)	Regulator / filter (not shown)	22920	
(-)	Filter element (not shown)	22921	



	Description	Stock #
(-)	Air line humidifier, used with CMS-2 only	03600
(-)	Cable, remote alarm extension 50 ft.	22910
(-)	Remote alarm kit Includes: alarm. Stand. wiring connector 50 ft. Cord	22909


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CARBON MONOXYDE MONITOR, CMS-1
STATIONARY INSTALLATION

No.	Description	Stock #	Weight
(-)	CMS-1 CO monitor package includes: monitor. calibration connector. and 10 PPM test gas	23017	7.5
1.	CMS-1 CO monitor Includes: monitor & items 4 to 10	23012	5.5
2.	Calibration connector assembly	23011	
3.	Test gas 10 PPM	22865	
	Test gas, impurity free	11132	
4.	Regulator / Filter	23013	
5.	Flowmeter	21376	
6.	Horn w/ wire, 12 volt DC	22922	

No.	Description	Stock #
7.	Adaptor, straight, 1/8" NPT X 1/8" barb	11732
8.	Adaptor, elbow, 1/8" NPT X 1/8" barb	11733
9.	Tubing, urethane per foot	12475
10.	reducer, 1/4" X 1/8"	02026
(-)	Sensor (not shown)	23015
(-)	Filter element (not shown)	23014
(-)	Remote alarm kit Includes: alarm, stand, wiring connector, and 50 ft. Cord	22909
(-)	Cable, remote alarm extension, 50 ft.	22910



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BULLARD HELMET SERIES 88VX

	Model	Description
	**88VX1330**	Bullard helmet series 88VX; breathing tube, constant air connector with nylon belt 38" nylon cape
	**88VX3230**	Bullard helmet series 88VX; breathing tube, constant air connector with nylon belt 28" nylon cape
	**46VX**	Nylon cape, 28" length
	**13VX**	Nylon cape, 38" length

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca



BULLARD REPLACEMENT PARTS

	Model	Description
	**21VX**	Nylon cape " Golden gate" 38" length
	**36VX**	Hibernia nylon cape 38" length
	36XLVX	Hibernia nylon cape 38" length extra-large size
	**EVX30**	Breathing tube 88VXBT with F30 coupling, industrial plug 1/4" and nylon belt
	**EVX35**	Breathing tube 88VXBT with F35 coupling, industrial plug 1/2" and nylon belt
	**EVX40**	Breathing tube 88VXBT with flow control valve, industrial plug 1/4" and nylon belt

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BULLARD REPLACEMENT PARTS

	Model	Description
	**88VXTGP** **88VXRTP**	Standard headband suspension Ratchet headband suspension
	**TT3**	Sportek brow pad
	**TT3VI**	Vinyl brow pad
	**99PL**	Inner shell
	**88VXOS**	Outer shell
	**88CA**	Replacement carrying strap
	**88VXAK**	Maintenance kit- door/gasket/latch
	**G7713**	Window frame gasket

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BULLARD REPLACEMENT PARTS

	Model	Description
	**F30**	Industrial constant air connector, 1/4" and nylon belt
	**F35**	Industrial constant air connector, 1/2" and nylon belt
	**F40**	Industrial flow control valve 1/4" and nylon belt
	**4612**	Nylon belt
	**88VXBT**	Breathing tube
	**88CK**	Breathing tube connector 88CK respiratoire
	**20NC**	Chin strap for 88VX or 99PL
	**88CS**	Chin strap for 88PL
	77040 **77020** **77020A**	Inner lens, 4 1/2" x 12 13/16", 0,040" Outler lens, 5" x 14", 0.020" Outler lens, 5" x 14", 0.020" (with blue plastic)

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BULLARD REPLACEMENT PARTS

	Model	Description
	**41 AF**	Filter cartridge Distributor
 	**MV2400** **HC2400BB**	Muffler / Valve assembly Belt bracket
	**EDP10**	Ambiant air pump 3/4 HP 110 Volt
	**23611**	Inlet filter
	**S17101**	Outlet filter
	**15921**	Repair kit for pump EDP-10

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

NOVA REPLACEMENT PARTS

	Model	Description
	**NV-2000XL**	NOVA HELMET with breathing tube constant air connector nylon belt and cape 38"
	**NV2002XL**	Nova cape 38"
	**NV2009/** **S-M-L**	Helmet lining kit

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

NOVA REPLACEMENT PARTS

	Model	Description
	**NV-2021**	Breathing tube
	**NV-2004**	Window frame kit
	**NV-2003**	Window gasket
	NV-2018 **NV-2017** **NV-2031**	Inner lens Outer lens (tear off) Outer lens (rigid)

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BULLARD PAINTING MASK

	Modèle	Description
	**SPEC40S**	Full-face continuous air flow with air connector 1/4" Size small
	SPEC40L	Full-face continuous air flow with air connector 1/4" Size medium/large
	LC	Self-adhesive flexible visor 25/pkg
	**FAMB30S**	HP Half-mask positive pressure airline respirator Small
	FAMB30M	HP Half-mask positive pressure airline respirator Medium
	FAMB30L	HP Half-mask positive pressure airline respirator Large
	FAMB35S	LP Half-mask positive pressure airline respirator Small
	FAMB35M	LP Half-mask positive pressure airline respirator Medium
	FAMB35L	LP Half-mask positive pressure airline respirator Large

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SAFETY ACCESSORIES



Blast suit nylon/cotton

Nylon blast suit

Description	Stock #	Weight
Size (M)	22914	2.0
Size (L)	22915	3.0
Size (XL)	22916	3.0
Size (XXL)	22917	3.5
Size (XXXL)	1860N	4.0




Blast suit leather/cotton

Leather blast suit


Description	Stock #	Weight
Size (S)	08920	4.0
Size (M)	08921	4.0
Size (L)	08922	4.5
Size (XL)	08923	5.0
Size (XXL)	1858C	5.0
Size (XXXL)	1860C	5.5

Leather gloves

Leather glove (bue)		1.0
Leather glove (red)		1.0



Description	Stock #	Weight
Air control valve/w belt	100024	.60
Constant-flow connector for HP models:		
Without belt	21415	.25
With belt	21422	.60
Constant-flow connector for LP models:		
Without belt	21429	.25
with belt	21777	.60



Description	Stock #	Weight
Tuque hood PolyCotton	77-4461	

GLASSJET
Filtration • Abrasif • Minéraux

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

TUNGSTEN CARBIDE LONG VENTURI STYLE

TUNGSTEN CARBIDE LONG VENTURI STYLE			Thread			Entry		Jacket		
Model	Length	Stock	1 1/4"	Contractor	Flanged w/Qk Cplg	1"	1 1/4"	Metal	Urthane	RUBBER
3/16" Orifice - 45 cfm @ 100 psi										
TSR-3	4"	04950	•			•			•	
CSD-3	4"	01384	•			•		•		
TMP-3	5-3/4"	23519		•		•				•
TMP-3	4"	05452		•		•			•	
1/4" Orifice - 81 cfm @ 100 psi										
TSR-4	5-1/4"	04951	•			•			•	
CSD-4	5-1/4"	01385	•			•		•		
TMP-4	6"	23520		•		•				•
TMP-4	5-1/4"	05453		•		•			•	
5/16" Orifice - 137 cfm @ 100 psi										
TSR-5	5-5/8"	04952	•			•			•	
CSD-5	5-5/8"	01386	•			•		•		
TMP-5	6-1/4"	23521		•		•				•
TMP-5	5-5/8"	05454		•		•			•	
3/8" Orifice - 196 cfm @ 100 psi										
TSR-6	6-1/2"	04953	•			•			•	
CSD-6	6-1/2"	01387	•			•		•		
TMP-6	6-3/4"	23522		•		•				•
TMR-6	6-1/2"	05455		•		•			•	
TXP-6	6-3/4"	23525		•			•			•
TXR-6	6-1/2"	92026		•			•		•	
TXD-6	6-1/2"	99147		•			•	•		
SDX-6	6-1/2"	01394			•		•	•		
TFR-6	6-1/2"	04968			•		•		•	
7/16" Orifice - 254 cfm @ 100 psi										
TSR-7	7-13/4"	04953	•			•			•	
CSD-7	7-13/4"	01387	•			•		•		
TMP-7	7-13/4"	23523		•		•				•
TMR-7	7-13/4"	05455		•		•			•	
TXP-7	7"	23525		•			•			•
TXR-7	7-13/4"	92026		•			•		•	
TXD-7	7-13/4"	99147		•			•	•		
SDX-7	7-13/4"	01394			•		•	•		
TFR-7	7-13/4"	04968			•		•		•	

*** Quick coupling nozzle holder is included. Coupling gasket serves as nozzle washer**

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

GLASSJET
Filtration • Abrasif • Minéraux

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

TUNGSTEN CARBIDE NOZZLES

TUNGSTEN CARBIDE LINED			Thread		Entry	Jacket	
Model	Length	Stock	1 1/4"	Contractor	1"	Metal	RUBBER
3/16" Orifice - 45 cfm @ 100 psi							
TJP-3	3-3/4"	23507	•		•		•
CJD-3	3"	01378	•		•	•	
TYP-3	3-3/4"	23501		•	•		•
1/4" Orifice - 81 cfm @ 100 psi							
TJP-4	3-3/4"	23508	•		•		•
CJD-4	3"	01379	•		•	•	
TYP-4	3-3/4"	23502		•	•		•
5/16" Orifice - 137 cfm @ 100 psi							
TJP-5	3-3/4"	23509	•		•		•
CJD-5	3"	01380	•		•	•	
TYP-5	3-3/4"	23503		•	•		•
3/8" Orifice - 196 cfm @ 100 psi							
TJP-6	3-3/4"	23510	•		•		•
CJD-6	3"	01381	•		•	•	
TYP-6	3-3/4"	23504		•	•		•
7/16" Orifice - 254 cfm @ 100 psi							
TJP-7	3-3/4"	23511	•		•		•
CJD-7	3"	01382	•		•	•	
TYP-7	3-3/4"	23505		•	•		•
1/2" Orifice - 338 cfm @ 100 psi							
TJP-8	3-3/4"	23512	•		•		•
CJD-8	3"	01383	•		•	•	
TYP-8	3-3/4"	23506		•	•		•

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SPECIALTY NOZZLES

Description	Stock no.	Weight
1" ENTRY, BORON CARBIDE, LONG VENTURI NOZZLES, METAL JACKET 1-1/4" THREAD (Nozzle includes NW-4 washer)		
BSD-4 1/4" orifice x 5-1/4" long……	01419	2
BSD-5 5/16" orifice x 5-5/16" long…….	01420	2
BSD-6 3/8" orifice x 6-1/2" long……	01421	2
BSD-7 7/16" orifice x 7-3/4" long……	01422	2
BSD-8 1/2" orifice x 8-13/16" long…...	01423	2



MARCO BLAZE NOZZLES

1" STANDARD ENTRY W/1-1/4" STANDARD THREADS
LONG VENTURI NOZZLE W/SILICON LINER
LIGHT WEIGHT URETHANE JACKET

#4 1/4" orifice……	10SN4UN
#5 5/16" orifice……	10SN5UN
#6 3/8" orifice……	10SN6UN
#7 7/16" orifice……	10SN7UN



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CLEMLITE® SILICON CARBIDE NOZZLES

CLEMLITE® LINED LONG VENTURI STYLE			Thread			Entry		Jacket	
Model	Length	Stock	1 1/4"	Contractor	Flanged w/Qk Cplg	1"	1 1/4"	Metal	RUBBER
3/16" Orifice - 45 cfm @ 100 psi									
SSD-3	4"	01617	•			•		•	
SSR-3	4"	04702	•			•			•
SMD-3	4"	04520		•		•		•	
SMR-3	4"	04538		•		•			•
1/4" Orifice - 81 cfm @ 100 psi									
SSD-4	5-1/4"	01618	•			•		•	
SSR-4	5-1/4"	04703	•			•			•
SMD-4	5-1/4"	04521		•		•		•	
SMR-4	5-1/4"	04539		•		•			•
5/16" Orifice - 137 cfm @ 100 psi									
SSD-5	5-5/8"	01619	•			•		•	
SSR-5	5-5/8"	04704	•			•			•
SMD-5	5-5/8"	04522		•		•		•	
SMR-5	5-5/8"	04540		•		•			•
3/8" Orifice - 196 cfm @ 100 psi									
SSD-6	6-1/2"	01620	•			•		•	
SSR-6	6-1/2"	04705	•			•			•
SMD-6	6-1/2"	04523		•		•		•	
SMR-6	6-1/2"	04541		•		•			•
SXD-6	6-1/2"	04592		•			•	•	
SXR-6	6-1/2"	04601		•			•		•
SFD-6	6-1/2"	01623			•		•	•	
SFR-6	6-1/2"	04732			•		•		•
7/16" Orifice - 254 cfm @ 100 psi									
SSD-7	7-3/4"	01621	•			•		•	
SSR-7	7-3/4"	04706	•			•			•
SMD-7	7-3/4"	04524		•		•		•	
SMR-7	7-3/4"	04542		•		•			•
SXD-7	7-3/4"	04593		•			•	•	
SXR-7	7-3/4"	04602		•			•		•
SFD-7	7-3/4"	01624			•		•	•	
SFR-7	7-3/4"	04733			•		•		•
1/2" Orifice - 338 cfm @ 100 psi									
SSD-8	8-13/16"	01622	•			•		•	
SSR-8	8-13/16"	04707	•			•			•
SMD-8	8-13/16"	04525		•		•		•	
SMR-8	8-13/16"	04543		•		•			•
SXD-8	8-13/16"	04594		•			•	•	
SXR-8	8-13/16"	04603		•			•		•

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

GLASSJET
Filtration • Abrasif • Minéraux

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CLEMLITE® SILICON CARBIDE NOZZLES

CLEMLITE® LINED			Thread		Entry	Jacket	
Model	Length	Stock	1 1/4"	Contractor	1"	Metal	Urethane
3/16" Orifice - 45 cfm @ 100 psi							
SJD-3	3"	04648	•		•	•	
SJR-3	3-3/8"	04720	•		•		•
SYD-3	3"	04556		•	•	•	
SYR-3	3-3/8"	04574		•	•		•
1/4" Orifice - 81 cfm @ 100 psi							
SJD-4	3"	04649	•		•	•	
SJR-4	3-3/8"	04721	•		•		•
SYD-4	3"	04557		•	•	•	
SYR-4	3-3/8"	04575		•	•		•
5/16" Orifice - 137 cfm @ 100 psi							
SJD-5	3"	04650	•		•	•	
SJR-5	3-3/8"	04722	•		•		•
SYD-5	3"	04558		•	•	•	
SYR-5	3-3/8"	04576		•	•		•
3/8" Orifice - 196 cfm @ 100 psi							
SJD-6	3"	04651	•		•	•	
SJR-6	3-3/8"	04723	•		•		•
SYD-6	3"	04559		•	•	•	
SYR-6	3-3/8"	04577		•	•		•
7/16" Orifice - 254 cfm @ 100 psi							
SJD-7	3"	04652	•		•	•	
SJR-7	3-3/8"	04724	•		•		•
SYD-7	3"	04560		•	•	•	
SYR-7	3-3/8"	04578		•	•		•
1/2" Orifice - 338 cfm @ 100 psi							
SJD-8	3"	04653	•		•	•	
SJR-8	3-3/8"	04725	•		•		•
SYD-8	3"	04561		•	•	•	
SYR-8	3-3/8"	04579		•	•		•

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SPECIALTY NOZZLES AND NOZZLE WASHERS
TUNGSTEN CARBIDE RUBBER JACKETED NOZZLES

Nozzle Washers

Description	Stock #	Weight
NW-1 for CT & CTB Nozzles, pk of 10	21580	<.5
NW-2 for CSB & CBP Nozzles, pk of 10	21675	<.5
NW-3 for CAM Nozzles, pk of 10	21583	<.5
NW-4 for 1 1/4" thread Nozzles, pk of 10	00869	<.5
NW-25 for 1" entry Contractor thread Nozzles, pk of 10	91024	<.5
NW-32 for 11/4" entry Contractor thread Nozzles, pk of 10	91026	<.5

Miscellaneous

Description	Stock #	Weight
Nozzle pressure gauge kit with three needles	01232	.5
Needles, set of 20	02126	<.5

Short Straight barrel, metal Jacket 3/4

Tungsten carbide

Description	Stock #	Weight
CT-2* 1/8" orifice x 1 3/4" L	01351	.5
CT-3* 3/16" orifice x 1 3/4" L	01352	.5
CT-4* 1/4" orifice x 1 3/4" L	01353	.5
CT-5* 5/16" orifice x 1 3/4" L	01354	.5
CT-6* 3/8" orifice x 1 3/4" L	01355	.5
CT-8* 1/2" orifice x 1 3/4" L	01356	.5

Boron carbide

Description	Stock #	Weight
CTB-2* 1/8" orifice x 1 3/4" L	21090	.5
CTB-3* 3/16" orifice x 1 3/4" L	21091	.5
CTB-4* 1/4" orifice x 1 3/4" L	21092	.5
CTB-5* 5/16" orifice x 1 3/4" L	21093	.5
CTB-6* 3/8" orifice x 1 3/4" L	21094	.5
CTB-8* 1/2" orifice x 1 3/4" L	21095	.5

Long Venturi Style

Description	Stock #
TSP-3 3/16" orifice x 4 3/4"L	23513
TSP-4 1/4" orifice x 5 7/8"L	23514
TSP-5 5/16" orifice x 6 1/4"L	23515
TSP-6 3/8" orifice x 7 15/16"L	23516
TSP-7 7/16" orifice x 8 1/2"L	23517
TSP-8 1/2" orifice x 9 3/4"L	23518

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


NOZZLE HOLDERS

Aluminum nozzle holders

Description	Stock #
For 3/4" thread nozzles	
CHE-1/2 for hose 1/2" ID X 1 3/16" OD	00577
For 1 1/4" thread nozzles	
CHE-1 for hose 3/4" ID, 1 1/2" OD	00578
CHE-2 for hose 1" ID, 1 7/8"OD	00579
CHE-3 for hose 1 1/4" ID, 2 5/32" OD	00580
CHE-4 for hose 1 1/2"ID, 2 3/8" OD	00581


Nylon nozzle holders

Description	Stock #
For 1 1/4" thread nozzles	
HEP-3/4 for Supa hose 3/4"ID, 1 5/16" OD	99173
HEP-1 for hose 3/4"ID, 1 1/2" OD	07720
HEP-2 for hose 1" ID, 1 7/8" OD	07721
HEP-3 for hose 1 1/4"ID, 2 5/32"OD	07722
For contractor thread nozzles	
NHP-3/4" for hose 1 5/16" OD	11398
NHP-1 for hose 1 1/2" OD	04106
NHP-2 for hose 1 7/8" OD	04127
NHP-3 for hose 2 5/32" OD	04128



Quick coupling nozzle holders

Description	Stock #
For flanged nozzles	
CFFH-A aluminum	00575
CFFH-B brass	00576
FHP nylon (Coupling gasket serves as nozzle washer)	07718
For 1 1/4" thread nozzles	
CFA aluminum	00552
SCF brass	00592
CFP nylon (CQGP-3 gasket)	07716
For contractor thread nozzles	
CFPM nylon (CQGP-3 gasket)	07719







132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

QUICK COUPLINGS

Aluminum quick couplings

Description	Stock #	Weight
CQA-1/2 for 1/2"ID X 1 3/16"OD hose (CQG gasket)	00599	.5
CQA-1 for 3/4"ID X 1 1/2"OD hose (CQG gasket)	00568	.5
CQA-2 for 1"ID X 1 7/8"OD hose (CQG gasket)	00569	.5
CQA-3 for 1 1/4"ID X 2 5/32"OD hose (CQG gasket)	00570	.5
CQA-4 for 1 1/2"ID X 2 3/8"OD hose (CQG gasket)	00573	1





CQP Quick Couplings

Nylon quick couplings

Description	Stock #	Weight
CQP-1 for 3/4"ID X 1 1/2"OD hose (CQGP-1 gasket)	08412	.5
CQP-2 for 1"ID X 1 7/8"OD hose (CQGP-3 gasket)	21711	.5
CQP-3 for 1 1/4"ID X 2 5/32 OD hose (CQGP-3 gasket)	08414	.5
CQP-4 for 1 1/2"ID X 2 3/8"OD hose	07714	.5

Nylon quick coupling to fit Supa hose

Description	Stock #	Weight
CQPS-3/4 for 3/4"ID X 1 5/16"OD hose (CQGP-1 gasket)	11395	.5
CQPS-1 for 1"ID X 1 1/2"OD hose (CQGP-2 gasket)	21088	.5
CQPS-2 for 1 1/4"ID X 1 7/8"OD hose (CQGP-3 gasket)	08413	.5

Replacement lock spring

for CQP couplings Pk of 25	21585	2

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

THREADED QUICK COUPLINGS, COUPLING GASKETS SCREWS AND LOCK PINS

Aluminum threaded quick couplings

Description	Stock #	Weight
CFA-1/2 for 1/2"threaded pipe nipple (CQG gasket)	00558	.5
CFA-3/4 for 3/4" threaded pipe nipple (CQG gasket)	00559	.5
SB-1 for 1 1/4" threaded pipe nipple (CQG gasket)	00550	1
SB-2 for 1 1/2" threaded pipe nipple (CQG gasket)	00554	1
CFA-3 for 2" threaded pipe nipple (CQG gasket)	00556	1
SB-2 for 1 1/2" BRASS	00555	
SB-1 for 1 1/4" BRASS	00551	

Nylon threaded quick couplings

Description	Stock #	Weight
CFP-P 1 1/4" with pipe nipple for standard blast machines 2 cu.ft. And larger (CQGP-3 gasket)	10806	1
CFP-2 1 1/2" without pipe nipple (CQGP-3)	07715	
CFP-2C 1 1/4" with pipe nipple for 2cu.ft. Contractor blast machines (CQGP-3 gasket)	21733	1
CFP-4C 1 1/4" with pipe nipple for 4cu.ft. Contractor blast machines (CQGP-3 gasket)	21734	2
CFP-6C 1 1/4" with pipe nipple for 6 cu.ft. Contractor blast machines (CQGP-3 gasket)	21735	2

Coupling gaskets

Description	Stock #
CQG, pk of 10	00850
CQGP-1, pk of 10	08852
CQGP-2, pk of 10	21584
CQGP-3, pk of 10	08853
CQ12G,sold individually	00852

Coulping screws, lock pins & lock springs

Description	Stock #
Coupling screw for Supa blast hose, pk of 25	21582
Coupling screw for 2 braid and 4 ply hose pk of 25	21581
Lock pin for aluminum and brass couplings, pk of 25	11203
Lock spring for nylon couplings, pk of 25	21585

Coupling miscellaneous

Description	Stock #
P-32 2" Aluminum	
QA-5 1 1/2" Aluminum	
QA-6 2" Aluminum	
10 SB4-2" Brass Reservoir	
10 SBG-2" Gross Gasket	
SP-114 1 1/4" Aluminum PH	
SP-116 1 1/2" Aluminum PH	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SANDBLAST HOSES



STOCK #	DIA.INT.	DIA.EXT.	TYPE	PRESS.MAX.	LENGHT DISP.	LB./PI.
10BH012E	1/2"	1 1/8"	2 Brins	150 PSI	50'	22
10BH012B	1/2"	1 1/16"	2 Brins	150 PSI	50'	22
23750	1/2"	1 3/16"	2 Brins	150 PSI	25'	12
23751	1/2"	1 3/16"	2 Brins	150 PSI	50'	24
23752	3/4"	1 1/2"	2 Brins	150 PSI	25'	17
23753	3/4"	1 1/2"	2 Brins	150 PSI	50'	35
23101	3/4"	1 5/16"	Supa	150 PSI	25'	13
23102	3/4"	1 5/16"	Supa	150 PSI	50'	26
23754	1"	1 7/8"	2 Brins	150 PSI	25'	28
23755	1"	1 7/8"	2 Brins	150 PSI	50'	54
23103	1"	1 1/2"	Supa	150 PSI	25'	13
23104	1"	1 1/2"	Supa	150 PSI	50'	27
23105	1 1/4"	1 7/8"	Supa	150 PSI	25'	22
23106	1 1/4"	1 7/8"	Supa	150 PSI	50'	45
23643	1 1/4"	1 7/8"	Supa	150 PSI	100'	90
23756	1 1/4"	2 5/32"	2 Brins	150 PSI	50'	65
23450	1 1/4"	2 5/32"	4 Plie	150 PSI	50'	65
23451	1 1/4"	2 5/32"	4 Plie	150 PSI	100'	125
SBB-100-50S	1"	1 7/8"	2 Brins	150 PSI	50'	54
SBB-100-100S	1"	1 7/8"	2 Brins	150 PSI	100'	108
SBB-125-50S	1 1/4"	2 5/32"	2 Brins	150 PSI	50'	65
SBB-125-100S	1 1/4"	2 5/32"	2 Brins	150 PSI	100'	125
SBB-150-50	1 1/2"	2 3/8"	2 Brins	150 PSI	50'	70
SBB-150-100	1 1/2"	2 3/8"	2 Brins	150 PSI	100'	135
23452	1 1/2"	2 3/8"	4 Plie	150 PSI	50'	70
23453	1 1/2"	2 3/8"	4 Plie	150 PSI	100'	135
SBB-200-50	2"	2 7/8"	2 Brins	150 PSI	50'	85
SBB-200-100	2"	2 7/8"	2 Brins	150 PSI	100'	170

STRENGTHENED PVC AIR HOSE



STOCK #	DIA.INT.	DIA.EXT.	PRESS.MAX.	LB./PI.
315004	1/4"	0.438"	150 PSI	0.06
315006	3/8"	0.594"	125 PSI	0.09
315008	1/2"	0.750"	100 PSI	0.13
315012	3/4"	1.031"	85 PSI	0.22
315016	1"	1.300"	75 PSI	0.30
315020	1 1/4"	1.620"	55 PSI	0.46
315024	1 1/2"	1.938"	50 PSI	0.64
312032	2"	2.490"	35 PSI	0.94

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CONTRACTOR AIR HOSE (Yellow)



STOCK #	DIA.INT.	DIA.EXT.	PRESS.MAX.	LB./PI.
CAY-050	1/2"	0.91"	300 PSI	0.276
CAY-075	3/4"	1.14"	300 PSI	0.373
CAY-100	1"	1.38"	300 PSI	0.466
CAY-125	1 1/4"	1.73"	300 PSI	0.729
CAY-150	1 1/2"	1.97"	250 PSI	0.834
CAY-200	2"	2.56"	250 PSI	1.112

MULTI-PURPOSE AIR HOSE (Red)



STOCK #	DIA.INT.	DIA.EXT.	PRESS.MAX.	LB./PI.
460	1/4"	0.52"	300 PSI	0.090
461	3/8"	0.71"	300 PSI	0.180
462	1/2"	0.83"	300 PSI	0.249
463	3/4"	1.14"	255 PSI	0.369
464	1"	1.42"	210 PSI	0.529

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


VACUUM HOSE

TPR HOSE*



STOCK #	DIA.INT.
RFH-200	2"
RFH-250	2 1/2"
RFH-300	3"
RFH-350	3 1/2"
RFH-400	4"
RFH-450	4 1/2"
RFH-500	5"
RFH-600	6"
RFH-700	7"
RFH-800	8"
RFH-900	9"
RFH-1000	10"

CLEAR **



STOCK #	DIA.INT.
UV1-200	2"
UV1-250	2 1/2"
UV1-300	3"
UV1-400	4"
UV1-500	5"
UV1-600	6"
UV1-700	7"
UV1-800	8"

ARI-SUCCION **



STOCK #	DIA.INT.
ARI-200	2"
ARI-250	2 1/2"
ARI-300	3"
ARI-400	4"
ARI-500	5"
ARI-600	6"
ARI-800	8"

* LOW RESISTANT TO ABRASIVE

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

GLASSJET
Filtration • Abrasif • Minéraux

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PNEUMATIC QUICK COUPLING INDUSTRIAL TYPE



FEMALE PLUG



MALE PLUG

INDUTRIAL TYPE 1/4"

STOCK #	(F) NPT	STOCK #	(F) NPT
20.142	1/4"	20.242	1/4"
20.162	3/8"	20.262	3/8"

INDUTRIAL TYPE 3/8"

STOCK #	(F) NPT	STOCK #	(F) NPT
21.142	1/4"	21.242	1/4"
21.162	3/8"	21.262	3/8"
21.182	1/2"	21.282	1/2"

INDUTRIAL TYPE 1/2"

STOCK #	(F) NPT	STOCK #	(F) NPT
22.162	3/8"	22.262	3/8"
22.182	1/2"	22.282	1/2"
22.192	3/4"	22.292	3/4"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PNEUMATIC QUICK COUPLING INDUSTRIAL TYPE



FEMALE COUPLER



MALE COUPLER

TYPE INDUTRIEL 1/4"

STOCK #	(F) NPT	STOCK #	(F) NPT
16.1742	1/4"	16.1842	1/4"
16.1762	3/8"	16.1862	3/8"

TYPE INDUTRIEL 3/8"

STOCK #	(F) NPT	STOCK #	(F) NPT
16.2742	1/4"	16.2842	1/4"
16.2762	3/8"	16.2862	3/8"
16.2772	1/2"	16.2872	1/2"

TYPE INDUTRIEL 1/2"

STOCK #	(F) NPT	STOCK #	(F) NPT
16.3762	3/8"	16.3862	3/8"
16.3772	1/2"	16.3872	1/2"
16.3782	3/4"	16.3882	3/4"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

FEMALE ELBOW 90°



STOCK #	(M) NPT-LENGTH
33.2410	1/8"
33.2428	1/4"
33.2446	3/8"
33.2454	1/2"
33.2472	3/4"

MALE FEMALE STREET ELBOW 90°



STOCK #	(M) NPT	(F) NPT
33.2610	1/8"	1/8"
33.2628	1/4"	1/4"
33.2646	3/8"	3/8"
33.2654	1/2"	1/2"
33.2672	3/4"	3/4"

MALE/FEMALE STREET ELBOW 45°



STOCK #	(M) NPT	(F) NPT
33.2910	1/8"	1/8"
33.2928	1/4"	1/4"
33.2946	3/8"	3/8"
33.2954	1/2"	1/2"

FEMALE TEE



STOCK #	(M) NPT-LENGTH
41.265	1/8"
41.270	1/4"
41.275	3/8"
41.280	1/2"
41.285	3/4"
41.290	1"
41.295	1 1/4"

CROSS



STOCK #	(M) NPT-LENGTH
33.3710	1/8"
33.3728	1/4"
33.3746	3/8"
33.3754	1/2"

HEXAGONALE FEMALE CONNECTION



STOCK #	(M) NPT-LENGTH
33.1710	1/8"
33.1728	1/4"
33.1746	3/8"
33.1754	1/2"
33.1772	3/4"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

LONG PIPE NIPPLE



STOCK #	(M) NPT-LENGTH
33.1210	1/8" - 1 1/2"
33.1212	1/8" - 2"
33.1214	1/8" - 2 1/2"
33.1216	1/8" - 3"
33.1218	1/8" - 3 1/2"
33.1220	1/8" - 4"
33.1222	1/4" - 1 1/2"
33.1224	1/4" - 2"
33.1226	1/4" - 2 1/2"
33.1228	1/4" - 3"
33.1230	1/4" - 3 1/2"
33.1232	1/4" - 4
33.1234	3/8" - 1 1/2"
33.1236	3/8" - 2"
33.1238	3/8" - 2 1/2"
33.1240	1/2" - 1 1/2"
33.1242	1/2" - 2"
33.1244	3/4" - 1 1/2"
33.1246	3/4" - 2"
33.1248	3/4" - 2 1/2"

FEMALE TO MALE PIPE ADAPTOR



STOCK #	(M) NPT	(M) NPT
33.1910	1/8"	1/8"
33.1912	1/8"	1/4"
33.1913	1/8"	3/8"
33.1928	1/4"	1/4"
33.1932	1/4"	3/8"
33.1933	1/4"	1/2"
33.1946	3/8"	3/8"
33.1948	3/8"	1/2"
33.1954	1/2"	1/2"
33.1958	1/2"	3/4"

MALE HEX PIPE NIPPLE



STOCK #	(M) NPT	(M) NPT
33.1110	1/8"	1/8"
33.1128	1/4"	1/4"
33.1126	1/4"	1/8"
33.1146	3/8"	3/8"
33.1144	3/8"	1/4"
33.1142	3/8"	1/8"
33.1154	1/2"	1/2"
33.1152	1/2"	3/8"
33.1172	3/4"	3/4"
33.1170	3/4"	1/2"
33.1182	1"	1"

SQUARE HEAD PIPE PLUG



STOCK #	(M) NPT
33.2210	1/8"
33.2228	1/4"
33.2246	3/8"
33.2254	1/2"
33.2272	3/4"
33.2282	1"

REDUCING BUSHING



STOCK #	(M) NPT	(M) NPT
33.1826	1/4"	1/8"
33.1842	3/8"	1/8"
33.1844	3/8"	1/4"
33.1849	1/2"	1/8"
33.1850	1/2"	1/4"
33.1852	1/2"	3/8"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

MALE HOSE BARB CONNECTOR



STOCK #	HOSE DIA.INT	(M) NPT
33.4110	1/8"	1/8"
33.4120	3/16"	1/8"
33.4126	1/4"	1/8"
33.4128	1/4"	1/4"
33.4132	1/4"	3/8"
33.4160	5/8"	3/8"
33.4162	5/8"	1/2"
33.4166	5/8"	3/4"
33.4136	5/16"	1/4"
33.4142	3/8"	1/8"
33.4144	3/8"	1/4"
33.4146	3/8"	3/8"
33.4148	3/8"	1/2"
33.4150	1/2"	1/4"
33.4152	1/2"	3/8"
33.4154	1/2"	1/2"
33.4158	1/2"	3/4"
33.4170	3/4"	1/2"
33.4172	3/4"	3/4"
33.4180	1"	3/4"
33.4182	1"	1"

FEMALE HOSE BARB CONNECTOR



STOCK #	HOSE DIA.INT	(M) NPT
33.4326	1/4"	1/8"
33.4328	1/4"	1/4"
33.4336	5/16"	1/4"
33.4344	3/8"	1/4"
33.4346	3/8"	3/8"
33.4352	1/2"	3/8"
33.4354	1/2"	1/2"

JOINT BARB CONNECTOR



STOCK #	HOSE DIA.INT
33.4728	1/4"
33.4738	5/16"
33.4746	3/8"
33.4754	1/2"

HOSE BARB PUSH ON TO MALE CONNECTOR



STOCK #	HOSE DIA.INT	(M) NPT
33.6226	1/4"	1/8"
33.6228	1/4"	1/4"
33.6244	3/8"	1/4"
33.6246	3/8"	3/8"
33.6252	1/2"	3/8"
33.6254	1/2"	1/2"
33.6262	5/8"	1/2"

HOSE BARB PUSH ON TO FEMALE SAE SWIVEL



STOCK #	HOSE DIA.INT	(F) SAE
33.6428	1/4"	1/4"
33.6433	1/4"	5/16"
33.6446	3/8"	3/8"
33.6454	1/2"	1/2"
33.6464	5/8"	5/8"
33.6472	3/4"	3/4"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CHICAGO COUPLING





HOSE END

STOCK #	DIA.INT.
28.4109	1/4"
28.4110	3/8"
28.4111	1/2"
28.4112	3/4"
28.4113	1"
28.4114	1 1/4"
28.4115	1 1/2"
28.4116	2"

FEMALE

STOCK #	DIA.INT.
28.4119	1/4"
28.4120	3/8"
28.4121	1/2"
28.4122	3/4"
28.4123	1"
28.4124	1 1/4"
28.4125	1 1/2"
28.4126	2"





MALE NPT

STOCK #	DIA.INT.
28.4129	1/4"
28.4130	3/8"
28.4131	1/2"
28.4132	3/4"
28.4133	1"

STOCK #	DIA.INT.
28.4160	CONN.TRIPLE
28.4150	PLUG
28.4172	S.WASHER
28.4174	L.WASHER

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

HIGH-PRESSURE COUPLING



MALE STEM



FEMALE STEM



WING NUT

SIZE	STOCK #	STOCK #	STOCK #
1/2"	GJM-050-SP	GJS-050-SP	GJN-050-DP
3/4"	GJM-075-SP	GJS-075-DP	GJN-075-DP
1"	GJM-100-SP	GJS-100-DP	GJN-100-DP
1 1/4"	GJM-125-DP	GJS-125-DP	GJN-125-DP
1 1/2"	GJM-150-DP	GJS-150-DP	GJN-150-DP
2"	GJM-200-DP	GJS-200-DP	GJN-200-DP



FEMALE SPUD



MALE SPUD

SIZE	STOCK #	# PIECE
1/2"	GJF-050-SP	GDS-050-B
3/4"	GJF-075-DP	GDS-075-B
1"	GJF-100-DP	GDS-100-B
1 1/4"	GJF-125-DP	GDS-125-DP
1 1/2"	GJF-150-DP	GDS-150-DP
2"	GJF-200-DP	GDS-200-DP

COMBINATION NIPPLE

SIZE	STOCK #
1/2"	28.2012
3/4"	28.2022
1"	28.2032
1 1/4"	28.2042
1 1/2"	28.2052



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SUCTION GUN

No.	Description	Stock #	Weight
(-)	Suction gun (SG-300) includes: light-duty, portable hopper, with 10 ft. air hose, 10 ft.material hose, screen, 5/6" tungsten nozzle and 1/8" jet.	02641	20

No.	Description	Stock #	Weight
(-)	Coupling lock pin, pk of 25	11203	
1.	SGT air gun, nozzle and hose assembly	02643	
2.	SGT air gun assembly	02642	
3.	Hopper screen	02673	1
4.	Hopper	02675	7
5.	Abrasive feed elbow	02676	7
6.	Retaining thumb screw	03131	
7.	Adjusting sleeve	10809	
8.	Suction body	02663	
9.	Suction body nut	02664	
10.	Air hose assembly, 1/2" ID X 10ft.	02665	2
11.	Material hose assembly 1/2" ID X 10ft.	02666	3
12.	Air jet		
	1/16" orifice	02659	
	1/8" orifice (std.)	02660	
	3/16" orifice	02661	
	1/4" orifice	02662	

No.	Description	Stock#
13.	Lock nut	02667
14.	Air jet sleeve	02668
15.	Set screw, 1/4-NC X 1/4"	03075
16.	Nozzle	
	3/16" orifice	01352
	5/16" orifice(std.)	01354
	3/8" orifice	01355
	1/2" orifice	01356
17.	Retaining ring	02644
18.	Screw, round head, 8-32 X 3/8"	02645
19.	Valve lift washer	02646
20.	Spring, 3/8"ID X 1 1/8" long.	02647
21.	O-ring, 3/16"ID X 1/16"	01992
22.	Valve stem	02649
23.	Washer No. 8 X 1/2" OD	02648
24.	Valve seat, neoprene, 3/4"OD X 1/8" thick	02650
25.	Valve seat, brass	02651
26.	Air hose connector	02652
27.	Valve trigger	02653
28.	Body	02654
29.	Trigger hinge pin	02655
30.	Valve seat gasket	02657




Suction Gun

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

EDUCT-O-MATIC




No.	Description	Stock #	Weight
(-)	Educt-o-matic complete, w/attachements	00751	12
(-)	Educt-o-matic complete, attachment set	00753	1
1.	Blast head	00761	1
2.	Standard adaptor	00762	<.5
3.	Nozzle, 3/8", tungsten	00754	<.5
4.	Nozzle, 3/8", steel	00763	<.5
5.	Blast jet	00765	
6.	Jet basket	00766	
7.	Thumb screw,1/4"X3/4"	03123	
8.	Blast head nipple, 3/8" X 4"	00767	<.5
9.	Swivel connector	00768	<.5
10.	O-ring, neoprene	00769	<.5
11.	Main body	00770	2
12.	Abrasive hose	00771	<.5
13.	Thumb screw,1/4"X3/4" 10-24 X 1/2"	03887	
14.	Ferrule	00774	<.5
15.	Air hose assembly	00775	<.5
16.	Suction jet	00776	
17.	Baffle assembly	00778	<.5
18.	Baffle (plastic only)	See 00778	
19.	Screen	See 00778	
20.	Screen gasket	See 00778	
21.	Abrasive container	00814	<.5
22.	Dust bag	00785	<.5
23.	Exhaust tube w/form	00784	
24.	Valve body	00789	<.5

No.	Description	Stock #	Weight
25.	O-ring	00786	
26.	Valve bushing	00792	<.5
27.	Valve bushing gasket	00793	
28.	O-ring	00794	
29.	Washer	00795	
30.	Retaining ring	00796	
31.	Spring	00797	
32.	Valve stem	00798	<.5
33.	Washer	00799	
34.	Washer, brass	00800	<.5
35.	Hex nut, 10-32	03885	
36.	Washer, brass	00802	
37.	Spring	00803	
38.	Washer	00804	
39.	Eyelet, brass	00805	
40.	Washer, brass	00806	<.5
41.	Retaining ring	00807	
42.	Nipple and grip aasy	00810	<.5
43.	Pipe nipple	00808	<.5
44.	Molded handle grip	00812	<.5
45.	Handle/yoke assy	00811	<.5
46.	Swivel nut/ insert assy	00815	<.5
47.	Container latch hook	00782	<.5
48.	Container latch	00781	
49.	Master adaptor	00757	<.5
50.	Edge attachment	00755	<.5
51.	Serrated attachment	00756	<.5
52.	Angle attachment	00758	<.5
53.	Flat tip attachment	00759	<.5

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

HOLLO-BLAST JR.



HOLLO-BLAST JR.


Description	Stock #	Weight
Hollo-Blast Jr with reducer		
HBJR (Includes centering collar set)		
for pipe 3/4" to 2" ID	01098	3,0
Hllo-Blast Jr without reducer		
HBJR (Includes centering collar)		
for pipe 3/4" to 2" ID	01099	3,0

Description	Stock#	Weight
1. Deflection tip	01100	
2. Body	01101	.08
3. Stem support assy. (incl.item 5)	01102	.06
4. Stem sleeve, tungsten (2 required)	01105	
5. Throat rod and tip assembly	01162	
6. Throat rod nut	01108	
7. retaining ring	01109	
8. Nozzle, 9/32, tungsten carbide	01113	.12
9. O'Ring 9/16"	08977	
10. Knurled nut	01111	
11. Coupling, 3/8" diameter	01112	.02
12. Reducer	01115	.88

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

HOLLO-BLAST



Hollo-Blast

Description	Stock #	Weight
For pipe 2" to 12"(Does not include centering carriage.)		
HB-1 Hollo-blast with 1/2" nozzle and tungsten carbide tip	01076	5
HB-2 Hollo-blast with 5/8" nozzle and tungsten carbide tip	08446	5
HBB-1 Hollo-blast with 1/2" nozzle and boron carbide tip	21190	5

Centering carriages for Hollo-blast

Description	Stock #	Weight
HBC-1 for pipe 3" to 5"ID (includes collars and four button sets)	01124	3
HBC-2 for pipe 5" to 12"ID (includes threaded tip protector sleeve and adjusting nut)	01131	4

No.	Description	Stock#	Weight
1.	Nozzle, 1/2"	01406	1,5
2.	Nozzle, 5/8"	01407	1,5
3.	Tool holder	01079	1,02
4.	Deflection tip		
	Tungsten carbide	01078	.12
	Boron carbide	20968	.02
5.	Stem support assy. (incl. Item 8)	01080	.58
6.	Throat sleeve, tungsten (longer sleeve)	01084	.06
7.	Stem exten.sleeve tungsten(shorter sleeve)	01085	.06
8.	Throat rod and tip	01086	
9.	Tip holding nut	01089	
10.	Tip protection sleeve	01090	.52
11.	Threaded tip protection sleeve	01091	.42
12.	Knurled lock nut	01092	.1
13.	Stem support front gasket	01093	
14.	Stem support rear gasket	01094	
15.	Washer, brass	01096	
16.	O-ring Buna-N	01097	
17.	Coupling, 1 7/8" X 1 7/16"	01095	
18.	Boron throat sleeve 2 required	20969	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SPIN-BLAST

Small Spin-Blast

Description	Stock #	Weight
For pipe 8" to 36" ID, (includes (2) 1/4"X 1 3/4" nozzles) carriage not included	02601	17,0

Carriage for small Spin-Blast


For pipe 8" to 17" ID	03641	7,0
For pipe 12" to 36" ID	04971	22,0

Large Spin-Blast

Description	Stock #	Weight
For pipe 36" to 60"ID without carriage/ nozzles	10547	21

Carriage for Large Spin-Blast

For pipe 36" to 60" ID	10560	19



No.	Description	Stock #	Weight
1.	Std. Pipe plug, 1"	01761	.22
2.	Rotating nozzle head (small)	02604	1,54
3.	Brake housing	02606	1,74
4.	SB nozzle, 1/4" orifice X 1 3/4" tungsten	01408	.5
5.	SB nozzle, 5/16" orifice X 1 3/4" tungsten	01409	.5
6.	SB nozzle, 3/8" orifice X 1 3/4" tungsten	01411	.5
7.	SB nozzle, 5/16" orifice X 3" tungsten	01410	.75
8.	SB nozzle, 3/8" orifice X 4" tungsten	01412	.75
9.	Set screw, 1-4/20 x 1/4"NC	03071	
10.	Screw, round head 10-24 X 2 1/4"	03892	
11.	Lock pin, brass	02628	.02
12.	Brake, with lining	02608	.28
13.	Tube (casting)	02609	2,08
14.	Set screw, 10-24 X 3/16"	03270	
15.	Double seal bearing	02611	.3
16.	Main body	10899	2,16
17.	Tube lock ring	02610	.02
18.	Bearing seal	02613	.02
19.	Leather dust seal	02614	.02

No.	Description	Stock #	Weight
22.	Screw, md hd 10-24 X 1"	03891	
23.	Hex nut, rear plate	02618	.24
24.	Rubber-lined nipple 1 1/4" ……	02617	.60
25.	Quick coupling, threaded (NPS)	00592	1,04
26.	Retainer ring	10898	.28
27.	Screw, flt hd. 10-24 X 1"	10897	
28.	Rotating nozzle head (large)	10546	2,8
29.	SSR-4, 1/4" orifice	04703	0.76
30.	SSR-5, 5/16" orifice	04704	.80
31.	SSR-6, 3/8" orifice	04705	1,02

Spin-Blast spare parts kits

NOTE: Distributors should caution customers to have spare parts kit on hand when using the Spin-Blast.

Description	Stock #	Weight
Each kit includes: Rotating nozzle head, brake w/lining, tube casting, bearing seal, 1 1/4" rubber-lined nipple, 2 ea tube lock rings, double seal light bearings, tungsten carbide washers, 4 ea 1" standard pipe plugs, 30 ea leather seals.		
Spin-Blast 02601 (small)	02603	7,3


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


WET BLAST INJECTOR SYSTEM

Includes wetblast enclosure, water pump, hydrolic hose with fittings, and nozzle adaptor. NOTE: Choose wetblast system with nozzle adaptor to suit nozzle style.
Order nozzle separately.

Description	Stock #	Weight
For one operator		
50ft.of hydrolic hose,		
05540 nozzle adaptor, 11/4" straight thread, 1" bore.	05500	85
05541nozzle adaptor, contractor thread, 1" bore.	07750	85
05598 nozzle adaptor, contractor thread, 11/4" bore.	07752	85
For two operators		
Two 50ft. Hydrolic hoses,		
two 05540 nozzle adaptors 11/4" straight thread, 1" bore	5501	95
two 05541 nozzle adaptors contractor thread 1" bore	7751	95
two 05598 nozzle adaptors contractor thread 11/4" bore	7753	95



Wetblast Injector System Pump Enclosure




Wetblast Injector System Nozzle Adaptor

Nozzles adaptors	Stock#	Weight
11/4" straight thread, 1" bore.	05540	2
contractor thread, 1" bore.	05541	2
contractor thread, 11/4" thread	05598	2
W/B injector, 1"ent.(05540)	05536	
W/B injector, 1"ent.(05541)	05534	
W/B injector, 11/4"ent.	05535	
Huile Wet blast (WDTE-9)	05598	

Wetblast attachement

WB-1(Includes water jacket, shut-off valve, flexible hose, connections)	02701
Petcock and 9" hose	02709



02701 Wetblast Attachment

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


EASY LOAD SYSTEMS FOR RECYCLABLE ABRASIVES

Systems with 6 cu. Ft. Storage hopper, include:
290 cfm vacuum producer with silencer , abrasive loading hopper with screen and cover, 6 cu. Ft. Storage hopper, 24" dia. Blast machine attachement kit, 3" interconnecting hoses with clamps, 3" ID vacuum hose with 3" bulk pick-up tool.

Description	Stock#	Weight
ELS-1-290		
With wet dust drum	07578	1000
ELS-2-290		
With RP dust collector ..	21079	1125

Systems with Closed Circuit Blaster (CCB), include:
290 cfm vacuum producer with silencer, 6 cu. Ft. Storage hopper, RP dust collector, 24" dia. Blast machine attachment kit, 3" interconnecting hoses with clamps, CCB tool with 1/4" nozzle, 2" ID x 50 ft. Vacuum hose with clapms, 1/4" ID x 50 ft. Supa blast hose, coupled.


Description	Stock#	Weight
ELS-CCB-1		
w/o blast machine	11416	1190
ELS-CCB-BM-1		
w/6 cu. Ft. Blast mach ...	11418	1660



Easy Load Systems for Recyclable or Expendable Abrasives
Systems with 17 cu. Ft. Storage hopper, include:
290 cfm vacuum producer with silencer, abrasive loading hopper with screen and cover, 17 cu. Ft. Abrasive storage hopper, 3" interconnecting hoses with clamps, 3" ID vacuum hose with 3" bulk pick-up tool.

Description	Stock#	Weight
ELS-3-290		
With wet dust drum	07498	980
ELS-4-290		
With RP dust col	21080	1180

NOTE : 150 cfm Easy Load Systems are available for special applications . Call for cotation.



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

EASY LOAD VACUUM SYSTEMS AND CLOSED CIRCUIT BLAST TOOL

Easy Load systems for expendable abrasives

Systems with 6cu ft storarage hopper, includes:
290 CFM vacuum producer with silencer, abrasive loading hopper with screen and cover, 6cu ft collection container, 3" interconnecting hoses with clamps, 3" ID vacuum hose with bulk pick-up tool.

Description	Stock #	Weight
ELS-5-290 with wetdust drum	20430	1660
ELS-6-290 with RP dust collector	20431	1785



Easy Load Components/Parts

Description	Stock #	Weight
290 CFM vacuum producer VPR with silencer	07585	80
VPR air jet, rubberized	07516	
VPR body	07518	10
Vacuum hose, 2" ID (multiples of 25' only)	10332	1
Vacuum hose, 3" ID (multiples of 25' only)	10286	1
Pick-up tool, 3" bulk	04275	25
Pick-up tool, 3" crevice	04271	20
Pick-up tool, 3" floor	04273	21
RP dust collector	20416	
Filter cartridge, 9" dia. X 24"	20444	13
Dust collector dump valve	21082	12
Dust bag for RP collector	21083	1
Pressure regulator	01906	3
Lid assembly	20417	
Collection container/wet dust drum	20418	
Abrasive loading hopper	07556	
Storage hopper, without lid assembly, 6cu ft	07568	
Storage hopper, without lid assembly, 17cu ft	10793	
Blast machine 6 cu.ft. w/TLR-300, Sentinel and ACS	21074	510

Closed Circuit Blaster (CBB)


Description	Stock #	Weight
CCB basic tool,includes:TMP-4 nozzle, NHP-2 nozzle holder, (1)flat brush, (1) 90deg inside angle brush, (1)90 deg outside angle brush	11411	24
CCB packageincludes: basic tool, plus 2" X 50' vacuum hose with clamps	11412	155
CCB package includes:basic tool, plus 2" ID X 50' vacuum hose with clamps and 1 1/4"ID Supa blast hose, with (1)CQPS-2 coupling	11414	215

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CLOSED CIRCUIT BLAST TOOL

ID.	Description	Stock#	Weight
(-)	CCB tool, complete	11411	20
(-)	3 ft. Twinline hose, cpld	2240	.86
(-)	Hose union	01944	.04
(-)	Sling	11424	.24
(-)	Boot, long, straight	11432	.92
(-)	Boot long , 90˚ inside angle	11433	.62
(-)	Brush, 90˚ inside angle	15509	.55
(-)	Boot , long 90˚ Outside angle	11434	.78
(-)	Brush, 90˚ Outside angle	15510	.58
1.	Vacuum housing	15502	.28
2.	Boot, short, straight	15503	.48
3.	Nut ring, 4 piece	15504	.2
4.	Pivot ring	15505	.54
5.	Gimbal ring	15506	.16
6.	Boot clamp half (2 required)	15507	.14
7.	Brush, short straight (standard)	15511	.2
8.	Hex nut, 1/4-NC reg	03111	
9.	Blast tube 23"	15512	2,9
10.	TMP-4, 1/4" nozzle	23520	.82
11.	NHP-2 nozzle holder	04127	.26
12.	Handle clamp	15513	.18
13.	Thumb screw, 1/4-NC	15525	.02
14.	Wing nut, 1/4-NC	03113	
15.	Hex nut, 1/2-NC reg	03511	.04
16.	Handle, straight	15514	.34
17.	Handle, angled	15515	.54
18.	Handle grip, rubber, 5" long	15532	.06
19.	Handle grip, rubber, 9 1/4" long	15540	.1
20.	Retaining ring	15516	.14
21.	Hose clamp, 2 1/2"	02817	.02
22.	Cap screw 1/4-NC x 1/2"	03051	
23.	Cap screw 1/4-NC x 3/4"	03052	
24.	Socket Head screw, 1/4-NC x 1/2"	15526	
25.	Square nut, 1/4-NC	15527	



ID.	Description	Stock#	Weight
26.	Lock washer, 1/4" International tooth	03118	
27.	Elbow, vacuum connection	15518	
28.	Cap screw, 10-24 x 5/8"	15528	
29.	Cap screw, 1/4" x 1" Hex head	03053	
30.	Gasket, vacuum connection elbow	11183	
31.	Wheel ring	15520	
32.	Wheel, steel	03636	
33.	Wheel brushing	03637	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

ABRASIVE CLEANER AND HOPPER RECOVERY

Industriel Equipement
Abrasive Cleaners
(standard Screen has 3/16" holes) OM 20547

Desciption	Stock #	Weight
Three-phase, 60 hz electrics (specify 230v or 460v)		
Right-Side abrasive cleaner		
With debris drum	21354	562
With debris bag	21355	562
Left-side abrasive cleaner		
With debris drum	21282	562
With debris bag	21281	562
2-pot stand		
For abrasive cleaner	02594	
Cover assemblies		
For 24" machine w/flange	03104	
For 24" machine w/flange	02582	

Abrasive Cleaner Attachment Kits
Blast machines without flange require one of the following kits for mounting abrasive cleaner:

For 24" dia. Machine	10289	6
For 30" dia. Machine	06856	8
For 36" dia. Machine	06857	9

600 cfm Dust Collector OM 06506

(Services abrasive cleaner only)		
Three-phase, 60 hz electric (specify 230v or 460v).		
600 cfm dust collector for Abrasive cleaner	06496	380
Duct hose, 6" ID, (10 ft. Required)	12452	25
Hose clamps, 61/2" dis. (2 Required)	00750	1

Industrial Blast Machine System
Single Chamber with remotes OM 22501
and Sentinel Metering Valve OM 20951

6.0 cu.ft. Blast machine, stationary, with TLR remote controls and Sentinel metering valve with ACS, 11/4" ID x 50ft. Supa hose , coupled with NHP-2 nylon nozzle holder and CQPS-2 nylon quick coupling, TLX-6 blast nozzle 1 1/2" air filter with automatic drain, Apollo 60 HP helmet with cool-air tube, 50 ft. Respirator hose, coupled, CPF-20 Breathing air filter, 1 pair leather gloves, 1 pack of 25 helmet outer lenses, 10 nozzle washers, 10 coupling gaskets, 6 abrasive trap sceens, ans 1 blast suit (size-large)

Desciption	Stock #	Weight
	00924	545

Hopper Recovery Systems (Mechanical)
For heavy and coarse-mesh abrasives

Systems Include:

Hopper assembly with grating, bucket elevator with 1 HP motor, and integrated underspeed monitor.

Desciption	Stock #	Weight
Three-phase, 60 hz electrics (specify 230v or 460v).		
3ft x 3ft floor - level sweep-in recovery systems	06468	1170
2ft x 2ft wall-mount shovel-in recovery systems	06427	805

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

RECLAIMER CONVERSION KITS AND CABINET METERING VALVE

Reclaimer (Pressure Blast) Conversion Kits

(To convert BNP suction cabinets to pressure blast cabinets.) Includes 2.0 cu.ft. Capacity blast machine, 1/2"ID coupled blast hose, CT-3 tungsten carbide nozzle, reclaimer with wear palte & motor, air filter and pressure regulator. Order dust collector separately.

Description	Stock #
600 cfm pressure kit (1HP, 155/1/60)	12518
900 cfm pressure kit (2HP, specify 230v or 460v) ...	12517

Reference to "Pull-thru" indicates a system in which the blower motor is located on the clean air side of the dust collector.


Reclaimer (Suction Blast) Kits

To add reclaimer capabilities to any BNP suction cabinet. Includes reclaimer with wear palte and motor, dust bag (two on 900 cfm unit), pressure regulator, air filter, #5 BNP gun with ceramic nozzle and all necessary hoses and fittings.

300 cfm reclaimer kit with 1/2 HP motor, (115/1/60)	12842
600 cfm pressure kit (1 HP motor, (115/1/60)	12841
900 cfm reclaimer kit with 2 HP motor, (specify 230v or 460v/3/60)	13538

Metering Valve Assembly

	Description	Stock #
(-)	Metering valve, Complete	12417
1.	Screw, metering valve.....	23098
2.	Stem, metering valve.....	23097
3.	Body, metering valve.....	11532
4.	Plug, metering valve.....	12011
5.	Fitting, hose, 3/8" npt x 1/2" barb.....	6369
6.	Nut, meter valve	23099



Metering Valve Assembly


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

GUN BNP

No.	STOCK #	DESCRIPTION
1	12301A	COMPLET GUN # 3.5
	12301	COMPLET GUN # 4
	12302	COMPLET GUN # 5
	12303	COMPLET GUN # 6
	12304	COMPLET GUN # 7
	12305	COMPLET GUN # 8
2	11914	NOZZLE NUT
3	11930A	CERAMIC BUSE # 4
	11930	CERAMIC BUSE # 5
	11931	CERAMIC BUSE # 6
	11932	CERAMIC BUSE # 7
	11935A	BORE BUSE #4
	11935	BORE BUSE #5
	11936	BORE BUSE #6
	11937	BORE BUSE #7
	12894	BORE BUSE #8
4	8975	O-RING
5	11802	GUN BODY
6	11913	LOCK NUT, AIR JET

No.	STOCK #	DESCRIPTION
7	12097	RUBBER SLEEVE
8	12342A	AIR JET # 3.5
	12342	AIR JET # 4
	12343	AIR JET # 5
	12344	AIR JET # 6
	12345	AIR JET # 7
	12346	AIR JET # 8
9	33.6454	HOSE END FEM. 1/2"
10	33.6252	HOSE END MALE
11	462	HOSE AIR 1/2"
12	315008	HOSE, MEDIA
*	11947	BUSE WIDE SPRAY #6
	12308	BAGUE, WIDE SPRAY
	11916	NOIX, WIDE SPRAY



BUSE SIZE	AIR JET #	CFM @ 80 PSI
# 4	# 3.5	17
# 4	# 4	21
# 5	# 5	32
# 6	# 6	48
# 7	# 7	62
# 8	# 8	85

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CABINET ACCESSORIES

Pressure Cabinet Nozzles

TUNGSTEN CARBIDE LINED
1/2" ENTRY, 3/4" THREADS, STRAIGHT BARREL:
(Nozzle includes 00853 NW-1 washer)


Description	Stock#	Weight
CT-2 Nozzle 1/8" Orifice x 1-3/4" long	01351	.5
CT-3 Nozzle 3/16" Orifice x 1-3/4" long	01352	.5
CT-4 Nozzle 1/4" Orifice x 1-3/4" long	01353	.5
CT-5 Nozzle 5/16" Orifice x 1-3/4" long	01354	.5
CT-6 Nozzle 3/8" Orifice x 1-3/4" long	01355	.5

BORON CARBIDE LINED
1/2" ENTRY, 3/4" THREADS, STRAIGHT BARREL:
(Nozzle includes 00853 NW-1 washer)

Description	Stock#	Weight
CTB-2 Nozzle 1/8" Orifice x 1-3/4" long	21090	.5
CTB-3 Nozzle 3/16" Orifice x 1-3/4" long	21091	.5
CTB-4 Nozzle 1/4" Orifice x 1-3/4" long	21092	.5
CTB-5 Nozzle 5/16" Orifice x 1-3/4" long	21093	.5
CTB-6 Nozzle 3/8" Orifice x 1-3/4" long	21094	.5

Foot Pedal Assembly

Description	Stock #
(-) Foot pedal assembly, less hose	20483
1. Top, foot pedal	20017
2. Base, foot pedal	19991
3. Valve, 3 way n/c	20026
4. Drive pin, groved	20109
5. Screw, 1/4 nf x 3/4" Socket head	3086
6. Screw, 10-32 x 1/2" Flat head	19571
7. Adaptor, 10-32 thrd. x 1/8 barb	11731
8. Spring, 1-1/4" x 3-1/2"	20121
9. Screw, 8-32 x 3/8" thread cut	11389
10. Bumper, rubber	21522



Foot Pedal


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BNP-65 AND BNP-220 PRESSURE BLAST CABINET RECLAIMERS

Reclaimer for 16"diameter blast machine
NOTE: Flex hose, clamp, and lower adhesive-backed gasket are not supplied with replacement reclaimers


ID.	Description	Stock #
(-)	Reclaimer assembly, with exhauster	
	600 cfm	21251
	900 cfm	21253
(-)	Reclaimer assembly, less exhauster	
	600 cfm	21250
	900 cfm	21252
(-)	Reclaimer assembly, pull-throught type	
	600 cfm	21292
	900 cfm	21293
1.	Motor, exhauster	
	For 600 cfm reclaimer, 1HP, 115/230v, 1 PH, 60 Hz	12314
	For 900 cfm reclaimer, 2hp, 230/460v, 3 PH, 60 Hz	
2.	Plate, motor mount	
	600 cfm	12004
	900 cfm	12005
3.	Housing,	
	600 cfm exhauster	12272
	900 cfm exhauster	12271
4.	Gasket, 5/16" x 1", adhesive backed, specify feet required	00187
5.	Paddle wheel	
	600 cfm	12334
	900 cfm	12335
6.	Inlet pipe adaptor	
	600 cfm, 5"	12361
	900 cfm, 6"	12363
	900 cfm, 5" for steel media	14411
7.	Gasket, inlet adaptor	
	600 cfm	11779
	900 cfm	11759
8.	Wear-plate	
	600 cfm	13011
	900 cfm	14055
9.	Clamp, hose	
	For 600 cfm, 5-1/2"	11578
	For 900 cfm, 6-1/2"	00750
10.	Screen assembly	21265
11.	Gasket, door	11745
12.	Hose, light lined flex, specify feet required	
	5" ID for 600 cfm	12467
	6" ID for 900 cfm	12468
13.	Latch assembly	12263
14.	Vortex cylinder assembly, adjustable for exhauster mounted reclaimer	
	600 cfm	19062
	900 cfm	19065
15.	Vortex cylinder assembly, adjustable for pull-through reclaimer	
	600 cfm	19080
	900 cfm	19084



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

MICRO VALVE



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


MICRO VALVE

ID	Stock #	Description
	2125-1006	1" Micro Valve with Urethane sleeve
	2125-107	1 1/1" Micro Valve with Urethane sleeve
	2125-107	1 1/2 Micro Valve with Urethane sleeve
	2125-100-99	Repair Kit with Urethane sleeve
1	2125-000-01	Knob
2*	2125-000-04	Roll Pin
3	7010-505-56	Bolt
4	2125-000-02	Cap
5*	2125-000-05	Plunger
6	2125-000-06	Body
7*	2149-000-06	Plunger Seal
8*	2125-100-08	Sleeve-Urethane
9*	2125-000-09	Gasket
10	2125-006-10	Pipe Nipple, 1" Female x 1 1/2" Male
10	2125-007-10	Pipe Nipple, 1-1/4" male x 1-1/2" male
10	2125-008-10	Pipe Nipple, 1-1/2" male x 1-1/2" male
	* Included In Repair Kit	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

THOMPSON VALVE



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

THOMPSON VALVE


ID	Stock #	Description
	2149-006	1" Valve With Tungsten Carbide Sleeve
	2149-106	1" Valve With Urethane Sleeve
	2149-007	1 1/4" Valve With Tungsten Carbide Sleeve
	2149-107	1 1/4" Valve With Urethane Sleeve
	2149-008	1 1/2" Valve With Tungsten Carbide Sleeve
	2149-108	1 1/2" Valve With Urethane Sleeve
	2149-000-99	Repair Kit With Tungsten Carbide Sleeve
	2149-100-99	Repair Kit With Urethane Sleeve
1	2149-000-01	Knob
2	2149-000-02	Cap
3	2149-000-19	Bump Ring
4	2149-000-03	Spring
5	2149-000-08	Nut
6*+	2149-000-04	Piston Seal Kit
7	2149-000-05	Piston
8*+	2149-000-07	Tungsten Carbide Plunger Kit
9	2149-000-09	Cylinder
10*+	2149-000-06	Plunger Seal Kit
11+	2149-100-13	Urethane Sleeve Kit
12	2149-000-11	Base
13	7010-507-55	Bolt
14	2149-006-15	Pipe Nipple 1" x 8"
14	2149-007-15	Pipe Nipple 1 1/4" x 8"
14	2149-008-15	Pipe Nipple 1 1/2" x 8"
15*	2149-000-18	O-Ring Kit
16*	2149-000-14	Insert Kit
17*	2149-000-10	Seat Kit
18*	2149-000-13	Tungsten Carbide Sleeve

* Included In Repair Kit For Thugsten Carbide Sleeve
\+ Included In Repair Kit For Urethane Sleeve

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

THOMPSON VALVE II



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


THOMPSON VALVE II

ID	Stock #	Description
	2152-006	1" Valve With Tungsten Carbide Sleeve
	2152-106	1" Valve With Urethane Sleeve
	2152-007	1 1/4" Valve With Tungsten Carbide Sleeve
	2152-107	1 1/4" Valve With Urethane Sleeve
	2152-008	1 1/2" Valve With Tungsten Carbide Sleeve
	2152-108	1 1/2" Valve With Urethane Sleeve
	2152-000-99	Repair Kit With Tungsten Carbide Sleeve
	2152-100-99	Repair Kit With Urethane Sleeve
1	2152-000-01	Knob
2	2152-000-17	Breather Vent
3	2152-000-12	Spring Retainer
4*+	2152-000-18	O-Ring (Kit)
5	7027-503-02	Waher
6	7010-507-05	Hex Bolt 3/8" UNC x1 1/4" Lg
7	2152-000-02	Cap Plate
8*+	2152-000-16	Cap Gasket (Kit)
9	2149-000-19	Bump Ring
10	2152-000-25	Vibration Disc
11	2152-000-03	Spring
12	2149-000-08	Nut
13*+	2149-000-04	Piston Seal (Kit)
14	2152-000-05	Piston
15*+	2152-000-07	Tungsten Carbide Plunger (Kit)
16	2152-000-09	Cylinder
17*+	2149-500-06	Plunger Seal (Molythane) (Kit)
18*+	2152-000-06	Plunger Seal (Urethane) (Kit)
19	2152-000-14	Body
20+	2152-100-13	Urethande Sleeve (Kit)
21	2152-000-19	Base 1" NPT
21	2152-000-15	Base 1 1/4" NPT
21	2152-000-11	Base 1 1/2" NPT
22	7010-507-95	Hex Bolt 3/8" UNC x4 3/4" Lg
23	3014-506	Plug
24*	2152-000-21	O-Ring (Kit)
25*	2152-000-13	Tungsten Carbide Sleeve
26*	2152-000-10	Seat
27	8403-000-54	Cleanout Ball Valve Adder
28	3006-106	Street Elbow 90o, 1" Galv
29	3029-106-09	Nipple TBE 1" x 2" Full Port
30	2401-506	Ball Valve 1" Full Port (Kit)
	* Included In Repair Kit For Thugsten Carbide Sleeve + Included In Repair Kit For Urethane Sleeve	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

COMBO VALVE



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca


COMBO VALVE

ID	Stock #	Description
	2223-000	Combo Valve
	2223-000-99	Repair Kit
1	2223-000-01	Cap
2	2223-000-02	Pinch Ram
3	2223-000-03	Upper Rod Guide
4*	2223-000-04	Seal (Upper Rod) (kit)
5	2223-000-05	Spring
6	7010-507-15	Bolt, 3/8" x 6"
7	2223-000-07	Cylinder
8*	2223-000-08	O-Ring (Shaft)
9*	2223-000-09	Snap Ring
10*	2223-000-10	Seal(Lower Rod)
11	2223-000-11	Piston
12	2223-000-12	Shaft
13*	2223-000-13	Piston Seal (Kit)
14	7017-507-01	Nut, 3/8"
15	2223-000-15	Lower Rod Guide
16*	2223-000-16	O-Ring (Lower Rod Guide)
17	2223-000-17	Base
18*+	2223-000-18	Valve Plug Assembly
19	2014-300	Vent, 1/8"
20	4203-500-00	90o Swivel, 1/8 x 1/8"
21	4203-502-02	90o Swivel, 1/4 x 1/4"
	* Included In Repair Kit + Included Plug,(2) Orings, Washer and Nut	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PNEUMATIC DEADMAN CONTROLS




2263-000 Pneumatic Deadman		
ID	**Stock #**	**Description**
	2263-000-99	Repair Kit
1	2263-000-01	Lever
2	2263-000-02	Body
3 *	2263-000-03	Cartidge
4	2263-000-04	Hinge Pin
5 *	2263-000-05	Set Screw
6	2263-000-06	Button
7 *	2263-000-07	Spring
8 *	2263-000-08	Screw for Button
9	3031-302-00	Hex Nippel, 1/8" x 1/4"
10	3031-300-00	Hex Nippel, 1/8" x 1/8"
	* Included in repair kit	

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

PNEUMATIC DEADMAN CONTROLS II




	2263-001	Pnematic Deadman II
ID	**Stock #**	**Description**
	2263-001-99	Repair Kit
1	2263-001-01	Lever
2 *	2263-001-02	Body
3	2263-001-03	Cartidge
4	2263-001-04	Hinge Pin
5	2263-001-05	Set Screw
6 *	2263-001-06	Button
7 *	2263-001-07	Spring
8	2263-001-08	Safety Flap
9	2263-001-09	Plunger Plug
10	2263-001-10	Body Mounting Screw
11	2263-001-11	Lever Spring
12	2263-001-12	Flap Hinge Screw
13	3031-302-00	Hex Nippel, 1/8" x 1/4"
14	3031-300-00	Hex Nippel, 1/8" x 1/8"
	* Included in repair kit	


132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

CONTROL VALVES

PNEUMATIC





	2229-000	Pneumatic Control Valve
	2229-100	Control Valve-12 Volt D.C.
	2229-101	Control Valve-12 Volt A.C.
	2229-102	Control Valve-24 Volt D.C.
	2229-103	Control Valve-24 Volt A.C.
	2229-105	Control Valve-120 Volt A.C.

ID	Stock #	Description
	2229-000-99	Repair Kit (Pneumatic)
	2229-100-99	Repair Kit (Electric)
1.	Not Available	Air Operator Cap
2.*+	2229-000-02	Plunger w/O-Rings (Kit)
3.	Not Available	Valve Body
4.*+	2229-000-04	Spring (Kit)
5.	Not Available	Spring Retainer
6.*+	2229-000-06	Filter Disk (Kit)
7.*	2229-007-07	O-Ring (Large) (Kit)
8.	Not Available	Screw (8)
9.	2229-000-09	Air Operator Assembly
10.*+	2229-000-10	O-Ring (2 ea) (Kit)
11.	Not Available	Electric Operator Cap
12.	Not Available	Coil Cover Bottom
13.	2229-100-03	Coil 12 Volt D.C.
	2229-101-03	Coil 12 Volt A.C.
	2229-102-03	Coil 24 Volt D.C.
	2229-103-03	Coil 24 Volt A.C.
	2229-105-03	Coil 120 Volt A.C.
14.	Not Available	Coil Cover
15.	Not Available	Nut
16.	2229-100-06	Selenoid Oilot Assembly - 12 Volt D.C.
	2229-101-06	Selenoid Oilot Assembly - 12 Volt A.C.
	2229-102-06	Selenoid Oilot Assembly - 24 Volt D.C.
	2229-103-06	Selenoid Oilot Assembly - 24 Volt A.C.
	2229-105-06	Selenoid Oilot Assembly - 120 Volt A.C.

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

GAUGE CBM MOUNT



2" DIA. 1/8" NPT	
DESCRIPTION	**PRESS. RANGE**
62.2135	0-30
62.2140	0-60
62.2145	0-100
62.2150	0-160
62.2155	0-200

2 1/2" DIA. 1/4" NPT	
DESCRIPTION	**PRESS. RANGE**
62.3510	30" HG
62.3530	0-15
62.3535	0-30
62.3540	0-60
62.3545	0-100
62.3550	0-160
62.3555	0-200
62.3560	0-300

2 1/2" DIA. 1/4" NPT SILICONE	
DESCRIPTION	**PRESS. RANGE**
62.6510	30" HG
62.6535	0-30
62.6540	0-60
62.6550	0-100
62.6560	0-160
62.6565	0-300
62.6570	0-600
62.6580	0-1000
62.6580	0-2000
62.6585	0-3000
62.6590	0-5000

GAUGE LM MOUNT



2" DIA. 1/8" NPT	
DESCRIPTION	**PRESS. RANGE**
62.2335	0-30
62.2345	0-100
62.2350	0-160

2 1/2" DIA. 1/4" NPT	
DESCRIPTION	**PRESS. RANGE**
62.3710	30" gh
62.3715	30" HG / 0-30
62.3730	0-15
62.3735	0-30
62.3740	0-60
62.3745	0-100
62.3750	0-160
62.3755	0-200
62.3760	0-300

2 1/2" DIA. 1/4" NPT SILICONE	
DESCRIPTION	**PRESS. RANGE**
62.6610	30" HG
62.6635	0-30
62.6640	0-60
62.6645	0-100
62.6650	0-160
62.6655	0-200
62.6660	0-300
62.6665	0-600
62.6670	0-1000
62.6675	0-1500
62.6680	0-2000
62.6685	0-3000
62.6690	0-5000

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

LINE FILTER - ISOPLAST BOL



STOCK #	(F) NPT	CFM @ 100 PSI	DRAIN
50.120	1/4"	39	MAN.
50.126	1/4"	50	AUT.
50.130	3/8"	68	MAN.
50.131	3/8"	68	AUT.
50.140	1/2"	127	MAN.
50.141	1/2"	127	AUT.
50.150	3/4"	127	MAN.
50.151	3/4"	127	AUT.

LINE FILTER - ZINC BOL BIG DEBIT



STOCK #	(F) NPT	CFM @ 100 PSI	DRAIN
52.160	1"	360	MAN.
52.161	1"	360	AUT.
52.165	1 1/4"	370	MAN.
52.166	1 1/4"	370	AUT.
52.170	1 1/2"	380	MAN.
52.171	1 1/2"	380	AUT.
52.180	2"	1125	MAN.
52.181	2"	1125	AUT.

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

LINE REGULATOR



STOCK #	(F) NPT	CFM @ 100 PSI	PRESS.RANGE
50.320	1/4"	39	0-125
50.330	3/8"	78	0-125
50.335	1/2"	78	0-125
50.350	3/4"	190	0-125
52.360	1"	360	0-125
52.365	1 1/4"	360	0-125
52.370	1 1/2"	360	0-125

PILOT VALVE REGULATOR



STOCK #	(F) NPT	CFM @ 100 PSI	PRESS.RANGE
52.270	3/4"	360	0-300
52.275	1"	360	0-300
52.280	1 1/4"	360	0-300
52.285	1 1/2"	360	0-300
52.380	2"	1200	0-300

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

BALL VALVE



STOCK #	(F) NPT
14.1204	1/4"
14.1206	3/8"
14.1207	1/2"
14.1208	3/4"
14.1209	1"
14.1214	1 1/4"
14.1217	1 1/2"
14.1222	2"

TANK CHECK VALVE



STOCK #	M-F NPT
58.610	1/2" 3/8
58.620	1/2"
58.630	3/4"
58.650	1"
58.660	1 1/4"
58.670	1 1/2"

GATE VALVE



STOCK #	(F) NPT
11.7107	1/2"
11.7108	3/4"
11.7109	1"
11.7114	1 1/4"
11.7117	1 1/2"
11.7120	2"

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

SAFETY VALVE





STOCK #	(M) NPT	PSI	CFM
58.800	1/4"	50	47
58.810	1/4"	75	66
58.820	1/4"	115	96
58.830	1/4"	125	103
58.840	1/4"	140	115
58.850	1/4"	155	126
58.860	1/4"	163	132
58.870	1/4"	190	152
58.880	1/4"	200	160
118 3/8 75	3/8"	75	104
118 3/8 100	3/8"	100	133
118 3/8 125	3/8"	125	163
118 3/8 150	3/8"	150	192
118 3/8 175	3/8"	175	222
118 3/8 200	3/8"	200	251
118 1/2 65	1/2"	65	145
118 1/2 90	1/2"	90	175
118 1/2 100	1/2"	100	192
118 1/2 125	1/2"	125	234
118 1/2 135	1/2"	135	252
118 1/2 150	1/2"	150	177
118 1/2 175	1/2"	175	319
118 1/2 200	1/2"	200	361
119 3/4 110	3/4"	110	498
119 3/4 125	3/4"	125	559
119 3/4 135	3/4"	135	599
119 3/4 150	3/4"	150	659
119 3/4 175	3/4"	175	760
119 3/4 200	3/4"	200	861
119 1 110	1"	110	498
119 1 125	1"	125	559
119 1 135	1"	135	599
119 1 150	1"	150	659
119 1 175	1"	175	760
119 1 200	1"	200	861

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca

TANDEM VALVE

The Tandem Valve combines the functions of the air inlet and outlet valve


Stock #	Description
1012300	Tandem Valve

☞ **Replacement Parts**

1012301	Service Kit for Tandem Valve (includes Items marked with *)
1212305	Cap
1012306	Ram
1012307	Upper rod guide
1012308*	Seal (upper rod)-Not Shown
1012309	Spring
1012310	Bolt (4 required)
1012311	Cylinder
1012312*	O-ring (shaft)
1012313*	Snap ring
1012314*	Seal (lower rod)
1012315	Piston
1012316	Shaft
1012317*	Piston Seal
1012318	Nut, 3/8" (4required)

☞ **Replacement Parts**

1012319	Lower rod guide
1012320*^	O-ring (lower rod guide)
1012321	Base
1012322*	Valve plug assembly (includes items marked with ^)
1012323*^	Nut, 1/4"
1012324	Tandem/KwickFire Adapter
1012326	90^0 swivel fitting, 1/4" x 1/4" with 1/16" restrictor port
1012329	90^0 swivel fitting, 1/8" x 1/8"
1012350	Exhaust Hose Assembly
1012905	Breather vent, 1/8"
1014241	Washer, 1/8" (8 required)



132-945 Avenue Newton, Québec, G1P 4M3
Tél. : (418) 682-6086 | Courriel : info@glassjet.ca | www.glassjet.ca